

**E** COLOR<sup>®</sup>  
EXPERT



# CATALOGUE

Painting tools



*There is a pro in everyone.*



There is a pro in everyone.



# Our philosophy

## „There is a PRO in everyone!”



### End user orientation

COLOR EXPERT knows the needs of the end user in terms of painting tools - and develops products, based on these needs. Our end-user studies show: They expect a high-quality result; It is important that the products are attractive and harmless for both humans and nature. They expect to be quickly informed at the POS system and guided to the right product. We consistently orient ourselves towards these requirements of end users - with our products and presentations.

### Product innovations

We constantly developing our painting tools. The decisive factor is: to provide a work result like a professional. We are in permanent discussions with professional painters and the paint industry. Our products are always tailored to the current status of paints and applications. We also attach great importance to modern and ergonomic design and high-quality materials during our product developments.

### Sustainability

We use consistent tested materials for production of our painting tools. They provide the base for high quality and guarantee contaminant-free, harmless products, which meet all legal and customer-specific requirements. From handles to paint grids or roller covers, we pay attention to sustainable production. We manufacture our brush handles from FSC®-certified woods, as part of our responsibility for nature and consumer.

### Manufacturing competence

With our own production facilities and more than 125 years of experience, we present the highest level of competence in the development and manufacture of painting tools. Our paint roller production is the largest in Europe. All our production processes are subject to strict quality controls and continuous improvement processes. This is how we guarantee consistently a high level of quality.



Sign of responsible  
forest management

Our FSC® certified  
products are simple to  
identify by this logo.



# Index

## Masking by painting walls, lacquering and varnishing 18

Paper masking tapes and tapes with film/paper	19
Cloth masking tapes and tapes with film/paper	23
Plastic masking tapes	25
Covering material	26
Other tapes and accessories	29

## Fixing, sanding, paper hanging 32

Hand sanders and sanding material	34
Wire brushes and old paint scrapers	36
Spatulas, trowels and plasterer's tools	38
Caulking guns, plaster bowls, mortar buckets and boxes	46
Tools for dry-construction, insulation and wallpaper hanging	48
Knives, scissors and spare blades	51
Cleaning tools	54
Personal safety equipment	56
Other tools	59

## Wood staining 60

Wood staining refills, rollers and sets	61
Paint brushes, block brushes and sets	63

## Varnishing 66

Lacquering refills, rollers and sets	67
Paint brushes, block brushes and sets	73
Artistic and special brushes	77

## Painting walls and facades 78

Painting refills, rollers and sets	79
Special paint rollers	88
Paint roller handles	90
Wipe grids, Paint trays, paint buckets, telescopic poles	91
Paint mixers	94
Paint brushes, block brushes, ceiling brushes and sets	95
Other painting tools	101

## Promotional items 102



# Efficiency

## Painting tools - like a professional

During development of our products and conception of our assortments, we consistently focus on the needs of our customers - our partners in retail as well as the end-users. We are in close contact with the paint industry, our raw material suppliers – e.g., filament manufacturers - and professional painters. Latest findings from the paint industry as well as the experiences of professional users flow directly into our product development. Therefore, the end users work with our painting tools like from the professional.

## Own production facilities


We produce in our own production facilities. Our paint roller production in Pelhřimov (CZ) is the largest in Europe. The automatic production systems are state-of-the-art and enable us to produce efficiently.

## State-of-the-art production processes

We manufacture paint rollers for all requirements and applications with the most modern production methods. Our extrusion machines produce 12.75 million meters of inner tubes for rollers every year. Our brush manufacturing line ensures maximum efficiency. Also, the plastic components and plastic products are produced fully in our multi-component full automatized plastic injection molding machines. Permanent quality controls guarantee a constant high level of quality.

## Reliable delivery times

With our logistic and sales locations across Europe and Asia, we are always close to our customers. We operate logistic centers all over Europe: from Latvia to Spain, from Great Britain to Russia. In this way we ensure the highest quality of supplies and short delivery times.




## Storch-Ciret Group in numbers

Employees approx. 1.400

Production and warehouse area 40.000 qm

Production output per year

- > 10 million of paintbrushes
- > 160 million of paint refills / rollers
- > 225 million of plastic products
- > 25 million of roller handles
- > 8 million of CoverQuick products





**Production sites**

- Berka, Germany
- Pelhřimov, Czech Republic
- Beijing, China
- Zhejiang, China



# Unique display concept

## Intuitive consumer guidance. Safe decision.

Optimal customer guidance = satisfied customers. Tests showed: safely guided consumers buy up to 15% more, and higher quality products. COLOR EXPERT ensures that the end customers can easily orientate themselves in the store and can make their decisions quickly. The POS concept guides everybody easily from the pre-defined application fields through the specific applications to the right product.

## Quick orientation. Optimal presentation.

Safe guidance of end user is continued in product design and on the packaging. Easily understandable pictograms and modern icons provide intuitive information about possible applications and product features. The end users will quickly find exactly what they need to achieve perfect work results.

## Less costs. High profitability.

Our intuitive customer guidance and POS information materials relieves the sales force. The customers find the right product on the shelf themselves. Your work force needs = costs are reduced - and customer satisfaction is increased at the same time.

## The colour coding system from COLOR EXPERT

The color coding system from COLOR EXPERT assigns clearly defined colors to different working areas. The colors are based on our natural, familiar color spectrum: purple, blue, green, yellow and red. The respective area of application is properly identified and signed by color coding. Application pictograms in corresponding colors support the structuring of different application areas in respective working steps.



# The function of the POS elements

*There is a pro in everyone.*

The closer the end user gets to the product, the greater knowledge he obtains. The targeted placement of related items strengthen cross-selling effects.

## Head displays



The colour, text and key visuals on head displays identify the respective product area.

## Vertical banner

Colour-coded vertical banners lead end users to respective application field even in narrow aisles. They also draw attention to high-quality products. This improves the overall result - for end user and retailer.

## Horizontal banner

Horizontal banners structure the assortment of the respective working steps. The products are divided into reasonable product segments. In this way, you safely guide the end customers to the right segment.





### PowerMaster

- Spezielle Dünnschichten für eine gleichmäßige Farbe
- Gibt leicht ab und ist 90° Winkel auf die Wand ansetzbar für ein
- Perfektes Ergebnis mit nur 10 Schichten und nur



### UltraLight


- 10% leichtere Bürste durch ultraleichte Aluminiumstange
- Ideal für den Einsatz bei hohen Decken
- Spezielle Filz- und Schaumstoff-Verklebung für hervorragende



- XpertErgo
- XpertFinish
- XpertSpeed
- XpertPlanet



## Wände streichen



- XpertErgo
- XpertFinish
- XpertSpeed
- XpertPlanet

# Wände streichen



# Safe to make a purchase decision



With COLOR EXPERT, the end user is safely guided on his way to right purchase decisions - and fully supported on his project with appropriate painting tools.



## 1. The range

- Thanks to vertical banners, the application field is clearly visible from faraway distance, even in narrow aisles.
- The clear assignment of paints and application field clearly shows to the end customer: here I am right.
- Head displays confirm the application fields on each module.
- The key visual is the end user's identification figure. He recognizes himself in it.



## 2. The surface

- Horizontal banners guide our end user to the right painting tools for his/her respective surface (smooth, rough, coarse).
- Live sample of surface pattern and the corresponding roller gives him/her a certainty at choosing the tool.
- The end user is properly advised - without further advice needs.



## 3. The quality

- Better-Best Icons guide the end user to right choice of a product quality.
- The arrangement of different qualities follows the usual HPP, MPP, OPP direction from top to bottom.



# The modules „Painting walls and facades”



## Painting walls

The end user knows exactly what he is up to: painting walls. The head panel leads him to the right shelf.

## Immediately in the right segment

Based on the surface & better-best icons on the displays, the customer can easily find the tool he needs - in the quality he wants.

## Easy choice

Which roller to use on which surface? With the horizontal banner, the end user will be properly guided to the right painting tools according to his respective surface (smooth, rough, coarse). He will get important information to make the right decisions when buying. Samples of Surface patterns and roller samples help the choice of the optimal tool.



## Properly sorted. Optimal guided.

The different tools in the field "Painting walls" are in the three modules clearly sorted: from brushes and rollers to handles and paint trays. Surface patterns on the baskets make the choice of rollers easier. Live samples of rollers, placed in front of the roller baskets allows customers to touch & feel the product before buying it.



# The module „Varnishing“



## Varnishing

Knowing where: Thanks to our colour-coding system, the end user knows immediately where to find the tool for her/his varnishing job.

### Immediately in the right segment

Smooth or rough surface? And what quality? Using the information about different surface and the Better-Best icons on the panels, end customer can easily find the proper tool he needs.



### Simple solution: the 2 in 1 principle

The end user wants simple solutions. COLOR EXPERT offers it: with universal tools that are just as suitable for solvent-based paints as for water-based paints. Will this roller be working with my paint? Can I use this paint brush again even though I don't know anymore which paint I bought it for? End customer neither wants to nor has to deal with such questions - thanks to our 2 in 1 concept from COLOR EXPERT.



### The highlights

Great surface results thanks to our unique products UniStar and EvoStar: The vertical divider draws the customer's attention to special products at POS: End customer is encouraged to choose the high-quality products.



# The module „Wood staining”




## Wood Staining

Looking for a tool for wood preserving? The head display confirms by glance to your customer that the customer is in the right spot.



### Smooth or profiled wood?

Woodstain tools for different types of wood, each in better and best quality. Information on the panels immediately give the answers.



### The highlights

The WoodStar is a multiple award-winning woodstain brush. The narrow vertical divider draws the customer's attention to top product at POS - without taking up space in the aisle.

# The modules „Fixing, sanding and paper hanging”



## A module for each working step

Sanding, paper hanging or fixing: the head displays show your customer in which module he can find the appropriate tool.

## Immediately in the right segment

The panels are separated according to different product areas. Tools for filling applications are shown separately.




## The highlights

The best way to present top products for various working steps is also to be using vertical dividers. Eye-catchers that attracts one without getting in the way.





# The modules „Masking and covering”



## A module for every work step

One module for fleece and foils, one module for adhesive tapes. Head panels offer the best orientation.

## Immediately in the right segment

The banners in the shelves ensure horizontal orientation and separate the wide assortment of whole masking into the different product groups.



## Quickly informed, certainly decide

Which surface? Inside or outside? For days or weeks? With a help of our navigator system on the vertical bannner, your customer can find out quickly and easily which masking product is the best suitable for his planned application.



# Xpert icons

## Showing what you can do: Xpert icons

Ergonomically optimized handling, perfect surface results, fast work, sustainable product - our "Xpert icons" enable the end user to constantly check what differentiates various products.



### XpertErgo

**XpertErgo** stands for perfect handling. The ergonomic shape of the tool is optimally adapted to the user. He can work gently to his hands and without getting tired soon.



### XpertSpeed

**XpertSpeed** stands for high working speed. Such tools enable the user to work quickly and easily.



### XpertFinish

**XpertFinish** stands for a perfect working result. Tools with this icon enable an excellent surface finish.



### XpertPlanet

**XpertPlanet** stands for sustainable products. For example, we use wood only from sustainable forest industry.





# Masking Covering Fixing

There is a pro in everyone.



1



## GoldLine tape

- extra thin special paper tape for extra thin and extra sharp edges
- high quality acrylic adhesive with medium power
- remove within: max. 60 days
- UV resistant up to 60 days
- heat resistance: 80 °C (max.60 min.)

Art.No.	Width	Length	Label	PU
96 24 19 99	18 mm	50 m	CE	12
96 24 30 99	29 mm	50 m	CE	8
96 24 50 99	48 mm	50 m	CE	5

for painting

XpertFinish

2



## Yellow tape

- thin special paper tape for thin edges
- acrylic adhesive with medium power
- remove within: max. 14 days
- UV resistant up to 7 days
- heat resistance: 110 °C (max.60 min.)

Art.No.	Width	Length	Description	Label	PU
97 05 41 19	24 mm	40 m		EAN	9
97 05 42 19	29 mm	40 m		EAN	9
97 05 43 19	36 mm	40 m		EAN	6
97 05 45 19	48 mm	40 m		EAN	6
97 05 41 10	24 mm	40 m	FSC® certified paper source	EAN	9
97 05 42 10	29 mm	40 m	FSC® certified paper source	EAN	9
97 05 43 10	36 mm	40 m	FSC® certified paper source	EAN	6
97 05 45 10	48 mm	40 m	FSC® certified paper source	EAN	6

for painting

XpertPlanet

3



## PurpleLine tape

- thin special paper tape for wallpapers
- acrylic adhesive with low power
- UV resistant up to 90 days
- heat resistance: 100 °C (max.60 min.)

Art.No.	Width	Length	Label	PU
96 09 30 99	30 mm	50 m	CE	8

for painting

XpertFinish

4



## Blue paper tape

- thick special paper tape for universal use
- also to use for wood staining works
- acrylic adhesive with medium power
- remove within: max. 14 days
- UV resistant up to 14 days
- heat resistance: 70 °C (max.60 min.)

Art.No.	Width	Length	Description	Label	PU
96 04 91 19	25 mm	50 m		EAN	9
96 04 93 19	38 mm	50 m		EAN	6
96 04 94 19	50 mm	50 m		EAN	5
96 04 50 19	50 mm	25 m		EAN	6
96 04 91 10	25 mm	50 m	FSC® certified paper source	EAN	9
96 04 93 10	38 mm	50 m	FSC® certified paper source	EAN	6
96 04 94 10	50 mm	50 m	FSC® certified paper source	EAN	5
96 04 50 10	50 mm	25 m	FSC® certified paper source	EAN	6

for painting

XpertPlanet



1



## Flat crepe tape

- medium thick paper tape for standard painting works
- rubber adhesive with medium power
- remove within: max. 7 days
- heat resistance: 60 °C (max.60 min.)

Art.No.	Width	Length	Label	PU
96 01 18 99	18 mm	50 m	CE	12
96 01 24 99	24 mm	50 m	CE	9
96 01 29 99	29 mm	50 m	CE	32
96 01 36 99	36 mm	50 m	CE	24
96 01 48 99	48 mm	50 m	CE	24



2



## Flat crepe tape

- medium thick paper tape for standard painting works
- rubber adhesive with medium power
- remove within: max. 3 days
- heat resistance: 60 °C (max.60 min.)

Art.No.	Width	Length	Label	PU
97 00 42 99	24 mm	40 m	CE	36
97 00 43 99	29 mm	40 m	CE	32
97 00 44 99	36 mm	40 m	CE	24
97 00 45 99	48 mm	40 m	CE	24



3



## Flat crepe tape

- medium thick paper tape for simple painting works
- Hotmelt adhesive with medium power
- remove within: max. 12 hours
- heat resistance: 40 °C (max.60 min.)

Art.No.	Width	Length	Label	PU
96 00 03 10	29 mm	25 m	EAN	8
96 00 04 10	36 mm	25 m	EAN	6
96 00 05 10	48 mm	25 m	EAN	6
96 00 41 10	18 mm	40 m	EAN	12
96 00 42 10	24 mm	40 m	EAN	9
96 00 43 10	29 mm	40 m	EAN	8
96 00 44 10	36 mm	40 m	EAN	6
96 00 45 10	48 mm	40 m	EAN	6



4



## High crepe

- extra thick crepe paper tape for curved contours
- Hotmelt adhesive with medium power
- remove within: max. 12 hours
- heat resistance: 70 °C (max.60 min.)

Art.No.	Width	Length	Description	Label	PU
96 03 30 99	30 mm	50 m		CE	8
96 03 30 10	30 mm	50 m	FSC® certified paper source	EAN	8



There is a pro in everyone.





1



## CoverGold

- extra thin special paper tape combined with protective PE film for thin and extra sharp edges
- electrostatic loadad PE film sticks to the covered surface
- high quality acrylic adhesive with medium power
- remove within: max. 60 days
- UV resistance up to 60 days
- heat resistance: 80 °C (max.1 hour)

Art.No.	Width	Length	Core	Description	Label	PU
96 78 50 99	55 cm	25 m	10 cm	* including cutter	CE	5
96 78 60 99	140 cm	25 m	20 cm	* including cutter	CE	5
96 78 70 99	270 cm	16 m	20 cm	* including cutter	CE	5



2



## CoverGold multi set

- GoldLine tape & CoverGold in set for extra thin and extra sharp edges
- electrostatic loadad PE film sticks to the surface
- high quality acrylic adhesive with medium power
- remove within: max. 60 days
- UV resistance up to 60 days
- heat resistance: 80 °C (max.1 hour)

Art.No.	Width	Length	Description	Label	PU
96 78 80 99	140 cm	25 m	incl. 2 rolls of 30mm/25m tape	CE	5



3



## Cover-mask paper

- medium thick masking tape combined with masking paper
- rubber adhesive with medium power
- remove within: max. 7 days
- heat resistance: 60 °C (max. 1 hour)

Art.No.	Width	Length	Core	Label	PU
96 69 10 10	10 cm	20 m	6 cm	EAN	5
96 69 18 10	18 cm	20 m	10 cm	EAN	6
96 69 30 10	30 cm	20 m	16 cm	EAN	6



There is a pro in everyone.



1



## Double-sided masking tape

- for big surface coverings with paper/film
- high quality acrylic adhesive with high power
- with adhesive free stripe on the side for precise painting
- remove within 30 days
- UV resistant up to 30 days
- heat resistance: 60 °C (max. 1 hour)

Art.No.	Width	Length	Label	PU
96 25 25 99	25 mm	25 m	CE	6



2



## Cover-mask

- medium thick masking tape combined with masking film
- electrostatic loaded PE film sticks to the covered surface
- rubber adhesive with medium power
- remove within: max. 7 days
- heat resistance: 60 °C (max. 1 hour)

Art.No.	Width	Length	Core	Description	Label	PU
96 80 57 99	55 cm	25 m	10 cm	* including cutter	CE	5
96 80 56 99	55 cm	33 m	10 cm	-	CE	6
96 81 10 99	110 cm	33 m	20 cm	-	CE	5
96 81 41 99	140 cm	20 m	20 cm	* including cutter	CE	5
96 81 40 99	140 cm	33 m	20 cm	-	CE	6
96 82 10 99	210 cm	20 m	20 cm	-	CE	5
96 81 90 99	270 cm	16 m	10 cm	-	CE	5



3



## Concrete tape Yellow

- extra thick and extra strong cloth tape with PE covering, to use on rough surfaces
- rubber adhesive with extra high power
- remove within 14 days
- UV resistance up to 14 days
- heat resistance: 45 °C (max. 1. hour)

Art.No.	Width	Length	Label	PU
96 18 44 99	44 mm	50 m	CE	4



4



## CoverMask concrete

- extra thick cloth tape combined with protective PE film for rough construction surfaces
- rubber adhesive with high power
- remove within: max. 14 days
- UV resistance up to 14 days
- heat resistance: 45 °C (max.1 hour)

Art.No.	Width	Length	Core	Label	PU
96 73 55 99	55 cm	16 m	20 cm	CE	5






1



## Cloth tape Orange

- medium thick cloth tape with PE covering, to use on rough surfaces
- hotmelt adhesive with high power
- remove within 3 days
- heat resistance: 45 °C (max. 1. hour)

Art.No.	Width	Length	Label	PU
96 26 49 19	50 mm	25 m	EAN	6
96 26 50 19	50 mm	50 m	EAN	4




2



## Cloth tape Blue

- medium thick cloth tape with PE covering, to use on smooth surfaces
- high quality acrylic adhesive with high power
- remove within 14 days
- UV resistance up to 14 days
- heat resistance: 100 °C (max. 1. hour)

Art.No.	Width	Length	Label	PU
96 15 30 99	48 mm	33 m	CE	6




3



## Cloth tape Light Blue

- extra thick cloth tape with PE covering, to use on rough surfaces
- rubber adhesive with high power
- remove within 21 days
- UV resistance up to 21 days
- heat resistance: 45 °C (max. 1. hour)

Art.No.	Width	Length	Label	PU
96 22 50 99	50 mm	25 m	CE	4



4



## CoverMask Light Blue

- extra thick cloth tape combined with protective PE film for rough construction surfaces
- rubber adhesive with high power
- remove within: max. 21 days
- UV resistance up to 21 days
- heat resistance: 45 °C (max.1 hour)

Art.No.	Width	Length	Core	Description	Label	PU
96 74 55 99	55 cm	20 m	10 cm	-	CE	5
96 74 11 99	110 cm	20 m	20 cm	-	CE	5
96 74 14 99	140 cm	20 m	20 cm	-	CE	5
96 74 21 99	210 cm	20 m	20 cm	-	CE	5
96 74 24 99	240 cm	16 m	20 cm	-	CE	5
96 74 27 99	270 cm	16 m	20 cm	-	CE	5



There is a pro in everyone.




1



## Plasterer Winter tape PE

- thin polyethylene tape, stay flexible also at lower temperatures
- high quality acrylic adhesive with medium power
- remove within: max. 45 days
- UV resistance up to 45 days
- heat resistance: 60 °C (max.1 hour)

Art.No.	Width	Length	Label	PU
96 12 50 99	50 mm	33 m	CE	6



2



## Plasterer tape PVC Smooth

- medium thick & smooth PVC tape
- rubber adhesive with medium power
- remove within 14 days
- UV resistance up to 14 days
- heat resistance: 60 °C (max. 1 hour)

Art.No.	Width	Length	Label	PU
96 11 50 99	50 mm	33 m	CE	6




3



## Plasterer tape PCV Grooved

- thick & grooved PVC tape
- rubber adhesive with medium power
- easy & precise tear off
- remove within 14 days
- UV resistance up to 14 days
- heat resistance: 60 °C (max. 1 hour)

Art.No.	Width	Length	Label	PU
96 10 30 99	30 mm	33 m	CE	8
96 10 38 99	38 mm	33 m	CE	6
96 10 50 99	50 mm	33 m	CE	6






1



## Covering film LDPE

- LDPE with re-granulate
- translucent
- folded or rolled




Art.No.	Dimension	Thickness	Design	Label	PU
96 92 12 10	4x12,5 m	~0,050 mm	folded	EAN	5
96 91 90 10	2x50 m	~0,050 mm	rolled	EAN	2
96 92 20 10	4x5 m	~0,040 mm	folded	EAN	10
96 94 50 10	4x5 m	~0,030 mm	folded	EAN	10
96 94 60 10	4x12,5 m	~0,030 mm	folded	EAN	10
96 89 03 10	4x5 m	~0,025 mm	folded	EAN	10
96 94 18 10	4x5 m	~0,018 mm	folded	EAN	30

2



## Covering film LDPE

- LDPE with re-granulate
- dark / grey color shades
- folded or rolled



Art.No.	Dimension	Thickness	Design	Label	PU
96 91 92 10	2x50 m	~0,080 mm	rolled	EAN	1
96 92 75 10	4x5 m	~0,075 mm	folded	EAN	10
96 96 35 10	4x5 m	~0,035 mm	folded	EAN	10

3



## Covering film HDPE

- HDPE
- transparent/ translucent
- folded or rolled



Art.No.	Dimension	Thickness	Design	Label	PU
96 91 00 10	2x50 m	~0,010 mm	rolled	EAN	10
96 94 05 10	4x5 m	~0,010 mm	folded	EAN	20
96 94 12 10	4x12,5 m	~0,010 mm	folded	EAN	10
96 90 21 10	4x5 m	~0,007 mm	folded	EAN	20
96 90 70 10	2x50 m	~0,0045 mm	rolled	EAN	5
96 90 50 10	4x12,5 m	~0,0045 mm	folded	EAN	20
96 90 16 10	4x4 m	~0,0045 mm	folded	EAN	40
96 90 10 10	4x2,5 m	~0,0045 mm	folded	EAN	80

4



## Stretch film roll

- virgin material, not pre-stretched
- transparent / black color
- on hard paper core



Art.No.	Dimension	Thickness	Design	Label	PU
96 96 97 10 *	0,1x150 m	~0,017 mm	transparent	EAN	5
96 96 98 10	0,5x190 m	~0,017 mm	transparent	EAN	3
96 96 95 10	0,5x190 m	~0,017 mm	black	EAN	3

\* with paper core "handle"

There is a pro in everyone.




1



### Tarpaulin

- heavy duty, laminated PE mesh
- with eyelets per each 1 m
- thickness 75 g/m<sup>2</sup>
- real size is ~4% smaller than nominal size




Art.No.	Dimension	Label	PU
96 93 02 10	2x3 m	EAN	2
96 93 03 10	3x4 m	EAN	2
96 93 04 10	4x6 m	EAN	5
96 93 07 10	5x12 m	EAN	2

2



### Covering fleece

- fleece surface
- slip resistant, waterproof PE film back
- multipurpose use
- thickness 220 g/m<sup>2</sup>




Art.No.	Dimension	Design	Label	PU
94 26 10 17	1x10 m	roll	EAN	2
94 26 20 17	1x20 m	roll	EAN	2
94 26 50 10	1x50 m	roll	EAN	2

3



### Covering fleece

- fleece surface
- slip resistant, waterproof PE film back
- multipurpose use
- thickness 180 g/m<sup>2</sup>




Art.No.	Dimension	Design	Label	PU
94 26 03 19	1x3 m	folded	EAN	5

4



### Craft paper

- strong, brown craft paper
- for covering of big surfaces
- thickness 90 g/m<sup>2</sup>



Art.No.	Dimension	Design	Label	PU
96 99 99 19	1x50 m	roll	EAN	3


1 layer

5



### Corrugated paper

- brown corrugated paper
- for covering of big surfaces



Art.No.	Dimension	Design	Label	PU
96 99 15 19	1,05x10 m	roll	EAN	3
96 99 25 19	1,05x20 m	roll	EAN	2



2 layers




1



## Window protection film Blue

- self-adhesive, blue color cover film for quick masking of glass surfaces
- LDPE
- high quality acrylic adhesive with low power
- remove within 30 days
- UV resistance up to 30 days
- heat resistance: 45°C (max. 1 hour)



Art.No.	Dimension	Label	PU
96 97 25 10	0,25 x 100 m	EAN	4
96 97 50 10	0,50 x 100 m	EAN	2
96 97 99 10	1,00 x 100 m	EAN	1

2



## Protective foil door

- with L shaped zip-door
- extra strong PE foil (100my) for high durability & multiple use
- dustproof isolation of single rooms

Art.No.	Dimension	Label	PU
96 96 22 17	220x120 cm	EAN	5



There is a pro in everyone.



1



### Duct tape XTR

- medium thick, extra strong, textile reinforced plastic tape
- all-purpose tape to fix, bond, repair, mount and seal
- rubber adhesive, extra high power

Art.No.	Width	Length	Label	PU
96 53 48 99	50 mm	50 m	CE	6

 for repairing

<input checked="" type="checkbox"/>				
				

2



### Duct tape Strong

- medium thick, strong, textile reinforced plastic tape
- all-purpose tape to fix, bond, repair, mount and seal
- rubber adhesive, high power

Art.No.	Width	Length	Label	PU
96 20 50 99	50 mm	50 m	CE	6

 for repairing

<input checked="" type="checkbox"/>				
				

3




### Duct tape

- medium thick, textile reinforced plastic tape
- all-purpose tape to fix, bond, repair, mount and seal
- hotmelt adhesive, medium power

Art.No.	Width	Length	Label	PU
96 21 48 10	48 mm	10 m	EAN	4
96 21 50 19	48 mm	50 m	EAN	4

 for repairing

<input checked="" type="checkbox"/>				
				





1



## Carpet tape strong

- textile carrier based, double side adhesive tape
- synthetic resin adhesive, high power
- for permanent installation of floor covers with reinforced backing

Art.No.	Width	Length	Label	PU
96 41 50 10	50 mm	25 m	EAN	6



2



## Carpet tape

- thin film carrier based, double side adhesive tape
- synthetic resin adhesive, high power
- for permanent installation of floor covers with reinforced backing

Art.No.	Width	Length	Label	PU
96 40 48 10	38 mm	25 m	EAN	6
96 40 50 10	50 mm	10 m	EAN	6
96 40 51 10	50 mm	25 m	EAN	6



3



## All weather fixing tape

- medium thick, extra strong PE tape for universal use
- rubber adhesive, high power

Art.No.	Width	Length	Label	PU
96 17 48 99	48 mm	25 m	CE	6



4



## Packing tape

- extra thick PP tape for simple fixing of packages
- acrylic adhesive, high power

Art.No.	Width	Length	Description	Label	PU
96 50 48 10	48 mm	66 m	brown	EAN	24
96 51 48 10	48 mm	66 m	transparent	EAN	24



5



## Dispenser for packing tape

- to use with max. 50 mm wide tapes
- metal body, plastic handle

Art.No.	Description	Label	PU
96 52 00 10 *	* on demand	EAN	5





1



### Alu coated PP film tape

- Alu steam coated PP film tape for insulation works
- acrylic adhesive with medium power

Art.No.	Width	Length	Heat resistance	Label	PU
96 48 50 19	50 mm	50 m	max. 100 °C	EAN	12

for mounting/fixing

<input checked="" type="checkbox"/>				

2



### Aluminum tape

- thick pure aluminum tape for use at insulation works
- high quality acrylic adhesive with high power

Art.No.	Width	Length	Heat resistance	Label	PU
96 46 50 19	50 mm	50 m	max. 100 °C	EAN	2
96 44 25 19*	50 mm	50 m	max. 110 °C	EAN	2

\* fire & heat resistant, certified for DIN 4102-B1

for mounting/fixing

<input checked="" type="checkbox"/>				

3



### Mounting tape

- double-sided PE foam tape
- high quality acrylic adhesive with high power
- for permanent fixing of flat objects

Art.No.	Width	Length	Label	PU
96 45 19 19	19 mm	5 m	EAN	10

for mounting/fixing

<input checked="" type="checkbox"/>				

4



### Hazard warning tape

- black-yellow striped self-adhesive warning tape

Art.No.	Width	Length	Label	PU
96 54 33 10	60 mm	33 m	EAN	5

<input checked="" type="checkbox"/>				

5




### Barrier ribbon

- red-white striped non adhesive PE ribbon

Art.No.	Width	Length	Label	PU
96 53 00 10	75 mm	200 m	EAN	6

<input checked="" type="checkbox"/>				



# Fixing Sanding Wallpapering




# SandMaster

## Hand sander with Ergo-knob

- robust plastic clips for simple fixing of sanding paper
- optimal sanding results also on profiled surfaces
- wide, ergonomic knob handle for ideal power transfer
- stable reinforced plastic for long service life

### Ergonomic knob handle

The ergonomic knob provides fatigue free sanding also at use of higher pressing force



### Simple fixing

The sturdy and robust plastic clips fix the wet & dry sanding paper especially simple and steady.

SandMaster	Measures
<ul style="list-style-type: none"><li>• ergonomic soft components made of TPE</li><li>• stabile hard plastic components</li><li>• bottom side covered with a heavy-duty foam rubber layer</li></ul>	8,5×18,0 cm
	10,5×21,0 cm



XpertSpeed



XpertErgo



# Surface preparing

Hand sanders

**E** COLOR<sup>®</sup>  
**XP**ERT



1



## SandMaster

- professional hand sander
- with ergo knob for easy working
- with high quality plastic components
- for optimal sanding results



XpertErgo

XpertSpeed

Art.No.	Dimension	Label	PU
93 38 02 99	178×86 mm	CE	5
93 38 04 99	212×105 mm	CE	5

2



## Hand sander

- bow type handle for ergonomic overhead working
- plastic body
- metal screw clips

Art.No.	Dimension	Label	PU
93 33 00 10	228×82 mm	EAN	3

3



## Hand sander

- bow type handle for ergonomic overhead working
- plastic body
- metal screw clips

Art.No.	Dimension	Label	PU
93 33 01 10	225×100 mm	EAN	5

4



## Sander for telescopic pole

- for standard telescopic poles
- with metal screw clips
- free moving knucklejoint

Art.No.	Dimension	Label	PU
93 34 02 10	228×82 mm	EAN	2



There is a pro in everyone.

# Surface preparing

Sanding material



1



## Sanding cloth sheet

- alu-oxide grain
- waterproof
- for heavy duty wet & dry universal use

Art.No.	Dimension	Grit	Label	PU
93 19 04 10	230×280 mm	P40	EAN	50
93 19 06 10	230×280 mm	P60	EAN	50
93 19 08 10	230×280 mm	P80	EAN	50
93 19 10 10	230×280 mm	P100	EAN	50
93 19 12 10	230×280 mm	P120	EAN	50
93 19 18 10	230×280 mm	P180	EAN	50
93 19 24 10	230×280 mm	P240	EAN	50

2



## Sanding paper

- alu-oxide grain, open coated
- flexible paper
- especially for waterbased varnishes, wood, finishing plasters

Art.No.	Dimension	Grit	Label	PU
93 14 40 10	230×280 mm	P40	EAN	50
93 14 60 10	230×280 mm	P60	EAN	50
93 14 80 10	230×280 mm	P80	EAN	50
93 14 12 10	230×280 mm	P120	EAN	50
93 14 18 10	230×280 mm	P180	EAN	50
93 14 24 10	230×280 mm	P240	EAN	50

3



## Sanding sponge

- EVA foam
- alu-oxide grain
- ideal for sanding of profiled, curved surfaces

Art.No.	Dimension	Grit	Label	PU
93 30 50 99	100×70×25 mm	fine/medium	CE	10
93 30 52 99	100×70×25 mm	medium/coarse	CE	10

4



## Sanding sponge

- medium hard foam sponge
- alu-oxide grain
- ideal for sanding of profiled, curved surfaces

Art.No.	Dimension	Grit	Label	PU
93 30 51 10	100×70×25 mm	P40	EAN	5
93 30 53 10	100×70×25 mm	P60	EAN	5
93 30 57 10	100×70×25 mm	P80	EAN	5
93 30 54 10	100×70×25 mm	P100	EAN	5
93 30 58 10	100×70×25 mm	P120	EAN	5
93 30 59 10	100×70×25 mm	P150	EAN	5
93 30 55 10	100×70×25 mm	P220	EAN	5

5



## Sanding sponge contour

- medium hard foam sponge with special contour
- alu-oxide grain
- ideal for sanding of profiled, rich curved complex surfaces

Art.No.	Dimension	Grit	Label	PU
93 30 73 10	100×68×26 mm	P80	EAN	5
93 30 75 10	100×68×26 mm	P120	EAN	5
93 30 77 10	100×68×26 mm	P180	EAN	5



1



## Sanding pad

- soft foam sponge
- alu-oxide grain
- ideal for sanding of bigger profiled, curved surfaces

Art.No.	Dimension	Grit	Label	PU
93 30 63 10	125×100×13 mm	P60	EAN	5
93 30 64 10	125×100×13 mm	P100	EAN	5
93 30 65 10	125×100×13 mm	P220	EAN	5



2



## Sanding mesh - 5pcs

- silicium carbide grain
- glass fibre mesh avoids clogging through abrasive dust
- especially good for fine gypsum plaster sanding

Art.No.	Dimension	Grit	Label	PU
93 13 08 10	93×280 mm	P80	EAN	10
93 13 10 10	93×280 mm	P100	EAN	10
93 13 12 10	93×280 mm	P120	EAN	10
93 13 18 10	93×280 mm	P180	EAN	10
93 15 08 10	115×280 mm	P80	EAN	10
93 15 10 10	115×280 mm	P100	EAN	10
93 15 12 10	115×280 mm	P120	EAN	10
93 15 18 10	115×280 mm	P180	EAN	10

3



## Hand sander set

- bow type handle for ergonomic overhead working
- plastic body and metal screw clips
- with 3× P80, 3× P120, 3× P180 sanding mesh

Art.No.	Dimension	Grit	Label	PU
93 37 10 99	93×280 mm	3× P80/3× P120 / 3× P180	CE	4

4



## Wire brush pro

- 5 rows steel wire
- bended hardwood handle

Art.No.	Rows	Label	PU
93 43 05 10	5 rows	EAN	10

There is a pro in everyone.

# Surface preparing

## Removing old paint



1



### Wire brush

- 6 rows steel wire
- wooden handle

Art.No.	Rows	Label	PU
93 40 06 10	6 rows	EAN	12

2



### Wire brush 1K

- 4 rows steel wire
- 1K plastic body and handle

Art.No.	Rows	Label	PU
93 42 04 10	4 rows	EAN	12

3



### Wire brush uni

- brass plated steel wire
- metal body, 1K plastic handle

Art.No.	Rows	Label	PU
93 41 00 10	1 row	EAN	10

4



### Paint scraper

- with 4 straight double sided blades
- aluminium body
- 2component soft touch ergonomic plastic handle
- to remove old coating layers and correct plaster irregularities



Art.No.	Width	Label	PU
93 72 61 99	50 mm	CE	6

5



### SolidMaster

- chisel ground stiff stainless steel blade
- ergonomic 3 component soft touch plastic handle
- removable end cap for use with telescopic pole
- to remove rust, old coating layers, carpet rests, correct plaster- and floor screed irregularities



Art.No.	Width	Label	PU
91 20 40 99	40 mm	CE	6
91 20 60 99	60 mm	CE	6
91 20 80 99	80 mm	CE	6
91 20 99 99	100 mm	CE	6

6



### Multifunctional painter knife

- chisel ground stainless steel blade
- ergonomic 2 components soft touch handle
- full tang -suitable to use with hammer
- to clean paint rollers, walls, remove nails, rust, old coating layers, carpet rests, correct plaster and floor screed irregularities, open paint cans



Art.No.	Width	Label	PU
91 51 75 99	75 mm	CE	2



# Surface preparing

Filling and smoothing

**E** COLOR  
**EXPERT**



1



## Paint- & rust scraper

- chisel ground stiff steel blade
- full tang
- to remove rust, old coating layers, correct plaster- and floor screed irregularities

Art.No.	Width	Label	PU
93 44 05 10	50 mm	EAN	12

2



## FlexMaster



- semi flexible, rolled stainless steel blade
- ergonomic 3 component soft touch plastic handle
- removable end cap for use with telescopic pole
- optimal for filling, smoothing works

Art.No.	Width	Label	PU
91 19 40 99	40 mm	CE	6
91 19 60 99	60 mm	CE	6
91 19 80 99	80 mm	CE	6
91 19 99 99	100 mm	CE	6

3



## Putty knife

- semi flexible, rolled stainless steel blade
- ergonomic 2 component plastic handle

Art.No.	Width	Label	PU
91 71 20 10	20 mm	EAN	12
91 71 40 10	40 mm	EAN	12
91 71 60 10	60 mm	EAN	12
91 71 80 10	80 mm	EAN	12
91 71 99 10	100 mm	EAN	12
91 71 12 10	120 mm	EAN	12
91 71 15 10	150 mm	EAN	12

4



## Putty knife

- semi flexible, rolled stainless steel blade
- plastic handle

Art.No.	Width	Label	PU
91 13 04 99	40 mm	CE	12
91 13 06 99	60 mm	CE	12
91 13 08 99	80 mm	CE	12
91 13 10 99	100 mm	CE	12

5



## Putty knife

- semi flexible, stainless steel blade
- thin plastic handle

Art.No.	Width	Label	PU
91 09 04 10	40 mm	EAN	12
91 09 06 10	60 mm	EAN	12
91 09 08 10	80 mm	EAN	12
91 09 10 10	100 mm	EAN	12

# FlexMaster

## Semi flexible, rolled stainless steel blade for perfect results

- ergonomic 3 component plastic handle for optimal grip and fatigue free - hand care - working
- GripZone thumb rest for precise control
- to use also with telescopic pole

### Ergonomic shaped 3 component plastic handle

With GripZone thumb rest for precise control and more safety through non-skid surface

### High quality steel blade

Semi-flexible, rolled stainless steel blade

### Removable cap

Removable cap provides alternative use with telescopic pole

1.



2.



**Handle with care!**



**XpertErgo**



# Surface preparing

Filling and smoothing

**E** COLOR<sup>®</sup>  
**EXPERT**



1



## Putty knife

- semi flexible, steel blade
- FSC<sup>®</sup> certified natural wooden handle



Art.No.	Width	Label	PU
91 17 02 10	25 mm	EAN	12
91 17 04 10	40 mm	EAN	12
91 17 06 10	60 mm	EAN	12
91 17 08 10	80 mm	EAN	12
91 17 10 10	100 mm	EAN	12

2



## Plasterer's putty knife

- semi flexible, rolled stainless steel blade
- ergonomic 2 component soft touch plastic handle
- built in PH2 screwdriver bit



XpertErgo

Art.No.	Width	Label	PU
91 50 85 99	150 mm	CE	3

3



## Japanese filling knife set

- 4pcs set
- flexible plastic blades

Art.No.	Widths	Label	PU
91 00 01 99	50/75/100/120 mm	CE	10

4



## Japanese filling knife set

- 4pcs set
- flexible steel blades

Art.No.	Widths	Label	PU
91 00 05 99	50/80/100/120 mm	CE	5

5



## Japanese filling knife set

- 4pcs set
- flexible stainless steel blades

Art.No.	Widths	Label	PU
91 00 04 99	50/80/100/120 mm	CE	10

There is a pro in everyone.



1



## Filling spatula

- flexible stainless steel blade
- plastic handle

Art.No.	Width	Label	PU
91 02 16 10	160 mm	EAN	5
91 02 20 10	200 mm	EAN	5

2




## AluStar facade spatula

- stainless steel blade
- light weight alu profile body
- special developed ergonomic handle shape
- optimal for plastering works

Art.No.	Width	Label	PU
91 48 60 19	600 mm	EAN	1

3



## Facade spatula

- stainless steel blade
- rounded edges
- Alu profile, reinforced
- 3 component ergonomic soft touch handle

Art.No.	Width	Label	PU
91 34 25 10	250 mm	EAN	5
91 34 40 10	400 mm	EAN	5
91 34 60 10	600 mm	EAN	2

4



## Facade spatula

- stainless steel blade
- plastic handle

Art.No.	Width	Label	PU
91 33 15 10	150 mm	EAN	5
91 33 25 10	250 mm	EAN	5
91 33 35 10	350 mm	EAN	5
91 33 45 10	450 mm	EAN	5
91 33 60 10	600 mm	EAN	5

5



## Smoothing trowel

- ABS plastic blade
- plastic shank & handle

Art.No.	Dimension	Label	PU
92 11 00 10	280×140×3 mm	EAN	5
92 11 01 10	280×140×2 mm	EAN	10



# Surface preparing

Trowels

**E** COLOR<sup>®</sup>  
**EXPERT**



1



## Smoothing trowel

- stainless steel blade
- Aluminium alloy shank
- ergonomic 2 component plastic handle

Art.No.	Dimension	Label	PU
92 12 10 10	280x130 mm	EAN	5

2



## Smoothing trowel

- stainless steel blade
- Aluminium alloy shank
- natural wooden handle

Art.No.	Dimension	Label	PU
92 14 10 99	280x130 mm	CE	5

3



## Smoothing trowel

- stainless steel blade
- plastic shank & handle

Art.No.	Dimension	Label	PU
92 13 05 10	270x130 mm	EAN	5

4



## Venetian smoothing trowel

- stainless steel blade
- aluminium alloy shank
- natural wooden handle

Art.No.	Dimension	Label	PU
92 14 00 10	200x90x80 mm	EAN	5

5



## Swiss smoothing trowel

- stainless steel blade
- 7 point fixed blade
- natural wooden handle

Art.No.	Dimension	Label	PU
92 15 02 10	480x130 mm	EAN	5

6



## Swiss smoothing trowel

- stainless steel blade
- 2 component plastic handle

Art.No.	Dimension	Label	PU
92 20 36 10	360x130 mm	EAN	5
92 20 48 10	480x130 mm	EAN	5
92 20 60 10	600x130 mm	EAN	5

There is a pro in everyone.

# Surface preparing

## Plasterer's spatulas



1



### Plasterer's spatula

- stainless steel blade
- ergonomic 2 component handle



Art.No.	Width	Label	PU
92 17 21 10	80 mm	EAN	5
92 17 22 10	100 mm	EAN	5

2



### Plasterer's spatula

- stainless steel blade
- natural wooden handle

Art.No.	Width	Label	PU
92 17 60 99	60 mm	CE	5
92 17 80 99	80 mm	CE	5
92 17 99 99	100 mm	CE	5

3



### Plasterer's trowel

- stainless steel blade
- ergonomic 2 component handle

Art.No.	Width	Label	PU
92 16 66 10	160 mm	EAN	5

4



### Plasterer's trowel

- stainless steel blade
- natural wooden handle

Art.No.	Width	Label	PU
92 16 16 99	160 mm	CE	5

5



### Plasterer's trowel

- stainless steel blade
- natural wooden handle

Art.No.	Width	Label	PU
92 16 24 10	140 mm	EAN	5

6



### Bricklayer's trowel

- steel blade
- natural wooden handle

Art.No.	Width	Label	PU
92 16 03 10	180 mm	EAN	6



# Surface preparing

Plasterer's spatulas and trowels

**E** COLOR<sup>®</sup>  
**EXPERT**



1



## Plasterer's trowel

- stainless steel blade
- natural wooden handle

Art.No.	Width	Label	PU
92 18 19 10	140 mm	EAN	10

2



## Corner trowel

- stainless steel blade
- natural wooden handle

Art.No.	Dimension	Design	Label	PU
92 18 00 10	80×60×60 mm	inside corner	EAN	10

3



## Plastic float

- polyurethane foam body & handle
- for plaster spreading & smoothing

Art.No.	Dimension	Label	PU
92 40 26 10	260×140 mm	EAN	5
92 40 32 10	320×180 mm	EAN	2
92 40 36 10	420×220 mm	EAN	3

4



## Plastic float

- with dense foam rubber cover
- for tile gouting works

Art.No.	Dimension	Thickness	Label	PU
92 21 40 10	280×140 mm	9 mm	EAN	5

5



## Plastic float

- with white felt cover
- for smoothing of wet plasters

Art.No.	Dimension	Thickness	Label	PU
92 31 30 10	280×140 mm	10 mm	EAN	5

6



## Plastic float

- with rubber sponge cover
- for smoothing of wet plasters

Art.No.	Dimension	Thickness	Label	PU
92 41 30 10	280×140 mm	9 mm	EAN	3
92 41 40 10	280×140 mm	18 mm	EAN	5

There is a pro in everyone.

# Surface preparing

## Trowels and dented spatulas and trowels



1



### Plastic float

- with hydro sponge cover
- for rinsing of tiles after grouting

Art.No.	Dimension	Thickness	Label	PU
92 25 40 10	280×140 mm	30 mm	EAN	5

2



### Plastic float

- with coarse sponge cover
- for rinsing of tiles after grouting

Art.No.	Dimension	Thickness	Label	PU
92 44 00 10	280×140 mm	30 mm	EAN	3

3



### Plaster & cellular concrete grater

- steel blades with sharp teeth
- especially for cellular concrete like Ytong
- for removing & correcting surface irregularities

Art.No.	Dimension	Label	PU
93 71 45 10	450×85 mm	EAN	1


4



### Notched spatula

- steel blade with EN/DIN Norm notches
- wooden handle part

Art.No.	Width	Notching	Label	PU
94 01 12 10	180 mm	A2	EAN	10
94 02 01 10	180 mm	B2	EAN	10
94 04 01 10	180 mm	C1	EAN	10



5



### Notched trowel

- stainless steel blade
- Aluminium alloy shank
- natural wooden handle

Art.No.	Dimension	Notching	Label	PU
94 07 66 10	280×130 mm	6×6 mm	EAN	5
94 07 68 10	280×130 mm	8×8 mm	EAN	5
94 07 70 10	280×130 mm	10×10 mm	EAN	5
94 07 72 10	280×130 mm	12×12 mm	EAN	5

6



### Notched trowel

- stainless steel blade
- plastic shank
- plastic handle

Art.No.	Dimension	Notching	Label	PU
94 06 04 10	270×130 mm	4×4 mm	EAN	5
94 06 06 10	270×130 mm	6×6 mm	EAN	5
94 06 08 10	270×130 mm	8×8 mm	EAN	5
94 06 10 10	270×130 mm	10×10 mm	EAN	5



1



### Caulking gun

- professional gun for overflow free use
- varnished steel body

Art.No.	Dimension	Label	PU
94 10 35 10	310 ml	EAN	5

2



### Caulking gun

- heavy duty professional quality
- varnished steel body
- extra long arm for easy use
- for standard cartridges

Art.No.	Dimension	Label	PU
94 10 42 10	310 ml	EAN	3

3



### Caulking gun

- robust & lightweight design
- varnished steel body
- for standard cartridges

Art.No.	Dimension	Label	PU
94 10 30 10	310 ml	EAN	6

4



### Caulking gun

- notched rod
- varnished steel body
- for standard cartridges

Art.No.	Dimension	Label	PU
94 10 20 10	310 ml	EAN	6

5



### Caulking gun

- notched rod
- tin plated steel body
- for standard cartridges

Art.No.	Dimension	Label	PU
94 10 80 10	310 ml	EAN	6

6



### Caulking gun

- detachable aluminium alloy body
- for cartridges and bags
- with plastic nozzle tip
- varnished steel handle part, plastic tube screws

Art.No.	Dimension	Label	PU
94 10 63 10	600 ml	EAN	1

There is a pro in everyone.

# Surface preparing

Plaster bowls and mortar buckets/boxes



1



## PU foam gun

- tin plated steel parts
- plastic handle
- with plastic pipe and tip
- with foam volume adjusting screw knob
- for standard PU-foam cartridges

Art.No.	Label
94 10 90 10	PU EAN 1

2



## Plaster bowl

- flexible plastic material for easy cleaning
- flat or high shape
- optimal for gyps-plastering works

Art.No.	Design	Label
94 09 01 10	High shape	PU EAN 10
94 09 11 10	Flat shape	PU EAN 10

3



## Plaster pan

- steel body
- wooden handle

Art.No.	Diameter	Label
92 16 99 10	180 mm	PU EAN 5

4



## Mortar bucket

- flexible recycled plastic body
- metal handle

Art.No.	Volume	Label
84 81 20 10	~20 lit.	PU EAN 5
84 82 99 10	~12 lit.	PU EAN 5

5



## Mortar box

- flexible recycled plastic body

Art.No.	Volume	Label
84 81 04 10	~45 lit.	PU EAN 3
84 81 06 10	~60 lit.	PU EAN 3
84 81 09 10	~90 lit.	PU EAN 3



1



## Polystyrene and drywall rasp

- metal body, varnished
- metal rasp blade

Art.No.	Dimension	Label	PU
92 61 00 10	250×40 mm	EAN	2

2



## Polystyrene foam hand sander

- HDF body
- plastic handle
- with P16 grit sanding sheet

Art.No.	Dimension	Label	PU
93 38 35 10	350×200 mm	EAN	3

3



## Polystyrene foam hand sander

- plastic body & handle
- steel rasp blade

Art.No.	Dimension	Label	PU
93 35 40 10	400×180 mm	EAN	1
93 35 72 10	270×130 mm	EAN	5

4



## Drywall saw

- extra strong sharpened steel blade
- sharpened sawteeth
- natural wooden handle

Art.No.	Length	Label	PU
92 62 15 10	150 mm	EAN	3

5



## Fiberglass mesh tape

- self adhesive
- neutral acrylic adhesive

Art.No.	Width	Length	Label	PU
96 31 20 10	48 mm	20 m	EAN	6
96 31 40 10	48 mm	45 m	EAN	6
96 31 50 10	48 mm	90 m	EAN	6
96 31 45 10	100 mm	45 m	EAN	6
96 31 23 10	150 mm	23 m	EAN	6

6



## Non-woven fiberglass tape

- ideal for drywall constructions & wall-crack repairs

Art.No.	Width	Length	Label	PU
96 32 50 10	50 mm	25 m	EAN	10

There is a pro in everyone.

# Surface preparing

## Wallpapering tool



1



### Wallpaper/floor scraper

- steel blade, handle length: 290 mm
- ergonomic 3 component soft touch handle
- optimal for removing of old wallpapers, plaster residues on floor etc.

Art.No.	Width	Label	PU
93 72 80 99	100 mm	CE	3

2



### Wallpaper /floor scraper

- steel blade, handle length: 300 mm
- plastic handle
- optimal for removing of old wallpapers, plaster residues on floor etc.

Art.No.	Width	Label	PU
93 72 83 99	100 mm	CE	5

3



### Spare blades for wallpaper scraper

- to use with wallpaper / floor scraper
- suitable for Art.No. 93728099 and 93728399

Art.No.	Width	Label	PU
93 72 82 99	100 mm	CE	6

4



### Wallpaper smoother pro

- flexible plastic
- thick & convenient handle

Art.No.	Width	Label	PU
95 88 10 99	28 cm	CE	12

5



### Wallpaper smoother

- flexible, plastic

Art.No.	Width	Label	PU
95 88 00 10	28 cm	EAN	10

6



### Wallpaper brush

- PP synthetic bristles
- natural wooden handle
- useful at all wallpaper hanging works

Art.No.	Dimension	Label	PU
95 89 00 10	300x25 mm	EAN	4

7



### Cutting ruler

- stainless steel blade
- plastic handle

Art.No.	Width	Label	PU
95 83 00 99	60 cm	CE	10

**1**

## Seam roller

- cylindric PU foam roller
- ergonomic 3 component soft touch handle
- optimal for fixing of wallpapers

Art.No.	Width	Diameter	Label	PU
95 87 50 99	45 mm	35 mm	CE	5
95 87 00 99	150 mm	45 mm	CE	5

**2**

## Chalk line reel set

- 3pcs set
- plastic body
- including a bottle (115 g) of blue chalk line powder, mini spirit level

Art.No.	Label	PU
98 35 30 99	CE	10

**3**

## Chalk line powder

- powder color: blue
- 180 g

Art.No.	Label	PU
98 35 05 10	EAN	10

**4**

## Carpenter's pencil set

- 3pcs set
- ideal for DIY and professionals at working

Art.No.	Label	PU
98 20 03 10	EAN	10

**5**

## Measuring tape

- yellow coated steel tape with metric scale
- ergonomic plastic body

Art.No.	Length	Label	PU
98 11 50 99	5 m	CE	6

There is a pro in everyone.



1



## Wallpaper scissor

- extra long stainless steel blades
- ergonomic 2 component plastic handles

Art.No.	Width	Label	PU
95 84 50 99	28 cm	CE	6

2



## Snap-off cutter - Extra Wide

- ergonomic 2 component soft touch plastic body
- metal guide
- extra strong manual blade fixing with screw knob
- extra wide, 25mm blade

Art.No.	Width	Label	PU
95 64 00 10	25 mm	EAN	6

3



## Snap-off cutter

- aluminium alloy body
- metal guide
- automatic blade fixing

Art.No.	Width	Label	PU
95 65 20 99	18 mm	CE	10
95 65 20 10	18 mm	EAN	24

4



## Snap-off cutter

- 2 component plastic body
- metal guide
- automatic blade fixing

Art.No.	Width	Label	PU
95 65 10 99	18 mm	CE	10
95 65 10 10	18 mm	EAN	24

5



## Snap-off cutter

- plastic body
- metal guide
- extra strong manual blade fixing with screw knob

Art.No.	Width	Label	PU
95 65 00 99	18 mm	EAN	10

6



## Snap-off cutter

- plastic body
- metal guide
- manual blade fixing

Art.No.	Width	Label	PU
95 69 00 10	18 mm	EAN	24



# Surface preparing

Knives and spare blades

**E** COLOR<sup>®</sup>  
**EXPERT**



1



## Snap-off cutter

- plastic body
- manual blade fixing

Art.No.	Width	Label	PU
95 62 00 10	18 mm	EAN	48

2



## Multi-purpose knife

- aluminium alloy body
- retractable blade
- to use with trapezium blades
- optimal to cut hard materials, carpets, drywalls etc.

Art.No.	Label	PU
95 50 03 99	CE	12

3



## Multi-purpose knife

- aluminium alloy body
- retractable blade (including 10 spare blades)
- to use with trapezium blades
- optimal to cut hard materials, carpets, drywalls etc.

Art.No.	Label	PU
95 72 00 99	CE	12

4



## GoldCut blade

- 10pcs in plastic box
- extra thick
- Titan-Nitrit plated for extra long life

Art.No.	Width	Thickness	Label	PU
95 67 90 99	18 mm	0,5 mm	CE	10

5



## Replacement blades

- 10pcs in plastic box
- extra thick

Art.No.	Width	Thickness	Label	PU
95 67 65 99	18 mm	0,5 mm	CE	10

There is a pro in everyone.



1



## Replacement blades

- 10pcs in plastic box

Art.No.	Width	Thickness	Label	PU
95 67 01 99	18 mm	0,4 mm	CE	10

2



## Replacement blades

- 10pcs in plastic box  
- extra wide & extra thick blade  
- suitable for 956400..

Art.No.	Width	Thickness	Label	PU
95 67 80 10	25 mm	0,7 mm	EAN	10

3



## Trapezium blade

- 10pcs in plastic box

Art.No.	Width	Thickness	Label	PU
95 51 00 99	61 mm	0,4 mm	CE	10

4



## Hook blade

- 10pcs in plastic box

Art.No.	Width	Thickness	Label	PU
95 52 70 99	51 mm	0,5 mm	CE	10



**1**

### Window scraper

- plastic body
- incl. 3 changable blades

Art.No.	Width	Label PU
93 80 01 99	60 mm	CE 10

**2**

### Paint scraper

- plastic handle
- steel blade, no chisel ground


Art.No.	Width	Label PU
93 80 50 10	100 mm	EAN 10

**3**

### Paint & window scraper

- plastic handle
- adjustable blade

Art.No.	Width	Label PU
93 80 05 99	100 mm	CE 10

**4**

### Cleaning sponge

- viscose sponge
- also for tile cleaning after grouting

Art.No.	Dimension	Label PU
90 33 00 10	165×110×60 mm	EAN 10

**5**

### Cleaning sponge

- synthetic sponge
- for cleaning works

Art.No.	Dimension	Label PU
90 34 00 10	150×100×50 mm	EAN 10

**6**

### Cleaning sponge

- viscose sponge
- for cleaning works

Art.No.	Dimension	Label PU
90 31 00 10	150×110×35 mm	EAN 5

There is a pro in everyone.



1



## Plastic broom

- synthetic fibres
- fine thread

Art.No.	Dimension	Label	PU
93 50 01 10	280 x 45 / 60 mm	EAN	10

2



## Telescopic pole

- painted steel pole for brooms & paint rollers
- with fine thread for brooms and with the additional cone adapter for paintrollers

Art.No.	Length	Label	PU
84 90 14 10	83-137 cm	EAN	20

3



## Hand broom

- synthetic bristles
- natural wooden body

Art.No.	Dimension	Label	PU
660 415	282 x 42 / 60 mm	EAN	4

4



## Dust pan

- tin plated steel

Art.No.	Dimension	Label	PU
660 422	215 x 370 mm	EAN	5

5



## Garbage bags

- LDPE with re-granulate

Art.No.	Volume	Thickness	Quantity	Label	PU
96 95 00 10	120 lit.	~0,034 mm	25 pcs/roll	EAN	2
96 95 10 10	120 lit.	~0,053 mm	25 pcs/roll	EAN	2
96 95 25 10	120 lit.	~0,080 mm	25 pcs/roll	EAN	2
96 95 24 10	120 lit.	~0,080 mm	10 pcs/roll	EAN	2
96 95 40 10	120 lit.	~0,150 mm	10 pcs/roll	EAN	2
96 95 65 10	240 lit.	~0,065 mm	10 pcs/roll	EAN	10

6



## Garbage bags

- LDPE with re-granulate

Art.No.	Volume	Thickness	Quantity	Label	PU
96 95 90 10	120 lit.	~0,090 mm	3 pcs/roll	EAN	15

**1**

## Latex gloves

- lightly roughened
- CE certified: cat.1 / EN420

Art.No.	Size	Label	PU
98 52 02 10	L / 9"	EAN	10

**2**

## Latex gloves SuperGrip

- secure grip
- roughened surface
- water repellent palm
- CE certified: cat.2 / EN388

Art.No.	Size	Label	PU
98 52 40 10	XL / 10"	EAN	12

**3**

## Latex gloves WinterGrip

- secure grip
- excellent cold protection (acrylic terrycloth)
- good tactile sensitivity
- CE certified: cat.2 / EN388

Art.No.	Size	Label	PU
98 59 02 10	L / 9"	EAN	12
98 59 03 10	XL / 10"	EAN	12

**4**

## Cotton gloves

- cotton gloves with latex dots for better grip
- CE certified cat.1 / EN420

Art.No.	Size	Label	PU
98 55 10 10	XL / 10"	EAN	12

**5**

## Painter's gloves SensoGrip

- breathable polyester gloves with polyurethane covering
- CE certified: cat.2 / EN388

Art.No.	Size	Label	PU
98 54 02 10	L / 9"	EAN	12
98 54 03 10	XL / 10"	EAN	12
98 54 04 10	XXL / 11"	EAN	12

There is a pro in everyone.



1



## Nitril gloves AquaGrip

- secure grip at works with fluids
- moisture repellent
- CE certified: cat.2 /EN388

Art.No.	Size	Label	PU
98 57 01 10	M / 8"	EAN	12
98 57 02 10	L / 9"	EAN	12
98 57 03 10	XL / 10"	EAN	12

2



## Nitril gloves PaintGrip

- for works with paints, varnishes etc.
- CE certified: cat.2 /EN388

Art.No.	Size	Label	PU
98 51 22 10	L / 9"	EAN	12
98 51 20 10	XL / 10"	EAN	12

3



## Nitril gloves GeckoGrip

- secure grip due microfoam coating
- excellent sensitivity
- CE certified: cat.2 /EN388

Art.No.	Size	Label	PU
98 56 01 10	M / 8"	EAN	12
98 56 02 10	L / 9"	EAN	12
98 56 03 10	XL / 10"	EAN	12

4



## Nitril gloves TopGrip

- secure grip
- moisture repellent
- CE certified cat.2 /EN388

Art.No.	Size	Label	PU
98 53 01 10	M / 8"	EAN	12
98 53 02 10	L / 9"	EAN	12
98 53 03 10	XL / 10"	EAN	12

5



## Cotton gloves WorkGrip

- for rough works
- cotton lining
- CE certified: cat.2 /EN388

Art.No.	Size	Label	PU
98 58 10 10	XL / 10"	EAN	12



1



## Dust mask FFP2

- with exhalation valve for easy breathing
- CE certified: EN149:2001 + A1:2009

Art.No.	Quantity in packaging	Etik.	PU
98 62 50 99	1 pc	CE	10
50 50 02 000	10 pcs	EAN	1

2



## Dust mask FFP1

- CE certified: EN149:2001 + A1:2009

Art.No.	Quantity in packaging	Etik.	PU
98 61 40 99	2 pcs	CE	5
50 50 01 000	20 pcs	EAN	1

3



## Protective goggles Craftsman

- adjustable arms
- transparent side protection shields
- CE certified: EN166:2001

Art.No.	Label	PU
98 65 00 99	CE	6

4



## Protective goggles

- with rubber strap
- ventilation valve
- with anti-mist protection
- CE certified: EN166:2001

Art.No.	Label	PU
98 64 00 17	EAN	6

5



## Painter's overall

- non-woven PE material
- with protection hood
- with ankle-, arm- and waist bands
- not CE certified PSE item

Art.No.	Size	Label	PU
98 68 01 10	XL / 56-58	EAN	10
98 68 02 10	XXL / 60-62	EAN	10

There is a pro in everyone.



1



## Air-removing needle roller

- with 11mm plastic needles
- permanent fixed wire with plastic handle
- eliminates air bubbles in floor coatings

Art.No.	Width	Label	PU
86 94 24 99	24 cm	EAN	2

2



## Plastic sole plates with nails

- with 11 hardened steel nails
- for easy and safe walking on wet floor coatings

Art.No.	Dimension	Label	PU
92 65 00 10	135x310 mm	EAN	1

3



## Tile cleaning set

- plastic body and handle
- incl. bottom grid and 2 cleaning rollers

Art.No.	Volume	Label	PU
90 29 01 10	20 lit.	EAN	1

4



## Jointing trowel

- silicone cover
- with angled edges

Art.No.	Dimension	Label	PU
92 19 25 10	100x250 mm	EAN	5

5



## Jointing squeezer

- semi flexible rubber blade
- wooden handle

Art.No.	Width	Label	PU
94 08 18 10	180 mm	EAN	10

6



## Tar-bitumen brush

- natural fibre
- heat resistant
- with hole for handle / pole

Art.No.	Label	PU
88 02 20 10	EAN	10



# Wood staining



There is a pro in everyone.

# Wood staining

Refills, rollers and sets



1



## Green stripe - microfibre

- microfibre plush with high paint load, for perfect results
- for low viscosity (thin) wood stains

Art.No.	Width	Description	Label	PU
86 52 09 99	10 cm		CE	10
86 52 10 99	2x 10 cm		CE	10
86 52 27 99	10 cm	with 3K ergo-knick handle 27 cm	CE	5

<input checked="" type="checkbox"/>				
<input checked="" type="checkbox"/>				

XpertSpeed  
 XpertErgo

2



## Green stripe - microfibre

- microfibre plush with high paint load, for perfect results
- for low viscosity (thin) wood stains

Art.No.	Width	Description	Label	PU
86 52 70 99	10 cm	with handle and paint tray 14x29 cm	CE	7

<input checked="" type="checkbox"/>				
<input checked="" type="checkbox"/>				

XpertSpeed  
 XpertErgo

3



## Green stripe - microfibre

- microfibre plush with high paint load, for perfect results
- for low viscosity (thin) wood stains

Art.No.	Width	Description	Label	PU
86 52 71 99	2x 10 cm	with 3K handle and paint tray 14x29 cm	CE	7

<input checked="" type="checkbox"/>				
<input checked="" type="checkbox"/>				

XpertSpeed  
 XpertErgo

4



## Green stripe - microfibre

- microfibre plush with high paint load, for perfect results
- for low viscosity (thin) wood stains

Art.No.	Width	Description	Label	PU
86 52 30 99	12 cm		CE	10
86 52 35 99	12 cm	with 3K ergo-knick handle 37 cm	CE	5

<input checked="" type="checkbox"/>				
<input checked="" type="checkbox"/>				

XpertSpeed  
 XpertErgo



# Wood staining

Refills, rollers and sets

# E<sup>COLOR</sup> XPERT




1



## White - microfibre

- microfibre plush for good results
- for low viscosity (thin) wood stains

Art.No.	Width	Description	Label	PU
86 54 09 99	10 cm		CE	10
86 52 28 99	10 cm	with 1K handle 27 cm	CE	5




2



## White - microfibre

- microfibre plush for good results
- for low viscosity (thin) wood stains

Art.No.	Width	Description	Label	PU
86 54 70 99	10 cm	with 1K handle, tray 14x29	CE	7




3



## White - microfibre

- microfibre plush for good results
- for low viscosity (thin) wood stains

Art.No.	Width	Description	Label	PU
86 54 12 99	12 cm		CE	10
86 52 39 99	12 cm	with 1K handle 37 cm	CE	5




4



## White - microfibre

- microfibre plush for good results
- for low viscosity (thin) wood stains

Art.No.	Width	Description	Label	PU
84 55 58 99	18 cm	with 1K handle	CE	5




5



## GreyGreen stripe - nylon

- long life nylon plush
- for high viscosity (thick) wood stains

Art.No.	Width	Description	Label	PU
86 47 09 99	10 cm		CE	10
86 47 27 99	10 cm	with 3K ergo-knick handle 27cm	CE	5




6



## GreyGreen stripe - nylon

- long life nylon plush
- for high viscosity (thick) wood stains

Art.No.	Width	Description	Label	PU
86 47 12 99	12 cm		CE	10
86 47 39 99	12 cm	with 3K ergo-knick handle 37cm	CE	5



There is a pro in everyone.

# Wood staining

Paint brushes and paint brush sets



1




## WoodStar flat brush

- special developed brush head with revolutionary bristle mixture
- FSC® certified natural wooden handle with GripZone surface for a better control
- extra paint load capacity and perfect finish
- for all wood stains

Art.No.	Width	Thickness	Bristle length	Label	PU
81 54 30 99	30 mm	14 mm	54 mm	CE	6
81 54 40 99	40 mm	15 mm	63 mm	CE	6
81 54 60 99	60 mm	17 mm	70 mm	CE	6
81 54 80 99	80 mm	18 mm	70 mm	CE	6

FLAT 9<sup>th</sup>



- XpertSpeed
- XpertPlanet
- XpertFinish

2




## WoodStar flat brush

- special developed brush head with revolutionary bristle mixture
- with 3 component soft plastic handle for a better ergonomic
- with extra hanging hook on the brush side
- extra paint load capacity and perfect finish
- for all wood stains

Art.No.	Width	Thickness	Bristle length	Label	PU
81 52 40 99	40 mm	15 mm	63 mm	CE	6
81 52 60 99	60 mm	17 mm	70 mm	CE	6
81 52 80 99	80 mm	18 mm	70 mm	CE	6

FLAT 9<sup>th</sup>



- XpertSpeed
- XpertErgo
- XpertFinish

3




## WoodStar facade brush

- special developed brush head with revolutionary bristle mixture
- FSC® certified natural wooden handle with GripZone surface for a better control
- extra paint load capacity and perfect finish
- for all woodstains

Art.No.	Width	Thickness	Bristle length	Label	PU
81 74 50 99	50 mm	17 mm	70 mm	CE	6
81 74 75 99	80 mm	18 mm	70 mm	CE	6

FLAT 9<sup>th</sup>



- XpertSpeed
- XpertPlanet
- XpertFinish

4




## Flat brush

- natural and synthetic bristle mix for a good finish
- plastic handle
- for all wood stains

Art.No.	Width	Thickness	Bristle length	Label	PU
81 46 30 99	30 mm	12 mm	51 mm	CE	12
81 46 40 99	40 mm	13 mm	51 mm	CE	12
81 46 50 99	50 mm	14 mm	51 mm	CE	12
81 46 70 99	70 mm	16 mm	51 mm	CE	12
81 46 99 99	100 mm	18 mm	57 mm	CE	6

FLAT 6<sup>th</sup>



- XpertSpeed
- XpertPlanet
- XpertFinish

5




## Flat brush set / 3 pcs

- natural and synthetic bristle mix for a good finish
- plastic handle
- for all wood stains

Art.No.	Width	Thickness	Bristle length	Label	PU
81 46 11 99	30/40/50 mm	12/13/14 mm	51 mm	CE	20

FLAT 6<sup>th</sup>



- XpertSpeed
- XpertPlanet
- XpertFinish



# Wood staining

Block brushes and block brush sets

**E** COLOR  
**EXPERT**



1




## WoodStar block brush

- special developed brush head with revolutionary bristle mixture
- with 3 component angled soft plastic handle for a better ergonomic
- hollow handle for use with telescopic pole
- extra paint load capacity and perfect finish
- for all wood stains

Art.No.	Width	Thickness	Bristle length	Label	PU
83 16 10 99	100 mm	30 mm	76 mm	CE	6
83 16 12 99	120 mm	30 mm	76 mm	CE	6



BLOCK



XpertSpeed



XpertErgo



XpertFinish

2




## Block brush

- natural and synthetic bristle mix for a good finish
- plastic handle
- for all wood stains

Art.No.	Width	Thickness	Bristle length	Label	PU
83 15 10 99	100 mm	30 mm	44 mm	CE	6
83 15 12 99	120 mm	30 mm	51 mm	CE	6



BLOCK



3



## Flat and block brush set / 4 pcs

- synthetic bristle mix
- plastic handle
- for all wood stains

Art.No.	Width	Thickness	Bristle length	Label	PU
82 64 10 99	30/50/35/100 mm	12/13/8/30 mm	51 mm	CE	10




FLAT 6°



CORNER



BLOCK



# WoodStar

## The long distance professional for all kinds of wood stains

- Up to 30% more coverage thanks to the integrated paint tank
- Patented in-house production, manufactured for the professional market
- New bristle arrangement - for an exclusive coating result

*There is a pro in everyone.*

### Synthetic bristle mixture

High-tech bristles for a first-class finish and long service life



### FSC®-certified wooden handle

Comfortable handling thanks to the sweat-absorbing wooden surface. The wooden handles come from sustainable forestry

### Stainless steel ferrule

Increased service life thanks to the stainless components

### Paint tank made from natural bristle mixture

30% higher coverage than comparable products

**PLUS  
30 %  
coverage**




**XpertFinish**



**XpertPlanet**



**XpertSpeed**





# Varnishing

There is a pro in everyone.

# Varnishing

Refills, rollers and sets



1



## CoatStar

- premium felt plush for homogenous paint transfer and an excellent finish

Art.No.	Width	Description	Label	PU
84 25 18 99	18 cm		CE	5
84 25 25 99	25 cm		CE	5

5 mm 48 mm ø 8 mm

XpertSpeed

2



## CoatStar

- premium felt plush for homogenous paint transfer and an excellent finish

Art.No.	Width	Description	Label	PU
84 75 15 99	15 cm	with not removable 1K handle	CE	5

5 mm 41 mm ø 6 mm

XpertSpeed

3



## CoatStar

- premium felt plush for homogenous paint transfer and an excellent finish

Art.No.	Width	Description	Label	PU
86 61 07 99	2x 6 cm		CE	10
86 61 19 99	6 cm	with 3K handle 19 cm	CE	5

5 mm 17 mm ø 6 mm

XpertSpeed  
 XpertErgo





# Varnishing

Refills, rollers and sets

# E<sup>COLOR</sup> EXPERT




1



## CoatStar

- premium felt plush for homogenous paint transfer and an excellent finish

Art.No.	Width	Description	Label	PU
86 61 10 99	10 cm		CE	10
86 61 27 99	10 cm	with 3K ergo-knick handle 27 cm	CE	5




2



## CoatStar

- premium felt plush for homogenous paint transfer and an excellent finish

Art.No.	Width	Description	Label	PU
86 61 30 99	12 cm		CE	10
86 61 39 99	12 cm	with 3K ergo-knick handle 37cm	CE	5



3



## CoatStar

- premium felt plush for homogenous paint transfer and an excellent finish  
- 2 refills CoatStar 10 cm with 3 component handle 27 cm and paint tray 14x29 cm

Art.No.	Width	Description	Label	PU
86 94 12 99	2x 10 cm		CE	7




4



## EvoStar

- premium foam with improved surface for increased paint load  
- patented concave sides for streak-less finish

Art.No.	Width	Description	Label	PU
86 72 07 99	2x 7 cm		CE	10
86 72 19 99	7 cm	with 3K handle 19 cm	CE	5




5



## EvoStar

- premium foam with improved surface for increased paint load  
- patented concave sides for streak-less finish

Art.No.	Width	Description	Label	PU
86 72 10 99	11 cm		CE	10
86 72 27 99	11 cm	with 3K ergo-knick handle 27 cm	CE	5
86 72 39 99	11 cm	with 3K ergo-knick handle 37 cm	CE	5



# EvoStar

## The varnishing roller for the perfect surface finish

- Specially refined polyester foam
- Concave sides\*
- Easy and streak-less painting
- Suitable for all varnishes
- From own production for highest quality standards

### Refined special foam


- Guarantees a fine finish
- Increased paint load
- Homogenous paint release

### Concave roller sides

- Less pressure on the surface
- No streaks or rolling marks
- Precise paint borders in the corner
- Larger working width compared to conventional rounded refills

### All varnishes

For water-based and solvent-based varnishes



*There is a pro in everyone.*



Our fully automatised production in Ústí nad Labem (CZ)



**XpertFinish**

\* DuPont Patent Application WO 2005/007302 A2



# Varnishing

Refills, rollers and sets

**E** COLOR<sup>®</sup>  
**EXPERT**




1



## Foam roller

- fine foam for standard varnishing works

Art.No.	Width	Description	Label	PU
86 70 05 10	5 cm		EAN	20
86 70 30 99	2x 5 cm		CE	20
86 96 05 99	5 cm	with 1K plastic handle 19 cm	CE	5




2



## Foam roller set

- fine foam for standard varnishing works

Art.No.	Width	Description	Label	PU
86 91 05 99	5 cm	3pcs set with handle paint tray 10x22 cm	CE	10




3



## Foam roller

- fine foam for standard varnishing works

Art.No.	Width	Description	Label	PU
86 70 11 10	11 cm		EAN	10
86 70 71 99	2x 11 cm		CE	10
86 84 11 99	11 cm	with 1K plastic handle 27 cm	CE	5
86 84 39 99	11 cm	with 1K plastic handle 37 cm	CE	10




4



## Foam roller set

- fine foam for standard varnishing works

Art.No.	Width	Description	Label	PU
86 90 11 99	11 cm	3pcs set with tray 14x29 cm	CE	7
86 94 11 99	5, 11, 16 cm	6pcs set with tray 14x29 cm	CE	7




5



## Foam roller SuperFine

- superfine foam for great varnishing results

Art.No.	Width	Description	Label	PU
86 74 11 99	11 cm		CE	10
86 78 16 99	16 cm		CE	10



There is a pro in everyone.

# Varnishing

Refills, rollers and sets




1



## Flock roller

- fine foam with flock pile covering
- rounded ends
- for standard varnishing works

Art.No.	Width	Description	Label	PU
86 76 07 99	7 cm		CE	10
86 76 11 99	11 cm		CE	10
86 76 16 99	16 cm		CE	10
86 76 29 99	11 cm	with 1K plastic handle 27 cm	CE	10




2



## Flock roller set

- fine foam with flock pile covering
- rounded ends
- for standard varnishing works

Art.No.	Width	Description	Label	PU
86 92 11 99	11 cm	3pcs set with paint tray 14x29	CE	10




3



## Coating roller

- specially treated heavy-duty nylon plush
- for high viscous (thick) varnishes, coating materials and water based floor coatings

Art.No.	Width	Description	Label	PU
84 31 18 99	18 cm		CE	5
84 31 25 99	25 cm		CE	5




4



## Coating roller

- specially treated heavy-duty nylon plush
- for high viscous (thick) varnishes, coating materials and water based floor coatings

Art.No.	Width	Description	Label	PU
86 35 09 99	10 cm		CE	10
86 29 29 99	10 cm	with 1K plastic handle 27 cm	CE	5




5



## Coating roller

- specially treated heavy-duty nylon plush
- for high viscous (thick) varnishes, coating materials and water based floor coatings

Art.No.	Width	Description	Label	PU
86 35 30 99	12 cm		CE	10






# Varnishing

Refills, rollers and sets

**E** COLOR<sup>®</sup>  
**EXPERT**




1



## Coating roller

- specially treated heavy-duty nylon plush
- for high viscous (thick) coating materials and 2 compound epoxy coatings

Art.No.	Width	Label	PU
84 30 19 99	18 cm	CE	5
84 30 26 99	25 cm	CE	5




2



## Coating roller

- specially treated heavy-duty nylon plush
- for high viscous (thick) coating materials and 2 compound epoxy coatings

Art.No.	Width	Label	PU
86 33 09 99	10 cm	CE	10



3



## Coating roller

- specially treated heavy-duty nylon plush
- for high viscous (thick) coating materials and 2 compound epoxy coatings

Art.No.	Width	Label	PU
86 33 12 99	12 cm	CE	10



*There is a pro in everyone.*

# Varnishing

Paint brushes and paint brush sets



1




## FinishStar flat brush

- specially developed superfine bristles for a perfect surface finish
- FSC® certified natural wooden handle with GripZone surface for a better control
- especially good results with low viscosity (thin) varnishes

Art.No.	Width	Thickness	Bristle length	Label	PU
81 90 30 99	30 mm	14 mm	44 mm	CE	6
81 90 50 99	50 mm	15 mm	51 mm	CE	6

FLAT 9<sup>®</sup>



XpertFinish

XpertPlanet

# FinishStar

## The superfine paint brush

- Newly developed brush line for finishing works
- Specially developed superfine bristle mixture from own production
- Highest quality standards in our production

*There is a pro in everyone.*



### Special mix of synthetic bristles

- Perfect surface finish thanks to the superfine, flexible filaments
- The extra dense brush head provides higher paint load capacity
- Easy cleaning thanks to the smooth surface structure of the bristles
- No swelling of the bristles when used with water-based materials

### Stainless steel ferrule

Increased service life due to stainless components



### FSC®-certified natural wooden handle

- Comfortable handling with sweat-absorbing wooden surface
- Wooden handles from sustainable forestry



XpertFinish



XpertPlanet



# Varnishing

Paint brushes and paint brush sets

**E** COLOR  
**EXPERT**



1




## UniStar flat brush

- specially developed exclusive bristles for an extra fine surface finish
- FSC® certified natural wooden handle with GripZone surface for a better control

Art.No.	Width	Thickness	Bristle length	Label	PU
81 41 31 99	30 mm	14 mm	51 mm	CE	6
81 41 41 99	40 mm	15 mm	57 mm	CE	6
81 41 51 99	50 mm	15 mm	63 mm	CE	6
81 41 61 99	60 mm	17 mm	63 mm	CE	6

FLAT 9<sup>h</sup>



XpertFinish  
 XpertPlanet

2




## UniStar flat brush

- specially developed exclusive bristles for an extra fine surface finish
- with 3 component soft plastic handle for a better ergonomic
- with extra hanging hook on the brush side

Art.No.	Width	Thickness	Bristle length	Label	PU
81 51 30 99	30 mm	14 mm	51 mm	CE	6
81 51 40 99	40 mm	15 mm	57 mm	CE	6
81 51 60 99	60 mm	17 mm	63 mm	CE	6
81 51 80 99	80 mm	18 mm	69 mm	CE	6

FLAT 9<sup>h</sup>



XpertFinish  
 XpertErgo

3




## UniStar flat brush

- specially developed exclusive bristles for an extra fine surface finish

Art.No.	Width	Thickness	Bristle length	Label	PU
81 17 30 99	30 mm	12 mm	51 mm	CE	12
81 17 40 99	40 mm	13 mm	51 mm	CE	12
81 17 50 99	50 mm	14 mm	51 mm	CE	12
81 17 70 99	70 mm	16 mm	57 mm	CE	12

FLAT 6<sup>h</sup>



XpertFinish

4




## UniStar wall brush

- specially developed exclusive bristles for an extra fine surface finish
- FSC® certified natural wooden handle

Art.No.	Width	Thickness	Bristle length	Label	PU
83 13 10 99	100 mm	30 mm	72 mm	CE	6

BLOCK



XpertFinish  
 XpertPlanet

5




## UniStar window brush

- specially developed exclusive bristles for an extra fine surface finish
- angled brush head for precise works on narrow surfaces like window frames
- natural wooden handle

Art.No.	Width	Thickness	Bristle length	Label	PU
81 16 35 99	40 mm	12 mm	41-51 mm	CE	6

FLAT 6<sup>h</sup>



XpertFinish  
 XpertErgo

# UniStar

## Ultimate paint brush range

- One bristle for all solvent-based and water-based varnishes
- Specially developed exclusive bristle mix from own production
- Highest quality standards in our production

*There is a pro in everyone.*




### FSC®-certified natural wooden handle

- Comfortable handling with sweat-absorbing wooden surface
- Wooden handles from sustainable forestry

### Stainless steel ferrule

Increased service life due to stainless components



### Special mix of synthetic bristles

- Long service life due to low bristle wear
- Finer surface finish thanks to flexible filaments with small diameter
- Easy cleaning thanks to the smooth surface structure of the bristles
- No swelling of the bristles when used with water-based materials



**XpertFinish**



**XpertPlanet**



**XpertSpeed**



# Varnishing

Paint brushes and paint brush sets

**E** COLOR<sup>®</sup>  
**EXPERT**



**1**




## Flat brush

- synthetic bristle mixture
- for simple varnishing works

Art.No.	Width	Thickness	Bristle length	Label	PU
81 43 30 99	30 mm	12 mm	51 mm	CE	12
81 43 40 99	40 mm	13 mm	51 mm	CE	12
81 43 51 99	50 mm	14 mm	51 mm	CE	12
81 43 71 99	70 mm	16 mm	57 mm	CE	12

FLAT 6<sup>®</sup>



XpertFinish

**2**




## Flat brush set

- synthetic bristle mixture
- for simple varnishing works

Art.No.	Width	Thickness	Bristle length	Label	PU
81 43 11 99	30, 40, 50 mm	11/12/13 mm	51/51/51 mm	CE	20

FLAT 6<sup>®</sup>



XpertFinish

**3**



## Flat brush

- synthetic & natural bristles
- for great surface finish

Art.No.	Width	Thickness	Bristle length	Label	PU
81 31 30 19	30 mm	12 mm	38 mm	EAN	12
81 31 40 19	40 mm	13 mm	44 mm	EAN	12
81 31 50 19	50 mm	14 mm	51 mm	EAN	12
81 31 70 19	70 mm	16 mm	57 mm	EAN	12
81 31 99 19	100 mm	17 mm	63 mm	EAN	12

FLAT 6<sup>®</sup>



There is a pro in everyone.

# Varnishing

Paint brushes and paint brush sets




1



## Artist brush set

- natural bristles, rounded bristle top
- FSC® certified natural wooden handle
- for small painting works

Art.No.	Width	Thickness	Bristle length	Label	PU
82 61 02 99	10, 12, 14 mm	5/5/6 mm	28/29/30 mm	CE	20



2



## Artist brush set

- natural bristles, straight
- FSC® certified natural wooden handle
- for small painting works

Art.No.	Width	Thickness	Bristle length	Label	PU
82 61 06 99	4, 6, 8 mm	3/5/5 mm	14/16/17 mm	CE	20




3



## Artist brush set

- synthetic bristles, straight
- FSC® certified natural wooden handle
- for small painting works

Art.No.	Width	Thickness	Bristle length	Label	PU
82 61 08 99	4, 8, 12 mm	4/6/7 mm	11/14/16 mm	CE	10





# Wall painting

There is a pro in everyone.



1



## WallStar

- special treated plush for good paint transfer and easy cleaning
- endless polyamide piles for a lint free surface finish
- for smooth surfaces

Art.No.	Width	Label	PU
84 72 18 99	18 cm	CE	12
84 72 25 99	25 cm	CE	12



2



## WallStar

- special treated plush for good paint transfer and easy cleaning
- endless polyamide piles for a lint free surface finish
- for smooth surfaces

Art.No.	Width	Description	Label	PU
84 72 75 99	25 cm	with 3K ergo-knack handle	CE	5




3



## WallStar

- special treated plush for good paint transfer and easy cleaning
- endless polyamide piles for a lint free surface finish
- for smooth surfaces

Art.No.	Width	Description	Label	PU
86 42 09 99	10 cm		CE	10
86 42 29 99	10 cm	with 3K ergo-knack handle 27 cm	CE	5



4



## WallStar

- special treated plush for good paint transfer and easy cleaning
- endless polyamide piles for a lint free surface finish
- for smooth surfaces

Art.No.	Width	Description	Label	PU
86 42 30 99	12 cm		CE	10
86 42 46 99	15 cm		CE	10
86 42 39 99	12 cm	with 3K ergo-knack handle 37 cm	CE	5
86 42 35 99	15 cm	with 3K ergo-knack handle	CE	5





# Wall painting

Refills, rollers and sets

# E<sup>COLOR</sup> EXPERT




1




## WallStar

- special treated plush for good paint transfer and easy cleaning
- endless polyamide piles for a lint free surface finish

Art.No.	Width	Label	PU
84 73 18 99	18 cm	CE	10
84 73 25 99	25 cm	CE	10




2



## WallStar

- special treated plush for good paint transfer and easy cleaning
- endless polyamide piles for a lint free surface finish
- with padding

Art.No.	Width	Label	PU
84 74 19 99	18 cm	CE	10
84 74 26 99	25 cm	CE	10




3




## WallStar

- special treated plush for good paint transfer and easy cleaning
- endless polyamide piles for a lint free surface finish
- with padding

Art.No.	Width	Description	Label	PU
84 74 76 99	25 cm	with 3K ergo-knick handle	CE	5




4



## WallStar

- special treated plush for good paint transfer and easy cleaning
- endless polyamide piles for a lint free surface finish
- with extra thick padding, optimal also for facade works

Art.No.	Width	Label	PU
84 74 24 99	25 cm	CE	5




5



## WallStar

- special treated plush for good paint transfer and easy cleaning
- endless polyamide piles for a lint free surface finish

Art.No.	Width	Description	Label	PU
86 66 12 99	12 cm		CE	10
86 55 27 99	12 cm	with 3K ergo-knick handle 27 cm	CE	5
86 55 39 99	12 cm	with 3K ergo-knick handle 37 cm	CE	5



# WallStar

## The perfect paint roller for every surface

- Perfect surface finish
- No linting
- Specially treated, stabilized polyamide plush yarn
- Very good paint load and release

*There is a pro in everyone.*



**For smooth walls**  
• Perfect finish  
• Nearly spatter free

**For rough surfaces**  
• Extremely hard-wearing  
• High sqm performance

**For rough plasters**  
• High paint load and release  
• Padded, also to use at corners





# Wall painting

Refills, rollers and sets

**E** COLOR<sup>®</sup>  
**EXPERT**




1



## GreyRed stripe

- special polymix plush for homogenous paint transfer and coverage
- for smooth surfaces

Art.No.	Width	Label	PU
84 75 19 99	18 cm	CE	10
84 75 26 99	25 cm	CE	10




2




## GreyRed stripe

- special polymix plush for homogenous paint transfer and coverage

Art.No.	Width	Label	PU
84 75 18 99	18 cm	CE	10
84 75 25 99	25 cm	CE	10




3



## GreyRed stripe

- special polymix plush for homogenous paint transfer and coverage
- with padding

Art.No.	Width	Label	PU
84 75 24 99	25 cm	CE	10



There is a pro in everyone.




1



## Silver stripe

- polyester plush for good paint
- endless plush yarn for a lint free finish
- for smooth walls

Art.No.	Width	Label	PU
85 32 18 99	18 cm	CE	10
85 32 25 99	25 cm	CE	10




2



## Silver stripe roller

- polyester plush for good paint transfer
- endless plush yarn for a lint free finish
- for smooth surfaces

Art.No.	Width	Label	PU
85 33 58 99	18 cm	CE	5
85 33 75 99	25 cm	CE	5
85 33 90 99	25 cm	with 200 cm telescopic pole	CE 10




3



## Silver stripe

- polyester plush for good paint transfer
- endless plush yarn for a lint free finish
- for smooth surfaces

Art.No.	Width	Description	Label	PU
86 45 06 99	2x 6 cm		CE	10
86 45 09 99	10 cm		CE	10
86 45 10 99	2x 10 cm		CE	10
86 45 29 99	10 cm	with 1K plastic handle 27 cm	CE	5




4



## Silver stripe

- polyester plush for good paint transfer
- endless plush yarn for a lint free finish
- for smooth surfaces

Art.No.	Width	Description	Label	PU
86 46 30 99	12 cm		CE	10
86 45 39 99	12 cm	with 1K plastic handle 37 cm	CE	5




5



## Silver stripe

- polyester plush for good paint transfer
- endless plush yarn for a lint free finish

Art.No.	Width	Description	Label	PU
86 42 50 99	12 cm	3 pcs set with paint tray 14x29 cm	CE	14





# Wall painting

Refills, rollers and sets

# E<sup>COLOR</sup> EXPERT



1



## Silver stripe

- polyester plush for good paint transfer
- endless plush yarn for a lint free finish

Art.No.	Width	Label	PU
85 33 18 99	18 cm	CE	10
85 33 25 99	25 cm	CE	10




2



## Silver stripe

- polyester plush for good paint transfer
- endless plush yarn for a lint free finish
- with thin padding

Art.No.	Width	Label	PU
85 34 18 99	18 cm	CE	10
85 34 25 99	25 cm	CE	10




3



## Set Silver stripe

- polyester plush for good paint transfer
- endless plush yarn for a lint free finish
- with thin padding

Art.No.	Width	Description	Label	PU
85 34 90 99	25 cm	with 200 cm telescopic pole	CE	10




4



## Silver stripe

- polyester plush for good paint transfer
- endless plush yarn for a lint free finish
- with extra thick padding

Art.No.	Width	Label	PU
85 38 25 99	25 cm	CE	5




5



## Silver stripe

- polyester plush for good paint transfer
- endless plush yarn for a lint free finish

Art.No.	Width	Description	Label	PU
86 58 09 99	10 cm		CE	10
86 58 27 99	10 cm	with 1K plastic handle 27 cm	CE	10




6



## Silver stripe

- polyester plush for good paint transfer
- endless plush yarn for a lint free finish


Art.No.	Width	Description	Label	PU
86 58 12 99	12 cm		CE	10
86 58 10 99	12 cm	with 1K plastic handle 37 cm	CE	5



# ComfortStar

## Suitable for all painting, wood staining and varnishing works

- Robust design in professional quality
- With nub structure for optimal paint load
- Easy and quick work



### Measuring scale

Preset measuring lines enable precise dosage of paint

### Specially shaped pouring spout

Allows an easy and clean pouring out of excessive paint

### Raised rim height

Prevents spattering and dripping at rolling of paint roller in the tray

*There is a pro in everyone.*

### Extra stability

With the further developed new product shape we achieved a higher torsional rigidity, making the tray more stabile.

### Structured paint reservoir

The ribbed structure in the paint reservoir prevents the roller from slipping through and increases paint load

### Structured rolling surface

The nubby structure in the rolling surface ensures optimal paint load and homogenous painting results

### Optimized hanging hole

For DIY-friendly hanging in the POS wall and for hanging storage by the end user



**XpertErgo**



**XpertSpeed**



# Wall painting

Refills, rollers and sets

# E<sup>COLOR</sup> EXPERT




1



## Red stripe

- microfibre plush for fine surface finish
- endless piles for lint free finish

Art.No.	Width	Label	PU
84 56 18 99	18 cm	CE	5
84 56 25 99	25 cm	CE	5




2



## Red stripe

- microfibre plush for fine surface finish
- endless piles for lint free finish

Art.No.	Width	Description	Label	PU
84 56 75 99	25 cm	with 1K plastic handle	CE	5




3



## Orange stripe

- special microfibre plush, optimal for primers
- for all low viscosity (thin) materials
- with padding

Art.No.	Width	Label	PU
84 58 27 19	25 cm	EAN	5




4



## Orange stripe

- special microfibre plush, optimal for primers
- for all low viscosity (thin) materials
- with padding

Art.No.	Width	Description	Label	PU
84 58 75 19	25 cm	with 1K plastic handle	EAN	5




5



## Orange stripe

- special microfibre plush, optimal for primers
- for all low viscosity (thin) materials

Art.No.	Width	Label	PU
86 58 10 10	10 cm	EAN	10



There is a pro in everyone.




1



## Wool

- with wool plush for a fine finish

Art.No.	Width	Description	Label	PU
84 47 18 99	18 cm		CE	5
84 47 25 99	25 cm		CE	5




3



## Black stripe

- special treated polyester plush for good paint transfer and a fine finish

Art.No.	Width	Description	Label	PU
84 42 18 10	18 cm		EAN	5
84 42 25 10	25 cm		EAN	6




3



## Black stripe

- special treated polyester plush for good paint transfer and a fine finish

Art.No.	Width	Description	Label	PU
86 40 11 10	10 cm		EAN	10






1




## Corner roller

- polyester mix plush for universal use
- for all wall and facade paints

Art.No.	Width	Description	Label	PU
86 80 39 99	-		CE	5
86 80 40 99	-	spare refill for corner roller	CE	10




2



## Tube roller

- with 3 mini rollers of polyamide plush
- suitable also for varnishes

Art.No.	Width	Label	PU
86 82 99 10	-	EAN	5




3



## Paint separation roller

- polyamide plush
- for fast and perfect edges and borders
- for all wall paints

Art.No.	Width	Description	Label	PU
86 83 11 19	10 cm		EAN	2
86 83 12 10	10 cm	spare refill for separation roller	EAN	5




4



## Plaster & "Rollputz" roller

- special foam with coarse structure
- for effective applying and structuring of plasters

Art.No.	Width	Label	PU
85 88 18 99	18 cm	CE	5



# PowerMaster

## The "knick" brake makes the difference!

- Optimized roller pressure
- Perfect guidance with minimal effort
- Fast work
- Very good painting result

### New roller handle wire geometry

For an optimal application angle at painting



*There is a pro in everyone.*

### New roller handle PowerMaster

- New wire geometry
- Made of high-quality galvanized steel
- 3-component handle with integrated thumb rest
- Suitable for all telescopic poles

### 3-component handle with integrated thumb rest

Developed according to ergonomic principles



XpertErgo



# Wall painting

Roller frames

**E** COLOR<sup>®</sup>  
**EXPERT**



1



## PowerMaster

- with special wire geometry and ergonomic 3 component handle
- coated steel wire
- for big paint rollers



Art.No.	Width	Label	PU
84 05 17 99	18 cm	CE	10
84 05 26 99	25 cm	CE	10

2



## PowerMaster

- with special wire geometry and ergonomic 3 component handle
- coated steel wire
- for small paint rollers



Art.No.	Width	Total length	Label	PU
86 04 27 99	10-12 cm	27 cm	CE	10
86 04 40 99	10-12 cm	37 cm	CE	10

3




## Roller frame

- coated steel wire
- for big paint rollers



Art.No.	Width	Label	PU
84 00 18 99	18 cm	CE	10
84 00 25 99	25 cm	CE	10

4



## Roller frame

- coated steel wire
- for small paint rollers



Art.No.	Width	Total length	Label	PU
86 00 29 99	10-12cm	27 cm	CE	10
86 00 39 99	10-12cm	37 cm	CE	10
86 00 56 99	10-12cm	56 cm	CE	10
86 00 16 99	15 cm	-	CE	10

5



## Roller frame

- coated steel wire
- for small paint rollers
- with DIY handle



Art.No.	Width	Total length	Label	PU
86 01 19 10	5-7 cm	19 cm	EAN	10
86 01 29 10	10-12cm	27 cm	EAN	10
86 01 39 10	10-12cm	37 cm	EAN	10

There is a pro in everyone.



1




## Wipe grid

- shock resistant plastic
- to remove excessive paint from roller

Art.No.	Dimension	Label	PU
84 83 28 10	27 × 29 cm	EAN	15
84 83 29 10	22 × 25 cm	EAN	10

2



## Wipe grid

- zinc coated metal grid
- with metal bend-strips for fixing
- to remove excessive paint from roller

Art.No.	Dimension	Label	PU
84 83 21 10	21 × 11 cm	EAN	20
84 83 22 10	22 × 30 cm	EAN	10
84 83 27 10	26 × 30 cm	EAN	20

3



## Paint tray

- shock resistant plastic

Art.No.	Dimension	Label	PU
84 80 11 10	14 × 29 cm	EAN	15
84 80 18 10	26 × 32 cm	EAN	10
84 80 25 10	32 × 36 cm	EAN	10

4



## Inlay for paint tray

- simple inlay for one-time use

Art.No.	Dimension	Description	Label	PU
84 80 14 10	14 × 29 cm	3pcs / pack	EAN	10
84 80 26 10	26 × 32 cm	3pcs / pack	EAN	10

5



## Paint tray Extra

- extra big & strong paint tray

Art.No.	Dimension	Label	PU
84 80 30 10	34 × 50 cm	EAN	5

6



## ExpertCup

- practical paint pot for more flexibility & mobility at work
- with integrated wipe grid
- with practical pouring spout
- multifunctional use

Art.No.	Volume	Label	PU
84 83 52 10	2 lit.	EAN	5

7



## Inlay for ExpertCup

- simple inlay for one-time use

Art.No.	Volume	Description	Label	PU
84 83 51 10	2 lit.	5pcs / pack	EAN	10



1



## Paint bucket

- plastic, with metal wire

Art.No.	Volume	Label	PU
84 82 08 10	8 lit.	EAN	5
84 82 14 10	12 lit.	EAN	5
84 82 44 10	14 lit.	EAN	5

2



## Paint bucket Pentapro

- plastic, with metal wire
- with integrated wipe grid
- with integrated brush holder pocket
- stabile pentagonal shape

Art.No.	Volume	Label	PU
84 82 80 99	20 lit.	CE	3



There is a pro in everyone.



1



## Telescopic pole - steel

- steel, coated
- inner lock
- with FIA cone

Art.No.	Length	Label	PU
84 90 13 10	80-130 cm	EAN	10
84 90 20 10	115-200 cm	EAN	10
84 90 30 10	165-300 cm	EAN	10

2



## Telescopic pole - Alu

- aluminium
- inner lock
- with FIA cone

Art.No.	Length	Label	PU
84 92 00 10	115-200 cm	EAN	6
84 93 00 10	165-300 cm	EAN	6

3



## Telescopic pole - Alu

- aluminium
- outer lock screw
- with FIA cone

Art.No.	Length	Label	PU
84 92 31 10	100-200 cm	EAN	10

4



## Telescopic pole - composite

- aluminium & glass fibre epoxy resin
- outer lock screw
- with FIA cone

Art.No.	Length	Label	PU
84 96 12 10	73-120 cm	EAN	6
84 96 22 10	114-200 cm	EAN	6

5



## Telescopic pole - composite

- aluminium & glass fibre epoxy resin
- click-fix rod fixing mechanism
- changeable cones: FIA & FIA click for safe roller fixing

Art.No.	Length	Label	PU
84 96 62 10	130-238 cm	EAN	5



### FIA cone

- fits to all Color Expert roller handles
- the specially grooved shape ensures a stabile fixing of the handles

### FIA-click cone

- the FIA-click mechanism provides a release-safe fixing of small and standard size Color Expert roller handles



# Wall painting

Paint mixers

**E** COLOR<sup>®</sup>  
**EXPERT**



1



## Paint mixing stick

- plastic

Art.No.	Length	Label	PU
94 33 00 10	27 cm	EAN	10
94 33 45 10	43 cm	EAN	50

2



## Paint mixing stick

- wood

Art.No.	Length	Label	PU
94 36 00 99	45 cm	CE	50

3



## Paint mixing paddle

- for paints and low viscosity glues  
- coated steel

Art.No.	Dimension	Max. loading	Label	PU
94 30 10 17	6×40 cm	10 kg	EAN	6
94 30 15 17	8,5×40 cm	15 kg	EAN	3
94 30 20 17	10×54 cm	20 kg	EAN	3

4



## Paint mixing paddle

- extra strong, for paints, glues, mortars  
- coated steel

Art.No.	Dimension	Max. loading	Label	PU
94 37 15 17	8×40 cm	10 kg	EAN	6
94 37 20 17	10×48 cm	20 kg	EAN	6

5



## Gypsum mixing paddle

- especially for gypsum plasters  
- coated steel

Art.No.	Dimension	Max. loading	Label	PU
94 38 15 17	10×40 cm	15 kg	EAN	6

There is a pro in everyone.

# Wall painting

Flat brushes, wall brushes, brush sets



1




## Flat brush

- synthetic bristle mix - swell-proof
- natural wooden handle
- stainless iron ferrule

Art.No.	Width	Thickness	Bristle length	Label	PU
81 05 30 99	30 mm	18 mm	44 mm	CE	6
81 05 40 99	40 mm	19 mm	50 mm	CE	6
81 05 50 99	50 mm	20 mm	57 mm	CE	6
81 05 60 99	60 mm	21 mm	57 mm	CE	6
81 05 80 99	70 mm	21 mm	60 mm	CE	6

FLAT 12<sup>th</sup>



2




## Flat brush

- stabilised China bristles mix, avoids bristle swelling
- FSC<sup>®</sup> certified natural wooden handle
- ergonomic shaped handle with GripZone surface
- stainless iron ferrule

Art.No.	Width	Thickness	Bristle length	Label	PU
81 57 30 99	30 mm	14 mm	44 mm	CE	6
81 57 40 99	40 mm	15 mm	51 mm	CE	6
81 57 50 99	50 mm	17 mm	57 mm	CE	6
81 57 60 99	60 mm	17 mm	57 mm	CE	6

FLAT 9<sup>th</sup>



XpertPlanet

3




## Flat brush

- synthetic bristle mix - swell-proof
- ergonomic 3 component plastic handle
- with hanging hook on the brush side
- stainless iron ferrule

Art.No.	Width	Thickness	Bristle length	Label	PU
81 50 30 99	30 mm	14 mm	44 mm	CE	6
81 50 40 99	40 mm	15 mm	44 mm	CE	6
81 50 60 99	60 mm	17 mm	51 mm	CE	6
81 50 80 99	80 mm	18 mm	57 mm	CE	6

FLAT 9<sup>th</sup>



XpertErgo

4




## Flat brush

- synthetic bristle mix - swell-proof
- plastic handle
- stainless iron ferrule

Art.No.	Width	Thickness	Bristle length	Label	PU
81 08 30 99	30 mm	14 mm	44 mm	CE	6
81 08 40 99	40 mm	15 mm	51 mm	CE	6
81 08 50 99	50 mm	16 mm	57 mm	CE	6
81 08 60 99	60 mm	17 mm	57 mm	CE	6
81 08 80 99	80 mm	18 mm	63 mm	CE	6
81 08 99 99	100 mm	19 mm	63 mm	CE	6

FLAT 9<sup>th</sup>





1




## Flat brush

- synthetic bristle mix - swell-proof
- plastic handle
- stainless iron ferrule

Art.No.	Width	Thickness	Bristle length	Label	PU
81 28 20 99	20 mm	11 mm	38 mm	CE	12
81 28 30 99	30 mm	12 mm	44 mm	CE	12
81 28 40 99	40 mm	13 mm	44 mm	CE	12
81 28 50 99	50 mm	14 mm	48 mm	CE	12
81 28 70 99	70 mm	16 mm	51 mm	CE	12
81 28 99 99	100 mm	18 mm	57 mm	CE	6

FLAT 6<sup>th</sup>



2




## Flat brush set

- synthetic bristle mix - swell-proof
- plastic handle
- stainless iron ferrule

Art.No.	Width	Thickness	Bristle length	Label	PU
81 28 11 99	30/40/50 mm	11/12/13 mm	44/44/48 mm	CE	20

FLAT 6<sup>th</sup>



There is a pro in everyone.



1



## Corner brush

- stabilised China bristles mix, avoids bristle swelling
- FSC® certified natural wooden handle
- ergonomic shaped handle with GripZone surface
- stainless iron ferrule

Art.No.	Width	Thickness	Bristle length	Label	PU
81 65 51 99	50 mm	8 mm	57 mm	CE	12
81 65 61 99	60 mm	8 mm	69 mm	CE	12
81 65 76 99	75 mm	8 mm	69 mm	CE	12




2



## Corner brush

- synthetic bristle mix - swell-proof
- flexible plastic handle
- tin plated iron ferrule

Art.No.	Width	Thickness	Bristle length	Label	PU
81 62 30 10	30 mm	13 mm	51 mm	EAN	12
81 62 40 10	40 mm	13 mm	51 mm	EAN	12
81 62 50 10	50 mm	13 mm	51 mm	EAN	12
81 62 60 10	60 mm	13 mm	57 mm	EAN	12
81 62 70 10	70 mm	13 mm	57 mm	EAN	6



3



## Corner brush

- synthetic bristle mix - swell-proof
- natural wooden handle
- stainless iron ferrule

Art.No.	Width	Thickness	Bristle length	Label	PU
81 67 40 99	40 mm	11 mm	49 mm	CE	12
81 67 50 99	50 mm	12 mm	51 mm	CE	12
81 67 65 99	65 mm	13 mm	57 mm	CE	12
81 67 75 99	75 mm	13 mm	63 mm	CE	12




4



## Corner brush

- natural bristle 60% tops
- flexible plastic handle
- tin plated iron ferrule

Art.No.	Width	Thickness	Bristle length	Label	PU
81 80 25 10	25 mm	11 mm	41 mm	EAN	12
81 80 40 10	40 mm	11 mm	41 mm	EAN	12
81 80 50 10	50 mm	12 mm	41 mm	EAN	12
81 80 65 10	65 mm	13 mm	48 mm	EAN	12
81 80 76 10	75 mm	13 mm	48 mm	EAN	6




5



## Corner brush

- synthetic bristle mix - swell-proof
- natural wooden handle
- tin plated iron ferrule

Art.No.	Width	Thickness	Bristle length	Label	PU
81 66 35 10	35 mm	9 mm	38 mm	EAN	12
81 66 50 10	50 mm	9 mm	45 mm	EAN	12
81 66 60 10	60 mm	9 mm	45 mm	EAN	12
81 66 75 10	75 mm	9 mm	51 mm	EAN	12





**1**

## Corner brush

- stabilised China bristles mix, avoids bristle swelling
- full plastic, metal free body: short-circuit proof
- plastic ferrule


Art.No.	Width	Thickness	Bristle length	Label	PU
81 68 50 10	50 mm	10 mm	44 mm	EAN	12

**2**

## Facade brush

- stabilised China bristles mix, avoids bristle swelling
- FSC® certified natural wooden handle with GripZone surface
- stainless iron ferrule


Art.No.	Width	Thickness	Bristle length	Label	PU
81 69 82 99	80 mm	17 mm	64 mm	CE	6

**3**

## Facade brush

- stabilised China bristles mix, avoids bristle swelling
- plastic handle with adjustable angle
- stainless iron ferrule


Art.No.	Width	Thickness	Bristle length	Label	PU
81 75 60 99	60 mm	18 mm	57 mm	CE	6

**4**

## Round brush

- natural bristles 60% tops
- wooden handle
- plastic ferrule

Art.No.	Size	Diameter	Bristle length	Label	PU
83 20 04 10	#4	25 mm	38 mm	EAN	12
83 20 06 10	#6	30 mm	38 mm	EAN	12
83 20 08 10	#8	35 mm	44 mm	EAN	12
83 20 10 10	#10	40 mm	44 mm	EAN	12
83 20 12 10	#12	45 mm	50 mm	EAN	6
83 20 14 10	#14	50 mm	50 mm	EAN	6
83 20 16 10	#16	55 mm	50 mm	EAN	6



There is a pro in everyone.

# Wall painting

## Wall brushes & Ceiling brushes



1



### Wall brush

- stabilised China bristles mix, avoids bristle swelling
- FSC® certified natural wooden handle
- stainless iron ferrule

Art.No.	Dimension	Bristle length	Label PU
83 09 13 99	3 x 10 cm	54 mm	CE 6




2



### Wall brush

- stabilised China bristles mix, avoids bristle swelling
- plastic handle
- stainless iron ferrule

Art.No.	Dimension	Bristle length	Label PU
83 10 12 99	3 x 12 cm	54 mm	CE 6
83 10 14 99	4 x 14 cm	61 mm	CE 6




3



### Wall brush

- synthetic bristle mix, avoids bristle swelling
- plastic handle
- tin plated steel ferrule

Art.No.	Dimension	Bristle length	Label PU
83 68 07 10	3 x 7 cm	44 mm	EAN 12
83 68 10 10	3 x 10 cm	44 mm	EAN 12
83 68 12 10	3 x 12 cm	44 mm	EAN 12
83 68 14 10	4 x 14 cm	50 mm	EAN 6
83 68 15 10	5 x 15 cm	50 mm	EAN 6




4



### Ceiling brush

- special synthetic bristle mix, no bristle swelling
- constant flexibility / stiffness of bristles
- plastic body, natural hardwood handle

Art.No.	Dimension	Bristle length	Label PU
83 80 75 99	8 x 18 cm	90 mm	CE 2




5



### Ceiling brush

- stabilised China bristles mix, avoids bristle swelling
- hardwood body and handle

Art.No.	Dimension	Bristle length	Label PU
83 84 17 99	7 x 17 cm	65 mm	CE 3
83 84 18 99	8 x 18 cm	70 mm	CE 2
83 84 19 99	8 x 19 cm	80 mm	CE 2






1



### Ceiling brush round

- stabilised China bristles mix, avoids bristle swelling
- plastic body and natural hardwood handle

Art.No.	Diameter	Bristle length	Label	PU
83 85 08 10	12 cm	97 mm	EAN	1
83 85 10 10	13 cm	100 mm	EAN	1
83 85 12 10	13 cm	120 mm	EAN	1
83 85 14 10	13,5 cm	122 mm	EAN	1




2



### Ceiling brush

- synthetic bristles
- wooden body and plastic handle
- for rough works, glue etc.

Art.No.	Dimension	Bristle length	Label	PU
83 80 07 10	7 x 17 cm	70 mm	EAN	12




3



### Ceiling brush

- synthetic bristles
- plastic body and fixed plastic handle
- for rough works, glue etc.

Art.No.	Dimension	Bristle length	Label	PU
83 82 76 10	7 x 17 cm	70 mm	EAN	6




4



### Ceiling brush Fibre

- synthetic fibre mix bristle
- wooden body and plastic handle
- acid- and solvent resistant
- for rough works

Art.No.	Dimension	Bristle length	Label	PU
83 87 70 19	7 x 17 cm	70 mm	EAN	6




5



### Ceiling brush

- Silverpren synthetic bristles
- plastic body and handle
- especially for primers, solvent and base resistant

Art.No.	Dimension	Bristle length	Label	PU
83 86 75 19	7,5 x 17,5 cm	75 mm	EAN	6



There is a pro in everyone.




1



## Ceiling brush round

- synthetic bristles
- plastic body and handle
- for rough works

Art.No.	Diameter	Bristle length	Label PU
83 85 40 10	11 cm	70 mm	EAN 6




2



## Wood patterning tool

- special pattern rubber surface
- plastic handle
- to create amazing realistic 2D or 3D wood pattern finish
- to use with emulsions, vanishes, fine plasters

Art.No.	Dimension	Label PU
80 13 01 04	10 cm	EAN 2




3




## Special round paintbrush

- natural bristles
- wooden handle
- aluminium ferrule
- for small correction works

Art.No.	Size	Diameter	Bristle length	Label PU
82 75 08 10	#8	8 mm	20 mm	EAN 12
82 75 12 10	#12	12 mm	24 mm	EAN 12





# Promotional items




1



### Roller set

- polyester plush
- permanently fixed handle
- plastic grid
- for simple works

Art.No.	Width	Label	PU
85 90 19 10	18 cm	EAN	10
85 90 23 10	21 cm	EAN	12




2



### Polyester white refill

- polyester plush
- for simple works

Art.No.	Width	Label	PU
84 15 25 10	25 cm	EAN	5




3



### Roller set

- polyester plush
- plastic grid
- for simple works

Art.No.	Width	Label	PU
85 91 37 10	18 cm	EAN	5
85 91 35 10	25 cm	EAN	5




4



### Renovate complete set - 15pcs

- paint tray 26×32 cm, paint grid 22×25 cm, roller handle for 10 cm refill, 4× refill 10 cm polyester, 1× roller 18 cm polyester with 6 mm fixed wire, plastic mixing stick 26 cm, round brush #2, flat brush 30 mm, putty knife 40 mm, crepe tape 18 mm × 25 m, cover foil sheet 2,5×4 m, cutter 9 mm

Art.No.	Width	Label	PU
86 95 65 15	18 cm	EAN+i	10





# Promotional item

Refills, rollers and sets

## E<sup>COLOR</sup> EXPERT




1



### Roller set

- polyester plush
- permanently fixed handle
- plastic grid

Art.No.	Width	Label	PU
85 92 45 15	25 cm	EAN+i	20




2




### Roller

- endless polyester plush for nice surface finish

Art.No.	Width	Design	Label	PU
84 66 48 15	18 cm	with fix mounted, 6mm wire roller handle	EAN+i	20
84 49 75 15	25 cm	with standard roller handle	EAN+i	20




3



### Roller set

- polyester plush
- with padding
- with plastic grid

Art.No.	Width	Label	PU
85 94 75 10	25 cm	EAN	5




4



### Renovate set - 6pcs

- with endless polyester plush for a nice surface finish
- paint tray 30x33 cm, refill 25 cm polyester 12 core diameter 44 mm, roller handle, cover foil sheet 4x4 m, flat brush 50 mm, crepe tape 29 mm x 40 m

Art.No.	Width	Label	PU
85 99 16 15	25 cm	EAN+i	10




5



### Renovate set - 5pcs

- with endless polyester plush for a nice surface finish
- paint tray 26x29 cm, roller 18 cm polyester 12 core diameter 41 mm, fixed handle, cover foil sheet 4x4 m, flat brush 30 mm, crepe tape 29 mm x 40 m

Art.No.	Width	Label	PU
85 99 18 15	18 cm	EAN+i	10






1



### Renovate set - 8pcs

- with durable polyamide plush for a smooth surface finish
- paint tray 26x32 cm, refill 18 cm polyamide 12 core diameter 48 mm, roller handle, 3x 10 cm refill polyamide 12 core diameter 17 mm, roller handle, cover foil sheet 2,5x4 m

Art.No.	Width	Label	PU
86 95 58 52	18 cm/10 cm	Epro	10




2



### PET-mix green refill

- with polyester mix plush for good results
- sewn plush, folded in ends

Art.No.	Width	Padding	Label	PU
84 52 25 10	25 cm	-	EAN	10
84 50 25 10	25 cm	8 mm	EAN	10
84 51 18 10	18 cm	12 mm	EAN	10
84 51 25 10	25 cm	12 mm	EAN	10




3



### Acryl blue stripe refill

- with fine polyacrylic plush for wall paints and water-based varnishes

Art.No.	Width	Label	PU
84 41 25 10	25 cm	EAN	10




4



### Roller set

- with polyester mix plush for good results
- sewn plush, folded in ends
- plastic grid

Art.No.	Width	Label	PU
85 95 45 10	25 cm	EAN	5




5



### Roller set

- with polyester mix plush for good results
- sewn plush, folded in ends
- 200cm steel telescopic pole

Art.No.	Width	Padding	Label	PU
84 53 87 15	25 cm	-	EAN+i	10
84 53 89 15	25 cm	4 mm	EAN+i	10





# Promotional item

Refills, rollers and sets

# E<sup>COLOR</sup> EXPERT




1



## Roller set

- with polyester mix plush for good results
- sewn plush, folded in ends
- 200cm steel telescopic pole

Art.No.	Width	Padding	Label PU
84 53 91 15	25 cm	8 mm	EAN+i 10




2



## Renovate set - 4pcs

- with polyester mix plush for good results
- sewn plush, folded in ends
- with plastic grid and cover foil sheet 4x4 m

Art.No.	Width	Label PU
85 90 31 15	25 cm	EAN+i 5




3



## Facade roller

- with polyester mix plush for good results
- sewn plush, folded in ends

Art.No.	Width	Padding	Label PU
84 51 93 15	25 cm	8 mm	EAN+i 20




4



## Roller set

- with polyester mix plush for good results
- sewn plush, folded in ends
- plastic grid

Art.No.	Width	Label PU
85 95 37 15	18 cm	EAN+i 5
85 95 35 15	25 cm	EAN+i 5




5



## Roller set

- with special polyester plush for good results
- sewn plush, folded in ends
- with 200cm telescopic pole

Art.No.	Width	Padding	Label PU
85 93 35 15	25 cm	4 mm	EAN+i 10
85 93 45 15	2x 25 cm	4 mm	EAN+i 10






1



### Velour refill

- with velour plush for smooth surface finish
- for solvent based varnishes

Art.No.	Width	Label	PU
86 50 10 10	10 cm	EAN	50
86 50 40 10	10× 10 cm	EAN	5
86 50 80 10	20× 5 cm	EAN	5




2



### Velour refill

- with velour plush for smooth surface finish
- for solvent based varnishes

Art.No.	Width	Label	PU
86 51 10 10	10 cm	EAN	20




3



### Polyester yellow stripe refill

- with endless polyester plush for lint free results
- for wall paints and varnishes

Art.No.	Width	Label	PU
86 67 10 10	10 cm	EAN	50




4



### Varnishing set - 3pcs

- with fine foam refill for good varnishing results
- plastic paint tray
- for solvent-based varnishes

Art.No.	Width	Label	PU
86 91 35 15	5 cm	EAN+i	10
86 91 41 15	11 cm	EAN+i	7




5



### Varnishing set - 5pcs

- with fine foam refills for good varnishing results
- plastic paint tray
- for solvent-based varnishes

Art.No.	Width	Label	PU
86 91 21 15	5 cm/11 cm	EAN+i	7





# Promotional item

Refills, rollers and sets

# E<sup>COLOR</sup> EXPERT




1



## Wood staining set - 4pcs

- with special microfibre plush for great paint load & release
- especially good high fluid (low viscosity) wood stains
- plastic paint tray

Art.No.	Width	Label PU
86 95 17 15	10 cm	EAN+i 42




2



## Varnishing set - 5pcs

- with a fine foam, a polyester plush and a nylon plush refill
- plastic paint tray

Art.No.	Width	Label PU
86 91 23 15	10 cm	EAN+i 7





1




### Flat brush

- with natural China bristles
- plastic handle
- for all paints

Art.No.	Width	Thickness	Bristle length	Label	PU
81 20 25 10	25 mm	8 mm	38 mm	EAN	24
81 20 35 10	35 mm	8 mm	38 mm	EAN	24
81 20 50 10	50 mm	9 mm	38 mm	EAN	24
81 20 60 10	60 mm	9 mm	44 mm	EAN	24
81 20 75 10	75 mm	10 mm	44 mm	EAN	24
81 20 99 10	98 mm	10 mm	44 mm	EAN	24

FLAT 4<sup>th</sup>



2




### Flat brush

- with natural China bristles
- lacquered wooden handle
- for all paints

Art.No.	Width	Thickness	Bristle length	Label	PU
81 26 20 10	20 mm	9 mm	38 mm	EAN	24
81 26 25 10	25 mm	10 mm	38 mm	EAN	24
81 26 35 10	35 mm	11 mm	38 mm	EAN	24
81 26 50 10	50 mm	11 mm	38 mm	EAN	24
81 26 60 10	60 mm	11 mm	38 mm	EAN	24
81 26 75 10	75 mm	11 mm	38 mm	EAN	24
81 26 99 10	100 mm	11 mm	44 mm	EAN	24

FLAT 5<sup>th</sup>



3




### Flat brush

- with natural & synthetic bristle mix
- varnished wooden handle
- for all paints

Art.No.	Width	Thickness	Bristle length	Label	PU
81 12 30 10	30 mm	15 mm	44 mm	EAN	12
81 12 40 10	40 mm	15 mm	44 mm	EAN	12
81 12 50 10	50 mm	16 mm	44 mm	EAN	12
81 12 60 10	60 mm	17 mm	51 mm	EAN	12
81 12 80 10	80 mm	18 mm	51 mm	EAN	12
81 12 99 10	100 mm	19 mm	57 mm	EAN	6

FLAT 9<sup>th</sup>



4




### Flat brush set

- with synthetic bristles, swell proof
- punched bristle fixing to avoid bristle loosening
- with FSC<sup>®</sup> certified natural wooden handle
- for all paints

Art.No.	Width	Thickness	Bristle length	Label	PU
81 26 11 15	20/25/35 mm	12/12/ 12 mm	30/38/38 mm	EAN+i	40



FLAT





# Promotional item

Paintbrushes and sets

**E** COLOR  
**EXPERT**



1




## Flat brush set

- with synthetic bristles, swell proof
- wooden handle
- for all paints

Art.No.	Width	Thickness	Bristle length	Label PU
82 63 08 15 *	20/25/35/50 mm	10 mm	44 mm	EAN+i 10
82 67 03 15 **	20/35/50 mm	10 mm	44 mm	EAN+i 20

FLAT



2




## Varnishing brush set

- with soft synthetic bristles for good paint load & release
- with plastic handles
- also to use for other paints

Art.No.	Width	Thickness	Bristle length	Label PU
82 65 03 15	30/50/70 mm	12/13/16 mm	51 mm	EAN+i 20

FLAT



3




## Flat brush set

- with natural China bristles
- varnished wooden handle
- for all paints

Art.No.	Width	Thickness	Bristle length	Label PU
82 66 45 10	20/30/40/50	10/11/12/13	37/37/44/44	EAN 10

FLAT 4<sup>th</sup>



4




## Universal brush set

- with natural & synthetic bristle mix
- plastic handle
- universal use for all paints

Art.No.	Width	Thickness	Bristle length	Label PU
82 66 30 15	30/50/100 mm	12/13/28 mm	52 mm	EAN+i 20

FLAT 4<sup>th</sup>

BLOCK



5



## Brush set - 5pcs

- with synthetic bristles, swell proof
- punched bristle fixing to avoid bristle loosening
- with FSC<sup>®</sup> certified natural wooden handle
- for all paints
- components:
  - flat brushes: 35 and 60 mm
  - round brushes: #4 and #8
  - block brush: 30x70 mm


Art.No.	Label PU
82 66 20 15	EAN+i 40

FLAT

WINDOW

ROUND

BLOCK






1



### Universal brush set - 10pcs

- with synthetic bristles, swell proof
- punched bristle fixing to avoid bristle loosening
- with FSC certified natural wooden handle
- for all paints
- components:
  - flat brushes: 20, 25 and 35 mm
  - round brushes: #2, #2 and #4
  - enamel brushes: #0 and #1
  - corner brushes: 25 and 35 mm




Art.No.	Label PU
82 62 07 15	EAN+i 40

2



### Artist brush set - 4pcs

- with fine natural bristles
- varnished wooden handle




Art.No.	Label PU
82 61 20 52	Epro 20

3



### Artist brush set - 5pcs

- with fine pony bristles
- varnished wooden handle




Art.No.	Label PU
82 61 15 52	Epro 25

4



### Artist brush set - 11pcs

- with fine natural bristles
- varnished wooden handle



Art.No.	Label PU
82 61 50 52	Epro 20



# Promotional item

Other painters' equipment

**E** COLOR<sup>®</sup>  
**EXPERT**



1



## Masking set - 5pcs

- complete masking set for professional covering & masking
- 2x kombi-mask: covering foil with masking tape  
55 cm x 10 m and 270 cm x 10 m
- 1x kombi-mask: covering paper with masking tape  
18 cm x 10 m
- 1x covering foil sheet 4x4 m
- 1x mini cutter for kombi-mask

Art.No.	Label PU
96 85 10 15	EAN+i 20

2



## Putty knife set - 3pcs

- with semi-flexible steel blade
- FSC<sup>®</sup> certified wooden handle

Art.No.	Width	Label PU
91 17 01 15	25/40/60 mm	EAN+i 24



3



## Snap-off cutter set - 3pcs

- for 9 & 18 mm blades
- plastic body
- manual blade fixing

Art.No.	Width	Label PU
95 63 99 15	9/18/18 mm	EAN+i 10

4



## Snap-off cutter set - 4pcs

- for 9 & 18 mm blades
- 2 component plastic body
- manual blade fixing

Art.No.	Width	Label PU
95 63 50 15	9/18 mm	EAN+i 15



1



## Moulded dust protector - 5pcs

- just for personal convenience
- no personal safety equipment, not CE certified
- no protection against chemical aerosols

Art.No.	Description	Label PU
98 60 06 15	5 pcs / pack	EAN+i 10

# Index

Art.No.	Page / Pos.										
<b>50 ..</b>		81 43 30 99	76 / 1	82 62 07 15	111 / 1	84 51 18 10	105 / 2	85 33 18 99	84 / 1	86 52 28 99	62 / 1
505 00 10 00	58 / 2	81 43 40 99	76 / 1	82 63 08 15	110 / 1	84 51 25 10	105 / 2	85 33 25 99	84 / 1	86 52 30 99	61 / 4
505 00 20 00	58 / 1	81 43 51 99	76 / 1	82 64 10 99	64 / 3	84 51 93 15	106 / 3	85 33 58 99	83 / 2	86 52 35 99	61 / 4
		81 43 71 99	76 / 1	82 65 03 15	110 / 2	84 52 25 10	105 / 2	85 33 75 99	83 / 2	86 52 39 99	62 / 3
<b>66 ..</b>		81 46 11 99	63 / 5	82 66 20 15	110 / 5	84 53 87 15	105 / 5	85 33 90 99	83 / 2	86 52 70 99	61 / 2
66 04 15	55 / 3	81 46 30 99	63 / 4	82 66 30 15	110 / 4	84 53 89 15	105 / 5	85 34 18 99	84 / 2	86 52 71 99	61 / 3
66 04 22	55 / 4	81 46 40 99	63 / 4	82 66 45 10	110 / 3	84 53 91 15	106 / 1	85 34 25 99	84 / 2	86 54 09 99	62 / 1
		81 46 50 99	63 / 4	82 67 03 15	110 / 1	84 55 58 99	62 / 4	85 34 90 99	84 / 3	86 54 12 99	62 / 3
		81 46 70 99	63 / 4	82 75 08 10	101 / 3	84 56 18 99	86 / 1	85 38 25 99	84 / 4	86 54 70 99	62 / 2
<b>80 ..</b>		81 46 99 99	63 / 4	82 75 12 10	101 / 3	84 56 25 99	86 / 1	85 88 18 99	88 / 4	86 55 27 99	80 / 5
80 13 01 04	101 / 2	81 50 30 99	95 / 3			84 56 75 99	86 / 2	85 90 19 10	103 / 1	86 55 39 99	80 / 5
		81 50 40 99	95 / 3	<b>83 ..</b>		84 58 27 19	86 / 3	85 90 23 10	103 / 1	86 58 09 99	84 / 5
<b>81 ..</b>		81 50 60 99	95 / 3	83 09 13 99	99 / 1	84 58 75 19	86 / 4	85 90 31 15	106 / 2	86 58 10 10	86 / 5
81 05 30 99	95 / 1	81 50 80 99	95 / 3	83 10 12 99	99 / 2	84 66 48 15	104 / 2	85 91 35 10	103 / 3	86 58 10 99	84 / 6
81 05 40 99	95 / 1	81 51 30 99	74 / 2	83 10 14 99	99 / 2	84 72 18 99	79 / 1	85 91 37 10	103 / 3	86 58 12 99	84 / 6
81 05 50 99	95 / 1	81 51 40 99	74 / 2	83 13 10 99	74 / 4	84 72 25 99	79 / 1	85 92 45 15	104 / 1	86 58 27 99	84 / 5
81 05 60 99	95 / 1	81 51 60 99	74 / 2	83 15 10 99	64 / 2	84 72 75 99	79 / 2	85 93 35 15	106 / 5	86 61 07 99	67 / 3
81 05 80 99	95 / 1	81 51 80 99	74 / 2	83 15 12 99	64 / 2	84 73 18 99	80 / 1	85 93 45 15	106 / 5	86 61 19 99	67 / 3
81 08 30 99	95 / 4	81 52 40 99	63 / 2	83 16 10 99	64 / 1	84 73 25 99	80 / 1	85 94 75 10	104 / 3	86 61 27 99	68 / 1
81 08 40 99	95 / 4	81 52 60 99	63 / 2	83 16 12 99	64 / 1	84 74 19 99	80 / 2	85 95 35 15	106 / 4	86 61 30 99	68 / 2
81 08 50 99	95 / 4	81 52 80 99	63 / 2	83 20 04 10	98 / 4	84 74 24 99	80 / 4	85 95 37 15	106 / 4	86 61 39 99	68 / 2
81 08 60 99	95 / 4	81 54 30 99	63 / 1	83 20 06 10	98 / 4	84 74 26 99	80 / 2	85 95 45 10	105 / 4	86 66 12 99	80 / 5
81 08 80 99	95 / 4	81 54 40 99	63 / 1	83 20 08 10	98 / 4	84 74 76 99	80 / 3	85 99 16 15	104 / 4	86 67 10 10	107 / 3
81 08 99 99	95 / 4	81 54 60 99	63 / 1	83 20 10 10	98 / 4	84 75 15 99	67 / 2	85 99 18 15	104 / 5	86 70 05 10	70 / 1
81 12 30 10	109 / 3	81 54 80 99	63 / 1	83 20 12 10	98 / 4	84 75 18 99	82 / 2			86 70 11 10	70 / 3
81 12 40 10	109 / 3	81 54 80 99	63 / 1	83 20 14 10	98 / 4	84 75 19 99	82 / 1	<b>86 ..</b>		86 70 30 99	70 / 1
81 12 50 10	109 / 3	81 57 30 99	95 / 2	83 20 16 10	98 / 4	84 75 24 99	82 / 3	86 00 16 99	90 / 4	86 70 71 99	70 / 3
81 12 60 10	109 / 3	81 57 40 99	95 / 2	83 20 16 10	98 / 4	84 75 25 99	82 / 2	86 00 29 99	90 / 4	86 72 07 99	68 / 4
81 12 80 10	109 / 3	81 57 50 99	95 / 2	83 68 07 10	99 / 3	84 75 26 99	82 / 1	86 00 39 99	90 / 4	86 72 10 99	68 / 5
81 12 99 10	109 / 3	81 57 60 99	95 / 2	83 68 10 10	99 / 3	84 80 11 10	91 / 3	86 00 56 99	90 / 4	86 72 19 99	68 / 4
81 16 35 99	74 / 5	81 62 30 10	97 / 2	83 68 12 10	99 / 3	84 80 14 10	91 / 4	86 01 19 10	90 / 5	86 72 27 99	68 / 5
81 17 30 99	74 / 3	81 62 40 10	97 / 2	83 68 14 10	99 / 3	84 80 14 10	91 / 4	86 01 29 10	90 / 5	86 72 39 99	68 / 5
81 17 40 99	74 / 3	81 62 50 10	97 / 2	83 68 15 10	99 / 3	84 80 18 10	91 / 3	86 01 39 10	90 / 5	86 74 11 99	70 / 5
81 17 50 99	74 / 3	81 62 60 10	97 / 2	83 80 07 10	100 / 2	84 80 25 10	91 / 3	86 04 27 99	90 / 2	86 76 07 99	71 / 1
81 17 70 99	74 / 3	81 62 70 10	97 / 2	83 80 75 99	99 / 4	84 80 26 10	91 / 4	86 04 40 99	90 / 2	86 76 11 99	71 / 1
81 20 25 10	109 / 1	81 65 51 99	97 / 1	83 82 76 10	100 / 3	84 80 30 10	91 / 5	86 29 29 99	71 / 4	86 76 16 99	71 / 1
81 20 35 10	109 / 1	81 65 61 99	97 / 1	83 84 17 99	99 / 5	84 81 04 10	47 / 5	86 33 09 99	72 / 2	86 76 29 99	71 / 1
81 20 50 10	109 / 1	81 65 76 99	97 / 1	83 84 18 99	99 / 5	84 81 06 10	47 / 5	86 33 12 99	72 / 3	86 78 16 99	70 / 5
81 20 60 10	109 / 1	81 66 35 10	97 / 5	83 84 19 99	99 / 5	84 81 09 10	47 / 5	86 35 09 99	71 / 4	86 80 39 99	88 / 1
81 20 75 10	109 / 1	81 66 50 10	97 / 5	83 85 08 10	100 / 1	84 81 20 10	47 / 4	86 35 30 99	71 / 5	86 80 40 99	88 / 1
81 20 99 10	109 / 1	81 66 60 10	97 / 5	83 85 10 10	100 / 1	84 82 08 10	92 / 1	86 40 11 10	87 / 3	86 82 99 10	88 / 2
81 26 11 15	109 / 4	81 66 75 10	97 / 5	83 85 12 10	100 / 1	84 82 14 10	92 / 1	86 42 09 99	79 / 3	86 83 11 19	88 / 3
81 26 20 10	109 / 2	81 67 40 99	97 / 3	83 85 14 10	100 / 1	84 82 44 10	92 / 1	86 42 29 99	79 / 3	86 83 12 10	88 / 3
81 26 25 10	109 / 2	81 67 50 99	97 / 3	83 85 40 10	101 / 1	84 82 80 99	92 / 2	86 42 30 99	79 / 4	86 84 11 99	70 / 3
81 26 35 10	109 / 2	81 67 65 99	97 / 3	83 86 75 19	100 / 5	84 82 99 10	47 / 4	86 42 35 99	79 / 4	86 84 39 99	70 / 3
81 26 50 10	109 / 2	81 67 75 99	97 / 3	83 87 70 19	100 / 4	84 83 21 10	91 / 2	86 42 39 99	79 / 4	86 90 11 99	70 / 4
81 26 60 10	109 / 2	81 68 50 10	98 / 1			84 83 22 10	91 / 2	86 42 46 99	79 / 4	86 91 05 99	70 / 2
81 26 75 10	109 / 2	81 69 82 99	98 / 2	<b>84 ..</b>		84 83 27 10	91 / 2	86 42 50 99	83 / 5	86 91 21 15	107 / 5
81 26 99 10	109 / 2	81 74 50 99	63 / 3	84 00 18 99	90 / 3	84 83 28 10	91 / 1	86 45 06 99	83 / 3	86 91 23 15	108 / 2
81 28 11 99	96 / 2	81 74 75 99	63 / 3	84 00 25 99	90 / 3	84 83 29 10	91 / 1	86 45 09 99	83 / 3	86 91 35 15	107 / 4
81 28 20 99	96 / 1	81 75 60 99	98 / 3	84 05 17 99	90 / 1	84 83 51 10	91 / 7	86 45 10 99	83 / 3	86 91 41 15	107 / 4
81 28 30 99	96 / 1	81 80 25 10	97 / 4	84 05 26 99	90 / 1	84 83 52 10	91 / 6	86 45 10 99	83 / 3	86 92 11 99	71 / 2
81 28 40 99	96 / 1	81 80 40 10	97 / 4	84 15 25 10	103 / 2	84 90 13 10	93 / 1	86 45 29 99	83 / 3	86 94 11 99	70 / 4
81 28 50 99	96 / 1	81 80 40 10	97 / 4	84 25 18 99	67 / 1	84 90 14 10	55 / 2	86 45 39 99	83 / 4	86 94 12 99	68 / 3
81 28 70 99	96 / 1	81 80 50 10	97 / 4	84 25 25 99	67 / 1	84 90 20 10	93 / 1	86 46 30 99	83 / 4	86 94 24 99	59 / 1
81 28 99 99	96 / 1	81 80 65 10	97 / 4	84 30 19 99	72 / 1	84 90 30 10	93 / 1	86 47 09 99	62 / 5	86 95 17 15	108 / 1
81 31 30 19	76 / 3	81 80 76 10	97 / 4	84 30 26 99	72 / 1	84 92 00 10	93 / 2	86 47 12 99	62 / 6	86 95 58 52	105 / 1
81 31 40 19	76 / 3	81 90 30 99	73 / 1	84 31 18 99	71 / 3	84 92 31 10	93 / 3	86 47 27 99	62 / 5	86 95 65 15	103 / 4
81 31 50 19	76 / 3	81 90 50 99	73 / 1	84 31 25 99	71 / 3	84 93 00 10	93 / 2	86 47 39 99	62 / 6	86 96 05 99	70 / 1
81 31 70 19	76 / 3			84 41 25 10	105 / 3	84 96 12 10	93 / 4	86 50 10 10	107 / 1		
81 31 99 19	76 / 3	<b>82 ..</b>		84 42 18 10	87 / 2	84 96 22 10	93 / 4	86 50 40 10	107 / 1	<b>88 ..</b>	
81 41 31 99	74 / 1	82 61 02 99	77 / 1	84 42 25 10	87 / 2	84 96 62 10	93 / 5	86 50 80 10	107 / 1	88 02 20 10	59 / 6
81 41 41 99	74 / 1	82 61 06 99	77 / 2	84 42 25 10	87 / 2			86 51 10 10	107 / 2		
81 41 41 99	74 / 1	82 61 08 99	77 / 3	84 47 18 99	87 / 1			86 52 09 99	61 / 1		
81 41 51 99	74 / 1	82 61 15 52	111 / 3	84 47 25 99	87 / 1	<b>85 ..</b>		86 52 10 99	61 / 1		
81 41 61 99	74 / 1	82 61 20 52	111 / 2	84 49 75 15	104 / 2	85 32 18 99	83 / 1	86 52 27 99	61 / 1		
81 43 11 99	76 / 2	82 61 50 52	111 / 4	84 50 25 10	105 / 2	85 32 25 99	83 / 1				

# Index

Art.No.	Page / Pos.	Art.No.	Page / Pos.	Art.No.	Page / Pos.						
<b>90 ..</b>		92 16 99 10	47 / 3	93 34 02 10	34 / 4	95 65 00 99	51 / 5	96 31 45 10	48 / 5	96 95 65 10	55 / 5
90 29 01 10	59 / 3	92 17 21 10	43 / 1	93 35 40 10	48 / 3	95 65 10 10	51 / 4	96 31 50 10	48 / 5	96 95 90 10	55 / 6
90 31 00 10	54 / 6	92 17 22 10	43 / 1	93 35 72 10	48 / 3	95 65 10 99	51 / 4	96 32 50 10	48 / 6	96 96 22 17	28 / 2
90 33 00 10	54 / 4	92 17 60 99	43 / 2	93 37 10 99	36 / 3	95 65 20 10	51 / 3	96 40 48 10	30 / 2	96 96 35 10	26 / 2
90 34 00 10	54 / 5	92 17 80 99	43 / 2	93 38 02 99	34 / 1	95 65 20 99	51 / 3	96 40 50 10	30 / 2	96 96 95 10	26 / 4
		92 17 99 99	43 / 2	93 38 04 99	34 / 1	95 67 01 99	53 / 1	96 40 51 10	30 / 2	96 96 97 10	26 / 4
<b>91 ..</b>		92 18 00 10	44 / 2	93 38 35 10	48 / 2	95 67 65 99	52 / 5	96 41 50 10	30 / 1	96 96 98 10	26 / 4
91 00 01 99	40 / 3	92 18 19 10	44 / 1	93 40 06 10	37 / 1	95 67 80 10	53 / 2	96 44 25 19	31 / 2	96 97 25 10	28 / 1
91 00 04 99	40 / 5	92 19 25 10	59 / 4	93 41 00 10	37 / 3	95 67 90 99	52 / 4	96 45 19 19	31 / 3	96 97 50 10	28 / 1
91 00 05 99	40 / 4	92 20 36 10	42 / 6	93 42 04 10	37 / 2	95 69 00 10	51 / 6	96 46 50 19	31 / 2	96 97 99 10	28 / 1
91 02 16 10	41 / 1	92 20 48 10	42 / 6	93 43 05 10	36 / 4	95 72 00 99	52 / 3	96 48 50 19	31 / 1	96 99 15 19	27 / 5
91 02 20 10	41 / 1	92 20 60 10	42 / 6	93 44 05 10	38 / 1	95 83 00 99	49 / 7	96 50 48 10	30 / 4	96 99 25 19	27 / 5
91 09 04 10	38 / 5	92 21 40 10	44 / 4	93 71 45 10	45 / 3	95 84 50 99	51 / 1	96 51 48 10	30 / 4	96 99 99 19	27 / 4
91 09 06 10	38 / 5	92 25 40 10	45 / 1	93 72 61 99	37 / 4	95 87 00 99	50 / 1	96 52 00 10	30 / 5		
91 09 08 10	38 / 5	92 31 30 10	44 / 5	93 72 80 99	49 / 1	95 87 50 99	50 / 1	96 53 00 10	31 / 5	<b>97 ..</b>	
91 09 10 10	38 / 5	92 40 26 10	44 / 3	93 72 82 99	49 / 3	95 88 00 10	49 / 5	96 53 48 99	29 / 1	97 00 42 99	20 / 2
91 13 04 99	38 / 4	92 40 32 10	44 / 3	93 72 83 99	49 / 2	95 88 10 99	49 / 4	96 54 33 10	31 / 4	97 00 43 99	20 / 2
91 13 06 99	38 / 4	92 40 36 10	44 / 3	93 80 01 99	54 / 1	95 89 00 10	49 / 6	96 69 10 10	22 / 3	97 00 44 99	20 / 2
91 13 08 99	38 / 4	92 41 30 10	44 / 6	93 80 05 99	54 / 3			96 69 18 10	22 / 3	97 00 45 99	20 / 2
91 13 10 99	38 / 4	92 41 40 10	44 / 6	93 80 50 10	54 / 2	<b>96 ..</b>		96 69 30 10	22 / 3	97 05 41 10	19 / 2
91 17 01 15	112 / 2	92 44 00 10	45 / 2			96 00 03 10	20 / 3	96 73 55 99	23 / 4	97 05 41 19	19 / 2
91 17 02 10	40 / 1	92 61 00 10	48 / 1	<b>94 ..</b>		96 00 04 10	20 / 3	96 74 11 99	24 / 4	97 05 42 10	19 / 2
91 17 04 10	40 / 1	92 62 15 10	48 / 4	94 01 12 10	45 / 4	96 00 05 10	20 / 3	96 74 14 99	24 / 4	97 05 42 19	19 / 2
91 17 06 10	40 / 1	92 65 00 10	59 / 2	94 02 01 10	45 / 4	96 00 41 10	20 / 3	96 74 21 99	24 / 4	97 05 43 10	19 / 2
91 17 08 10	40 / 1			94 04 01 10	45 / 4	96 00 42 10	20 / 3	96 74 24 99	24 / 4	97 05 43 19	19 / 2
91 17 10 10	40 / 1	<b>93 ..</b>		94 06 04 10	45 / 6	96 00 43 10	20 / 3	96 74 27 99	24 / 4	97 05 45 10	19 / 2
91 19 40 99	38 / 2	93 50 01 10	55 / 1	94 06 06 10	45 / 6	96 00 44 10	20 / 3	96 74 55 99	/	97 05 45 19	19 / 2
91 19 60 99	38 / 2	93 13 08 10	36 / 2	94 06 08 10	45 / 6	96 00 45 10	20 / 3	96 78 50 99	22 / 1		
91 19 80 99	38 / 2	93 13 10 10	36 / 2	94 06 10 10	45 / 6	96 01 18 99	20 / 1	96 78 60 99	22 / 1	<b>98 ..</b>	
91 19 99 99	38 / 2	93 13 12 10	36 / 2	94 07 66 10	45 / 5	96 01 24 99	20 / 1	96 78 70 99	22 / 1	98 11 50 99	50 / 5
91 20 40 99	37 / 5	93 13 18 10	36 / 2	94 07 68 10	45 / 5	96 01 29 99	20 / 1	96 78 80 99	22 / 2	98 20 03 10	50 / 4
91 20 60 99	37 / 5	93 14 12 10	35 / 2	94 07 70 10	45 / 5	96 01 36 99	20 / 1	96 80 56 99	23 / 2	98 35 05 10	50 / 3
91 20 80 99	37 / 5	93 14 18 10	35 / 2	94 07 72 10	45 / 5	96 01 48 99	20 / 1	96 80 57 99	23 / 2	98 35 30 99	50 / 2
91 20 99 99	37 / 5	93 14 24 10	35 / 2	94 08 18 10	59 / 5	96 03 30 10	20 / 4	96 81 10 99	23 / 2	98 51 20 10	57 / 2
91 33 15 10	41 / 4	93 14 40 10	35 / 2	94 09 01 10	47 / 2	96 03 30 99	20 / 4	96 81 40 99	23 / 2	98 51 22 10	57 / 2
91 33 25 10	41 / 4	93 14 60 10	35 / 2	94 09 11 10	47 / 2	96 04 50 10	19 / 4	96 81 41 99	23 / 2	98 52 02 10	56 / 1
91 33 35 10	41 / 4	93 14 80 10	35 / 2	94 10 20 10	46 / 4	96 04 50 19	19 / 4	96 81 90 99	23 / 2	98 52 40 10	56 / 2
91 33 45 10	41 / 4	93 15 08 10	36 / 2	94 10 30 10	46 / 3	96 04 91 10	19 / 4	96 82 10 99	23 / 2	98 53 01 10	57 / 4
91 33 60 10	41 / 4	93 15 10 10	36 / 2	94 10 35 10	46 / 1	96 04 91 19	19 / 4	96 85 10 15	112 / 1	98 53 02 10	57 / 4
91 34 25 10	41 / 3	93 15 12 10	36 / 2	94 10 42 10	46 / 2	96 04 93 10	19 / 4	96 89 03 10	26 / 1	98 53 03 10	57 / 4
91 34 40 10	41 / 3	93 15 18 10	36 / 2	94 10 63 10	46 / 6	96 04 93 19	19 / 4	96 90 10 10	26 / 3	98 54 02 10	56 / 5
91 34 60 10	41 / 3	93 19 04 10	35 / 1	94 10 80 10	46 / 5	96 04 94 10	19 / 4	96 90 16 10	26 / 3	98 54 03 10	56 / 5
91 48 60 19	41 / 2	93 19 06 10	35 / 1	94 10 90 10	47 / 1	96 04 94 19	19 / 4	96 90 21 10	26 / 3	98 54 04 10	56 / 5
91 50 85 99	40 / 2	93 19 08 10	35 / 1	94 26 03 19	27 / 3	96 09 30 99	19 / 3	96 90 50 10	26 / 3	98 55 10 10	56 / 4
91 51 75 99	37 / 6	93 19 10 10	35 / 1	94 26 10 17	27 / 2	96 10 30 99	25 / 3	96 90 70 10	26 / 3	98 56 01 10	57 / 3
91 71 12 10	38 / 3	93 19 12 10	35 / 1	94 26 20 17	27 / 2	96 10 38 99	25 / 3	96 91 00 10	26 / 3	98 56 02 10	57 / 3
91 71 15 10	38 / 3	93 19 18 10	35 / 1	94 26 50 10	27 / 2	96 10 50 99	25 / 3	96 91 90 10	26 / 1	98 56 03 10	57 / 3
91 71 20 10	38 / 3	93 19 24 10	35 / 1	94 30 10 17	94 / 3	96 11 50 99	25 / 2	96 91 92 10	26 / 2	98 57 01 10	57 / 1
91 71 40 10	38 / 3	93 30 50 99	35 / 3	94 30 15 17	94 / 3	96 12 50 99	25 / 1	96 92 12 10	26 / 1	98 57 02 10	57 / 1
91 71 60 10	38 / 3	93 30 51 10	35 / 4	94 30 20 17	94 / 3	96 15 30 99	24 / 2	96 92 20 10	26 / 1	98 57 03 10	57 / 1
91 71 80 10	38 / 3	93 30 52 99	35 / 3	94 33 00 10	94 / 1	96 17 48 99	30 / 3	96 92 75 10	26 / 2	98 58 10 10	57 / 5
91 71 99 10	38 / 3	93 30 53 10	35 / 4	94 33 45 10	94 / 1	96 18 44 99	23 / 3	96 93 02 10	27 / 1	98 59 02 10	56 / 3
		93 30 54 10	35 / 4	94 36 00 99	94 / 2	96 20 50 99	29 / 2	96 93 03 10	27 / 1	98 59 03 10	56 / 3
		93 30 55 10	35 / 4	94 37 15 17	94 / 4	96 21 48 10	29 / 3	96 93 04 10	27 / 1	98 60 06 15	113 / 1
<b>92 ..</b>		93 30 57 10	35 / 4	94 37 20 17	94 / 4	96 21 50 19	29 / 3	96 93 07 10	27 / 1	98 61 40 99	58 / 2
92 11 00 10	41 / 5	93 30 58 10	35 / 4	94 38 15 17	94 / 5	96 22 50 99	24 / 3	96 94 05 10	26 / 3	98 62 50 99	58 / 1
92 11 01 10	41 / 5	93 30 59 10	35 / 4			96 24 19 99	19 / 1	96 94 12 10	26 / 3	98 64 00 17	58 / 4
92 12 10 10	42 / 1	93 30 63 10	36 / 1	<b>95 ..</b>		96 24 30 99	19 / 1	96 94 18 10	26 / 1	98 65 00 99	58 / 3
92 13 05 10	42 / 3	93 30 64 10	36 / 1	95 50 03 99	52 / 2	96 24 50 99	19 / 1	96 94 50 10	26 / 1	98 68 01 10	58 / 5
92 14 00 10	42 / 4	93 30 65 10	36 / 1	95 51 00 99	53 / 3	96 25 25 99	23 / 1	96 94 60 10	26 / 1	98 68 02 10	58 / 5
92 14 10 99	42 / 2	93 30 73 10	35 / 5	95 52 70 99	53 / 4	96 26 49 19	24 / 1	96 95 00 10	55 / 5		
92 15 02 10	42 / 5	93 30 75 10	35 / 5	95 62 00 10	52 / 1	96 26 50 19	24 / 1	96 95 10 10	55 / 5		
92 16 03 10	43 / 6	93 30 77 10	35 / 5	95 63 50 15	112 / 4	96 31 20 10	48 / 5	96 95 24 10	55 / 5		
92 16 16 99	43 / 4	93 33 00 10	34 / 2	95 63 99 15	112 / 3	96 31 23 10	48 / 5	96 95 25 10	55 / 5		
92 16 24 10	43 / 5	93 33 01 10	34 / 3	95 64 00 10	51 / 2	96 31 40 10	48 / 5	96 95 40 10	55 / 5		
92 16 66 10	43 / 3										

**E** COLOR<sup>®</sup>  
**EXPERT**



**Cired s.r.o.**

K Silu 2487  
393 01 Pelhřimov

IČO: 48536709  
DIČ: CZ48536709

tel.: +420 565 327 582  
fax: +420 565 327 581

e-mail: [info@cired.cz](mailto:info@cired.cz)  
[www.cired.cz](http://www.cired.cz)



**STORCH-CIRET GROUP**  
PAINTING TOOL SYSTEMS