

WESTEX

DECORATING TOOLS

PRODUCT CATALOGUE

2024





BULK QUALITY

Our product range includes everything that industry and distributors need today in terms of decorating tools and equipment. Innovative tools. Coordinated to the latest paint and coating developments. Neatly structured. Clearly presented. Handily produced.

We know our customers. National and international. We know what's important to them: consistent quality products. Permanently available. From our own production plants. Sustainably produced. In neutral customer Label. And in bulk quantities.

Our company is founded on a strong product range. That is what we build on. And offer you more: strong service. Individual customer Label. Fast delivery. Directly from production too. We deliver. That's a promise.

Your partner for decorating tools.

Bulk quantities and consistently high-quality decorating tools and equipment. That's what we do. That's what WESTEX stands for. And has done for decades.

**WESTEX. Strong service. Strong partner.
To industry and distributors.**



Storch-Ciret Group

1.600 employees

No. 1 in Europe

100 % focus on decorating tools and equipment

5 production sites

> 18,000 in-house produced products

> €275 million turnover

50 % equity ratio

10 % growth p.a.

> 130 registered brands, patents and designs


125 years of experience



KNOW-HOW. EXPERTISE. CAPACITY.

280 million rollers and 30 million brushes. Every year. As part of the Storch-Ciret Group, we have a solid production infrastructure. With our own in-house toolmaking and machine construction. And 125 years of manufacturing expertise. To ensure reliable capacities. For numerous patents. And for high quality standards.

Equally strong, equally reliable: our logistics infrastructure. With a 40,000 square metre logistics centre in Germany. And 13 more worldwide. This guarantees security of supply. We are enablers. We deliver ex-works for direct sales. To optimize your margins. Diverse Incoterms. Different delivery routes. Security of supply is a matter of course for us. It's your choice.





HIGH-PERFORMANCE RANGE.

Painting and decorating tool and equipment solutions. We're the experts. And have been for 125 years. Our knowledge acquired from the development of professional tools benefits WESTEX customers.

Industry needs reliable processes. Everything needs to run smoothly. Downtime because maintenance has messed up? Unacceptable! Industrial customers are guaranteed to be on the safe side with WESTEX decorating tools and equipment: because WESTEX standards are constantly monitored. In terms of quality. In terms of service. To the most exacting specifications. So that you can do your job properly..

This also applies to the selection of decorating tools and equipment. Crucial for the structure of the WESTEX product range: your applications. We make it easy. For everyone.

- Covering. Masking.
- Surface preparation. Sanding.
- Working with wallpaper and floor coverings.
- Brushes.
- Rollers.
- Accessories.
- Tools and equipment.



A QUICK GLANCE.

BASE SURFACE.



Smooth surfaces



Rough surfaces



Coarse surfaces

WESTEX

APPLICATION.



Interior



Exterior

PROPERTIES.



UV-resistant

CONTENTS.

Covering. Masking.	10	Rollers.	96
Masking, Painting and Varnishing	12	For Emulsion Paints, Wet Abrasion Classes 1+2 & Silicate Paints	98
Masking, Filling and Plastering	17	For Ultra-smooth Surfaces	103
Duct Tape and Fixing Tapes	22	For Other Emulsion Paints & Primers	106
Surface Masking	24	For all Coatings	111
Covering Materials	26	For Thin-coat Glazes	118
		For Floor Coatings & protective Coatings	120
Surface preparation. Sanding.	38	Painting Accessories	124
Paint Removal and Repair	40		
Filling, Plastering and Finishing	51	Tools and Equipment	134
		Performance support tools	136
Working with Wallpaper and Floor Coverings	62	Dust Protection Doors	137
Wallpapering Tools	64	Gloves and Overalls	138
Snap-off Blade Knives & Blades	68	Waste bags	140
Multi-purpose Knives & Blades	71		
		Conditions valid from 01.07.2024	142
Brushes	74		
For all paints	76		
For stains and wood protection	82		
For Special Applications	91		

Always right. Always reliable.

Strong hold? Mechanical load?

Direct sunlight? Sensitive surface?

Adhesive tapes and Kombi Masks needs to be right. For the base surface. For the application.

WESTEX adhesive tapes have been specially developed for specific requirements. Tested in regular enduser tests. Tables and icons make selection easy. The adhesive tapes therefore always match the application perfectly. Users save time and money.

Liability Statement:

The technical information and recommended applications are used to support the buyer and are based on our tests and experience. They do not exonerate us from testing our products for their suitability for the intended purpose, for instance by adhesion tests. We do not guarantee a specific result due to the large number of factors influencing storage and handling. Information provided by our free Customer Service team is provided under exclusion of any liability, unless the consultation is a contractually agreed service or the consultant acted with intent. We reserve the right to make technical changes within the scope of product developments.

COVERING. MASKING.

Masking, Painting and Varnishing	12
Masking, Filling and Plastering	17
Duct Tape and Fixing Tapes	22
Surface Masking	24
Covering Materials	26

MASKING, PAINTING AND VARNISHING



Masking when painting and coating is time-consuming but avoids costly reworking. It is essential that you choose the right adhesive tape for the substrate to be protected and the material you are using. Washi tapes are now standard decorating equipment and can be used universally with almost all painting and coating work. The ultra-tear-resistant fibres of Strong Tape even let you work with lightweight plaster. Thin, flexible backing materials produce neat sharp and flat edges to your paintwork. Strong Tape also boasts excellent adhesion and removal when tapes are stuck to tapes.

WASHI MASKING TAPES



Ultra-thin, flexible and tear-resistant masking tapes for neat, sharp and flat edges to your paintwork. Special impregnation of the paper backing material ensures excellent wet strength. Very easy to unwind and ideal for double bonding. Reinforcing fibres guarantee convenient use of the tape with lightweight plaster. Lasting UV resistance ensures that the tape can be removed after a long period of time leaving no residue outdoors, in bad weather and on difficult surfaces.



Washi Strong masking tape

Original Japanese rice paper tape with reinforcing fibres. For smooth/slightly rough surfaces, such as glass, plastic and aluminium. Acrylate adhesive, heat-resistant up to 100 °C, and can be used outdoors for up to 120 days. Excellent wet strength, very tear-resistant, suitable for adhesion on curved surfaces. Also adheres to slightly damp surfaces.

DAMP SUBSTRATE	COATINGS	GLAZES	EMULSION PAINTS
✓	✓	✓	✓

Art. no.	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
501225001	Bulk	25 mm / 50 m	red	acrylate	120 days	roll	40	40	120	1.800
501238001	Bulk	38 mm / 50 m	red	acrylate	120 days	roll	24	24	72	1.080



Washi Tape Gold - Premium

Original Japanese rice paper with acrylate adhesive. Suitable for use on difficult substrates, such as galvanised surfaces, plastic and aluminium. Reliable, long-lasting masking. Can be removed without residue for up to 90 days outdoors. Very high heat resistance up to 150 °C.

COATINGS	GLAZES	EMULSION PAINTS	DIFFICULT SURFACES
✓	✓	✓	✓

Art. no.	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
501919000	Bulk	19 mm / 50 m	gold	acrylate	90 days	roll	48	48	144	2.304
501925000	Bulk	25 mm / 50 m	gold	acrylate	90 days	roll	40	40	120	1.440
501930000	Bulk	30 mm / 50 m	gold	acrylate	90 days	roll	32	32	96	1.152
501938000	Bulk	38 mm / 50 m	gold	acrylate	90 days	roll	24	24	72	1.152
501950000	Bulk	50 mm / 50 m	gold	acrylate	90 days	roll	20	20	60	720



Washi Tape Gold - Medium

Original Japanese rice paper with acrylate adhesive. Suitable for almost all substrates. Reliable, long-lasting masking. Can be removed without residue for up to 60 days outdoors. Extremely thin paper for razor-sharp and flat edges to your paintwork.



COATINGS	GLAZES	EMULSION PAINTS	DIFFICULT SURFACES
✓	✓	✓	✓

Art. no.	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
501901001	Bulk	19 mm / 50 m	gold	acrylate	60 days	roll	48	48	144	2.304
501902001	Bulk	25 mm / 50 m	gold	acrylate	60 days	roll	36	36	108	1.728
501903001	Bulk	30 mm / 50 m	gold	acrylate	60 days	roll	32	32	96	1.152
501904001	Bulk	38 mm / 50 m	gold	acrylate	60 days	roll	24	24	72	1.152
501905001	Bulk	50 mm / 50 m	gold	acrylate	60 days	roll	24	24	72	864

**Kombi Mask Gold - Medium**

Impregnated rice paper with acrylate adhesive. Suitable for almost all substrates. Cover and mask in one – 50 % time saving. Medium-thick, statically charged film clings to the surface. Unwinds in one go.



DAMP SUBSTRATE	COATINGS	GLAZES	EMULSION PAINTS
-	✓	✓	✓

Art. no.	Label	Width / Length	Core length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
580153000	Bulk	55 cm / 25 m	10 cm	gold	acrylate	60 days	roll	70	70	210	2.800
580154000	Bulk	110 cm / 25 m	20 cm	gold	acrylate	60 days	roll	35	35	105	1.400
580155000	Bulk	140 cm / 25 m	20 cm	gold	acrylate	60 days	roll	35	35	105	1.400
580160000	Bulk	270 cm / 16 m	20 cm	gold	acrylate	60 days	roll	30	30	90	1.200

**Washi Tape Gold - Basic**

Original Japanese rice paper with acrylate adhesive. Suitable for the most common substrates. Reliable masking. Can be removed without residue for up to 30 days outdoors. Medium heat resistance.



COATINGS	GLAZES	EMULSION PAINTS	DIFFICULT SURFACES
✓	✓	✓	✓

Art. no.	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
501911000	Bulk	19 mm / 50 m	gold	acrylate	30 days	roll	48	48	144	2.880
501912000	Bulk	25 mm / 50 m	gold	acrylate	30 days	roll	36	36	108	2.160
501913000	Bulk	30 mm / 50 m	gold	acrylate	30 days	roll	32	32	96	1.920
501914000	Bulk	38 mm / 50 m	gold	acrylate	30 days	roll	24	24	72	1.440
501915000	Bulk	50 mm / 50 m	gold	acrylate	30 days	roll	24	24	72	1.080





Masking tape Gold Economy

Fine, flexible impregnated flat crepe tape with acrylic adhesive. Suitable for most surfaces. Safe for taping and peeling up to 14 days outdoors. Short-term high heat resistance.

NEW!

COATINGS	GLAZES	EMULSION PAINTS	DIFFICULT SUBSTRATES
✓	✓	✓	-

Art. no.	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
501019001	Bulk	19 mm / 50 m	gold	acrylate	14 days	roll	48	48	144	2.880
501025001	Bulk	25 mm / 50 m	gold	acrylate	14 days	roll	36	36	108	2.160
501030001	Bulk	30 mm / 50 m	gold	acrylate	14 days	roll	32	32	96	1.920
501038001	Bulk	38 mm / 50 m	gold	acrylate	14 days	roll	24	24	72	1.440
501050001	Bulk	50 mm / 50 m	gold	acrylate	14 days	roll	24	24	72	1.080



CREPE MASKING TAPES



Medium-thick, proven masking tapes for the majority of masking work involved in typical decorating and coating work. Easy to unwind and tear for convenient use. Natural and synthetic rubber for immediate adhesion as soon as it is applied. Suitable for use indoors for up to 14 days.



Premium crepe masking tape

Medium-thick, tear-resistant and wet-resistant crepe masking tape with excellent adhesion. Natural rubber adhesive for up to 14 days adhesion indoors on smooth surfaces. Ideal for bonding film sheets.

DAMP SUBSTRATE	COATINGS	GLAZES	EMULSION PAINTS
-	✓	✓	✓

Art. no.	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
501819001	Bulk	19 mm / 50 m	beige	natural rubber	-	roll	48	48	144	2.304
501825001	Bulk	25 mm / 50 m	beige	natural rubber	-	roll	36	36	108	1.728
501830001	Bulk	30 mm / 50 m	beige	natural rubber	-	roll	32	32	96	1.536
501838001	Bulk	38 mm / 50 m	beige	natural rubber	-	roll	24	24	72	1.152
501850001	Bulk	50 mm / 50 m	beige	natural rubber	-	roll	24	24	72	864



Kombi Mask Premium crepe masking tape

Medium-thick, tear-resistant crepe masking tape with medium adhesion. Natural rubber adhesive for adhesion on smooth surfaces. Cover and mask in one – 50 % time saving.

Medium-thick, statically charged film clings to the substrate.




DAMP SUBSTRATE	COATINGS	GLAZES	EMULSION PAINTS
-	✓	✓	✓

Art. no.	Label	Wide / Length	Core length	Colour	Type of adhesive	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
580112000	Bulk	30 cm / 33 m	6 cm	beige	natural rubber	roll	60	60	180	2.400
580111000	Bulk	55 cm / 20 m	10 cm	beige	natural rubber	roll	70	70	210	1.680
580113000	Bulk	55 cm / 33 m	10 cm	beige	natural rubber	roll	40	40	120	1.200
580110001	Bulk	110 cm / 33 m	20 cm	beige	natural rubber	roll	20	20	60	640
580115001	Bulk	140 cm / 33 m	20 cm	beige	natural rubber	roll	20	20	60	800
580116001	Bulk	180 cm / 33 m	20 cm	beige	natural rubber	roll	20	20	60	600
580117001	Bulk	210 cm / 20 m	20 cm	beige	natural rubber	roll	28	28	84	560
580118001	Bulk	240 cm / 16 m	20 cm	beige	natural rubber	roll	33	30	33	960
580114001	Bulk	270 cm / 16 m	20 cm	beige	natural rubber	roll	33	33	99	660

**Medium crepe masking tape**

Smooth, thin crepe masking tape with medium adhesion. Natural rubber adhesive for masking. Lasts up to 7 days indoors. Suitable for use on smooth surfaces.



DAMP SUBSTRATE	COATINGS	GLAZES	EMULSION PAINTS
-	✓	✓	✓

Art. no.	Label	Wide / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
501701000	Bulk	18 mm / 50 m	beige	natural rubber	-	roll	48	48	144	2.880
501702000	Bulk	24 mm / 50 m	beige	natural rubber	-	roll	36	36	108	1.728
501703000	Bulk	29 mm / 50 m	beige	natural rubber	-	roll	32	32	96	1.536
501704000	Bulk	36 mm / 50 m	beige	natural rubber	-	roll	24	24	72	1.152
501705000	Bulk	48 mm / 50 m	beige	natural rubber	-	roll	24	24	72	864
501706000	Bulk	96 mm / 50 m	beige	natural rubber	-	roll	12	12	36	432





Kombi Mask crepe masking tape, Medium beige

Smooth crepe masking tape with medium adhesion. Natural rubber adhesive for masking. Lasts up to 7 days indoors. For smooth surfaces. Cover and mask in one – 50 % time saving. Slightly impregnated smooth paper. Ideal for window sills and plinths.

DAMP SUBSTRATE	COATINGS	GLAZES	EMULSION PAINTS
-	✓	✓	✓

Art. no.	Label	Wide / Length	Core length	Colour	Type of adhesive	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Palett quantity
580119000	Bulk	10 cm / 20 m	6 cm	brown	natural rubber	roll	84	84	252	3.360
580121000	Bulk	18 cm / 20 m	10 cm	brown	natural rubber	roll	60	60	180	2.400
580123000	Bulk	18 cm / 25 m	10 cm	brown	natural rubber	roll	40	40	120	1.600
580126000	Bulk	30 cm / 20 m	16 cm	brown	natural rubber	roll	28	28	84	1.120



Crepe masking tape, Medium brown

Smooth and thin crepe masking tape with medium adhesion. Natural rubber adhesive for masking. Lasts up to 7 days indoors. Suitable for use on smooth surfaces. Slightly impregnated for adequate wet strength.

DAMP SUBSTRATE	COATINGS	GLAZES	EMULSION PAINTS
-	✓	✓	✓

Art. no.	Label	Wide / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Palett quantity
501418000	Bulk	18 mm / 50 m	brown	natural rubber	-	roll	48	48	144	2.880
501424000	Bulk	24 mm / 50 m	brown	natural rubber	-	roll	36	36	108	2.160
501429000	Bulk	29 mm / 50 m	brown	natural rubber	-	roll	32	32	96	1.920
501436000	Bulk	36 mm / 50 m	brown	natural rubber	-	roll	24	24	72	1.440
501448000	Bulk	48 mm / 50 m	brown	natural rubber	-	roll	24	24	72	1.080



Crepe masking tape, Basic Beige

Smooth and very thin crepe masking tape with low adhesion. Solvent-free hot-melt adhesive for short-term uses indoors. Suitable for use on smooth surfaces.

DAMP SUBSTRATE	COATINGS	GLAZES	EMULSION PAINTS
-	✓	✓	✓

Art. No.	Label	Wide / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Palett quantity
502019000	Bulk	18 mm / 50 m	beige	hot melt	-	roll	48	48	144	2.880
502025000	Bulk	24 mm / 50 m	beige	hot melt	-	roll	36	36	108	2.160
502030000	Bulk	29 mm / 50 m	beige	hot melt	-	roll	32	32	96	1.920
502038000	Bulk	36 mm / 50 m	beige	hot melt	-	roll	24	24	72	1.440
502050000	Bulk	48 mm / 50 m	beige	hot melt	-	roll	24	24	72	1.080



MASKING, FILLING AND PLASTERING

Surfaces are exposed to mechanical stress during filling and plastering. Extremely tough adhesive tapes are needed to protect the surface during these processes. A range of adhesive tapes have therefore been developed for the most diverse uses. The yellow concrete and wall tape, for instance, can specifically be used on low adhesive and also very rough surfaces, like brick, roughcast or concrete.

The tape is even resistant to high-pressure cleaners and is also available as a Kombi Mask tape to cover the surface 50 % quicker.



WOVEN TAPES

Woven tapes are ideal for use with plastering, filling and painting work. Woven backing materials are able to withstand more mechanical stress than paper masking tape and can be torn off precisely by hand. Often used with strong adhesive for masking on rough to very coarse surfaces. These tapes solve critical masking problems and can generally be used for long periods outdoors. Also available as a Kombi Mask tape for extremely fast and professional masking.



Premium tape for concrete and walls

Natural rubber adhesive with excellent adhesion for use on very rough and low adhesive surfaces, like brickwork, concrete and plaster. Lasts up to 14 days. Very robust and smooth, easy to tear. Also suitable for use with high-pressure cleaning and sand-blasting work.



PLASTER	EMULSION PAINTS	HIGH-PRESSURE CLEANING WORK	DUSTY SUBSTRATES
✓	✓	✓	✓

Art. no.	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
502744000	Bulk	44 mm / 50 m	yellow	natural rubber	14 days	pcs	16	16	48	640



Premium Kombi Mask for concrete and walls

Natural rubber adhesive with excellent adhesion for use on very rough and low adhesive surfaces, like brickwork, concrete and plaster. Lasts up to 14 days. Extra-strong film, ideal for low-level brickwork/plastering and with high-pressure cleaning and sand-blasting work.



PLASTER	EMULSION PAINTS	HIGH-PRESSURE CLEANING WORK	DUSTY SUBSTRATES
✓	✓	✓	✓

Art. no.	Label	Width / Length	Core length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
580141000	Bulk	55 cm / 16 m	20 cm	yellow	natural rubber	14 days	roll	15	15	45	540
580143000	Bulk	140 cm / 16 m	23 cm	yellow	natural rubber	14 days	roll	15	15	45	720



**Woven tape, Profi extra-thick**

Natural rubber adhesive with excellent adhesion and ample adhesive. Suitable for use for up to 14 days indoors and outdoors. For smooth and rough surfaces. For all kinds of plastering work with heavy-duty mechanical stress. Easy to tear and torsion-resistant. For masking straight lines when coating floors.

PLASTER	EMULSION PAINTS	INDUSTRIAL COATINGS	DECORATIVE FILLERS
✓	✓	✓	✓

Art. no.	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
502225000	Bulk	25 mm / 25 m	red	natural rubber	14 days	roll	72	72	216	1.296
502238000	Bulk	38 mm / 25 m	red	natural rubber	14 days	roll	60	60	180	720
502251000	Bulk	50 mm / 25 m	red	natural rubber	14 days	roll	36	36	108	648

**Kombi Mask woven tape, Premium extra-thin**

For plastering and decorating work on smooth surfaces. Lasts up to 14 days indoors, and up to 3 days outdoors. Flat edges to your paintwork and plaster. Medium adhesive strength is gentle on the surface, while the film clings to the surface.

PLASTER	EMULSION PAINTS	INDUSTRIAL COATINGS	DECORATIVE FILLERS
✓	✓	✓	✓

Art. no.	Label	Width / Length	Core length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
580162000	Bulk	55 cm / 25 m	10 cm	red	natural rubber	3 days	roll	40	40	120	1.600
580163000	Bulk	110 cm / 25 m	20 cm	red	natural rubber	3 days	roll	24	24	72	960
580164000	Bulk	140 cm / 25 m	20 cm	red	natural rubber	3 days	roll	24	24	72	960
580168000	Bulk	210 cm / 20 m	20 cm	red	natural rubber	3 days	roll	24	24	120	960

**Woven tape, Premium thick**

Natural rubber adhesive with excellent adhesion and strong adhesive. Mechanically highly resistant woven backing. Ideal for rough surfaces and for straight masking with floor coverings, stripes or the edges of plasterwork. Lasts up to 21 days outdoors.

PLASTER	EMULSION PAINTS	INDUSTRIAL COATINGS	FORMWORK
✓	✓	✓	✓

Art. no.	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
502255000	Bulk	25 mm / 25 m	light blue	natural rubber	21 days	roll	48	48	144	1.152
502260000	Bulk	38 mm / 25 m	light blue	natural rubber	21 days	roll	32	32	96	768
502265000	Bulk	50 mm / 25 m	light blue	natural rubber	21 days	roll	24	24	72	576



Kombi Mask woven tape, Profi Extra-thick

Highly adhesive natural rubber adhesive. Lasts up to 21 days outdoors. For coarse surfaces when plastering. Cover and mask in one – 50 % time saving. Medium-thick, statically charged film clings to the substrate.



PLASTER	EMULSION PAINTS	INDUSTRIAL COATINGS	FORMWORK
✓	✓	✓	✓

Art. no.	Label	Width / Length	Core length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Discounted quantity	Pallet quantity
580181000	Bulk	30 cm / 20 m	6 cm	light blue	natural rubber	21 days	roll	36	108	1,440
580182000	Bulk	55 cm / 20 m	6 cm	light blue	natural rubber	21 days	roll	36	108	1,440
580182001	Bulk	55 cm / 20 m	10 cm	light blue	natural rubber	21 days	roll	30	90	960
580183001	Bulk	110 cm / 20 m	10 cm	light blue	natural rubber	21 days	roll	30	90	720
580184001	Bulk	140 cm / 20 m	10 cm	light blue	natural rubber	21 days	roll	30	90	720
580185001	Bulk	180 cm / 20 m	16 cm	light blue	natural rubber	21 days	roll	15	45	450
580186001	Bulk	210 cm / 20 m	16 cm	light blue	natural rubber	21 days	roll	15	45	720
580187001	Bulk	240 cm / 20 m	20 cm	light blue	natural rubber	21 days	roll	20	60	480
580188001	Bulk	270 cm / 16 m	20 cm	light blue	natural rubber	21 days	roll	21	63	588

**Kombi Mask woven tape, Premium Extra-wide**

Extra-wide woven tape, natural rubber adhesive with excellent adhesion. Lasts up to 21 days outdoors. For coarse surfaces when plastering. Cover and mask in one – 50 % time saving. Extra-thick, statically charged film, for heavy-duty work.



PLASTER	EMULSION PAINTS	INDUSTRIAL COATINGS	FORMWORK
✓	✓	✓	✓

Art. no.	Label	Width / Length	Core length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Discounted quantity	Pallet quantity
580192000	Bulk	55 cm / 20 m	10 cm	light blue	natural rubber	21 days	roll	24	72	768
580194000	Bulk	140 cm / 20 m	20 cm	light blue	natural rubber	21 days	roll	15	45	360
580196000	Bulk	270 cm / 16 m	23 cm	light blue	natural rubber	21 days	roll	15	45	480



PLASTERING TAPES



Adhesive tapes made of PE and PVC for protecting components before plastering. Easily unrollable and, due to cross grooving, very easy to tear by hand. Colored tapes for better visibility to prevent overlooking any remaining adhesions. PE tapes prevent discoloration of the substrate and are also suitable for stripping work.

**Premium Smooth PE Plastering Tape**

Acrylic adhesive with medium adhesive strength. Perfect for surfaces such as plastic and aluminum, as well as for work with paint strippers. Free of plasticizers and dimensionally stable, ideal for plastering window frames. Usable indoors and outdoors for 45 days. Ideal at low temperatures. Can be plastered over due to its white color.

PLASTER	EMULSION PAINTS	PAINT REMOVER	PUTTY
✓	✓	✓	✓

Art. no..	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (pcs.)	discounted quantity	Pallet quantity
503150000	Bulk	50 mm / 33 m	white	acrylate	45 days	roll	24	24	72	1.080


**Premium PE Fabric Plastering Tape**

Supple PE tape with fabric reinforcement, easy to tear. Synthetic rubber adhesive with medium adhesive strength. Perfect for plastering work on smooth or slightly rough surfaces such as windows, door frames, clean plaster, etc. Usable indoors and outdoors for 30 days. Can be plastered over due to its white color.

NEW!

PLASTER	EMULSION PAINTS	PAINT REMOVER	PUTTY
✓	✓	✓	✓

Art. no..	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (pcs.)	discounted quantity	Pallet quantity
500938000	Bulk	38 mm / 33 m	white	synthetic rubber	30 days	roll	30	30	90	1.350
500950000	Bulk	50 mm / 33 m	white	synthetic rubber	30 days	roll	36	36	108	972

**Cross-grooved PVC Plastering Tape**

Natural rubber adhesive with medium adhesive strength. Classic protective tape for all plastering and stucco work, suitable for indoor and outdoor use for up to 14 days. Easily and straightly tearable due to cross-grooving.

PLASTER	EMULSION PAINTS	INDUSTRIAL COATINGS	PUTTY
✓	✓	✓	✓

Art. no..	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (pcs.)	discounted quantity	Pallet quantity
502480000	Bulk	30 mm / 33 m	yellow	natural rubber	14 days	roll	60	60	180	1.800
502488000	Bulk	38 mm / 33 m	yellow	natural rubber	14 days	roll	48	48	144	1.440
502499000	Bulk	50 mm / 33 m	yellow	natural rubber	14 days	roll	36	36	108	1.080



Cross-grooved PVC Plastering Tape

Natural rubber adhesive with medium adhesive strength. Classic protective tape for all plastering and stucco work indoors and outdoors for up to 14 days. Easy and straight tearable due to cross-grooving. Can be plastered over due to its white color.



PLASTER	EMULSION PAINTS	INDUSTRIAL COATINGS	PUTTY
✓	✓	✓	✓

Art. no..	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (pcs.)	discounted quantity	Pallet quantity
502580000	Bulk	30 mm / 33 m	white	natural rubber	14 days	roll	60	60	180	1.800
502588000	Bulk	38 mm / 33 m	white	natural rubber	14 days	roll	48	48	144	1.440
502590000	Bulk	50 mm / 33 m	white	natural rubber	14 days	roll	36	36	108	1.080

**Smooth PVC Plastering Tape**

Natural rubber adhesive with medium adhesive strength. Classic protective tape for all plastering and stucco work indoors and outdoors for up to 14 days. Easily tearable.



PLASTER	EMULSION PAINTS	INDUSTRIAL COATINGS	PUTTY
✓	✓	✓	✓

Art. no..	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (pcs.)	discounted quantity	Pallet quantity
502330000	Bulk	30 mm / 33 m	orange	natural rubber	14 days	roll	60	60	180	1.800
502350000	Bulk	50 mm / 33 m	orange	natural rubber	14 days	roll	36	36	108	1.080

**Smooth PVC Plastering Tape**

Natural rubber adhesive with medium adhesive strength. Classic protective tape for all plastering and stucco work indoors and outdoors for up to 14 days. Easily tearable. Can be plastered over due to its white color.



PLASTER	EMULSION PAINTS	INDUSTRIAL COATINGS	PUTTY
✓	✓	✓	✓

Art. no..	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (pcs.)	discounted quantity	Pallet quantity
502530000	Bulk	30 mm / 33 m	white	natural rubber	14 days	roll	60	60	180	1.800
502550000	Bulk	50 mm / 33 m	white	natural rubber	14 days	roll	36	36	108	1.080



DUCT TAPE AND FIXING TAPES



A range of different adhesive tapes are needed for diverse adhesion and repair situations on building sites and in workshop environments. Our thick duct tapes are ideal for all difficult surfaces and for masking in concealed areas.

DUCT TAPES



Woven tapes for almost all repair and fixing work. Different strengths for flexible needs. Ideal for fixing covering material and for temporary use on building sites. Perfect for formwork or to separate self-levelling casting compounds



Premium Black duct tape

Thick woven tape with natural rubber adhesive and excellent adhesion. Temporary use up to 150°C. Ideal for fixing covering material and films on plaster, stone or steel. Perfect for a wide range of repair and Label work. Very smooth, easy to unwind and tear. Weather-resistant.

NEW!

Art. no.	Width / Length	Colour	Type of adhesive	Ordering unit	MOQ	Carton (pcs.)	discounted quantity	Pallet quantity
502271100	50 mm / 50 m	black	natural rubber	roll	24	24	0	432



Premium Silver duct tape

Thick woven tape with natural rubber adhesive and excellent adhesion. Temporary use up to 150°C. Ideal for fixing covering material and films on plaster, stone or steel. Perfect for a wide range of repair and Label work. Very smooth, easy to unwind and tear. Weather-resistant.

Art. no.	Label	Width / Length	Colour	Type of adhesive	Ordering unit	MOQ	Carton (pcs.)	discounted quantity	Pallet quantity
502271001	Bulk	50 mm / 50 m	silver	natural rubber	roll	24	24	72	432



Silver duct tape

Medium-thick duct tape with hot-melt adhesive and good adhesion, Temperature-resistant up to 40°. For the temporary fixing of covering material or films. Ideal for sealing boxes and bin bags.



Art. no.	Label	Width / Length	Colour	Type of adhesive	Ordering unit	MOQ	Carton (pcs.)	Discounted quantity	Pallet quantity
502288000	Bulk	36 mm / 50 m	silver	hot melt	roll	24	24	72	768
502290000	Bulk	48 mm / 50 m	silver	hot melt	roll	18	18	54	648



Silver duct tape

Medium-thick duct tape with hot-melt adhesive and good adhesion, Temperature-resistant up to 40°. For the temporary fixing of covering material or films. Ideal for sealing boxes and bin bags.



Art. no.	Label	Width / Length	Colour	Type of adhesive	Ordering unit	MOQ	Carton (pcs.)	Discounted quantity	Pallet quantity
96215010	EAN	48 mm / 50 m	silver	hot melt	pcs	6	18	54	648



Black duct tape

Medium-thick duct tape with hot-melt adhesive and good adhesion, Temperature-resistant up to 40°. For the temporary fixing of covering material or films. Ideal for sealing boxes and bin bags.



Art. no.	Label	Width / Length	Colour	Type of adhesive	Ordering unit	MOQ	Carton (pcs.)	Discounted quantity	Pallet quantity
96214910	EAN	48 mm / 50 m	black	hot melt	roll	6	18	54	648



PACKING TAPES



Film adhesive tapes, polypropylene with acrylate adhesive. Varying film strengths to meet different needs. Packing tape roller for convenient working and cutting without the need for scissors or knives.

**Packing tape roller**

For the time-saving, tidy sealing of standard boxes. Suitable for use with all commercially available packing tapes.

Art. no.	Label	Material	Colour	Ordering unit	MOQ	Carton (pcs.)	Discounted quantity	Pallet quantity
96520010	EAN	plastic	red-white	pcs	5	20	60	240

**Profi packing tape**

Extra-sturdy, transparent packing tape with high-quality acrylate adhesive. For the tidy sealing of standard boxes.

Art. no.	Label	Width / Length	Colour	Type of adhesive	Ordering unit	MOQ	Carton (pcs.)	Discounted quantity	Pallet quantity
501048000	Bulk	48 mm / 66 m	transparent	acrylate	roll	36	36	108	1.296

**Profi packing tape - Low Noise**

Medium-thick packing tape with acrylate adhesive. For the tidy sealing of standard boxes. Unwinds extremely quietly

Art. no.	Label	Information	Width / Length	Colour	Type of adhesive	Ordering unit	MOQ	Carton (pcs.)	Discounted quantity	Pallet quantity
96534810	EAN	low noise	48 mm / 66 m	brown	acrylate	pcs	12	36	108	1.296

Packing tape

Medium-thick packing tape with acrylate adhesive. For the tidy sealing of standard boxes.



Art. no.	Label	Width / Length	Colour	Type of adhesive	Ordering unit	MOQ	Carton (pcs.)	Discounted quantity	Pallet quantity
96504810	EAN	48 mm / 66 m	brown	acrylate	roll	24	24	72	1.080
96514810	EAN	48 mm / 66 m	transparent	acrylate	roll	24	24	72	1.080

DOUBLE-SIDED ADHESIVE TAPES

Double-sided adhesive floor-laying tapes for the permanent adhesion of floor coverings or covering materials. Extremely adhesive on both sides and, depending on the type, with a woven insert for exceptional durability



Double-sided film adhesive tape, fabric-reinforced

Double-sided adhesive professional floor-laying tape with woven backing and excellent adhesion. For bonding carpets, PVC floors and for fixing laminate/vinyl flooring. Suitable for use with underfloor heating systems and for challenging base surfaces.



UNDERFLOOR HEATING	PVC FLOORS	VINYL	CARPET FLOORS
✓	✓	✓	✓

Art. no.	Label	Width / Length	Colour	Type of adhesive	Ordering unit	MOQ	Carton (pcs.)	Discounted quantity	Pallet quantity
96415010	EAN	50 mm / 25 m	yellow	synthetic resin adhesive	pcs	6	30	90	720



COVERING AND MASKING



Individual adhesive tapes are not suitable for protecting entire areas or larger wall surfaces. We supply special double-sided adhesive masking tapes for these specific tasks. The tape is adhered to a frame and a smooth covering material, such as film or paper, is positioned on the upper adhesive side and pressed in place. This lets you protect even complex shapes with ease. Entire areas of glazing (windows, doors, facade elements) can be very quickly protected by the use of glass protection film, while the parts can continue to be opened.

MASKING PAPER AND ACCESSORIES



High-quality masking paper to produce any length of individual Kombi Mask. Suitable for use with almost all adhesive tapes.



Masking paper roller

Roller for masking paper. 2 in 1 combination of paper and all kinds of adhesive tapes. Massive time saving. For variable adhesive tape widths.

Art. no.	Label	Colour	Ordering unit	MOQ	Carton (pcs.)	Discounted quantity	Pallet quantity
96880010	EAN	blue	pcs	10	10	30	160



Tear-off blade for masking paper roller

For the clean and efficient cutting of masking paper. Extremely precise and clean cuts.

Art. no.	Label	Width	Colour	Ordering unit	MOQ	Carton (pcs.)	Discounted quantity	Pallet quantity
96891510	EAN	15 cm	silver	pcs	10	100	300	3.600
96892210	EAN	22,5 cm	silver	pcs	10	100	300	2.700
96893010	EAN	30 cm	silver	pcs	10	100	300	1.500

Masking paper 40 g/m²

Spray water-repellent, impregnated kraft paper. To protect surfaces in industrial and car paint works. Ideal for spray painting: spray paint adheres to the coated paper. For small and medium-sized areas.



Art. no.	Label	Information	Width / Length	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
502915001	Bulk	smooth	15 cm / 50 m	brown	roll	20	20	60	960
502922001	Bulk	smooth	22,5 cm / 50 m	brown	roll	25	25	75	600
502930001	Bulk	smooth	30 cm / 50 m	brown	roll	20	20	60	480

Masking paper 90 g/m²

Spray water-repellent, impregnated kraft paper. To protect surfaces when painting and coating. Ideal for spray painting: spray paint adheres to the coated paper. Also ideal for covering larger floor areas. High grammage means that it can be walked on.



Art. no.	Label	Information	Width / Length	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96999810	EAN	smooth	1 m / 20 m	brown	roll	10	5	20	210

Masking paper crinkled 125g/m²


Spray water-repellent, extra thick impregnated kraft paper. To protect surfaces when painting and coating. Ideal for spray painting: spray paint adheres to the coated paper. Also ideal for covering larger floor areas. High grammage means that it can be walked on.



Art. no.	Label	Information	Width / Length	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96997510	EAN	crinkled	0,75 m / 20 m	brown	pcs	10	5	20	140



MASKING TAPES



PVC film adhesive tapes for masking work with all non-fabric covering materials. Align the adhesive-free edge on one side to the surface to be painted and press on the covering material, slightly overlapping. Perfect to use in conjunction with the Kombi Mask to fix covering film/masking paper at the side.

**Masking tape, red**

Double-sided film adhesive tape with adhesive-free edge on one side. Simple to attach film/paper to the adhesive strip. Ideal to use on smooth or rough surfaces. Also perfect to fix Kombi Mask film at the side. Very stable and tear-resistant. Extra-strong adhesion.

COATINGS	GLAZES	PLASTER	EMULSION PAINTS
✓	✓	✓	✓

Art. no.	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
502675000	Bulk	25 mm / 25 m	red	acrylate	30 days	roll	72	72	216	1.728
502685000	Bulk	35 mm / 25 m	red	acrylate	30 days	roll	48	48	144	1.152

**Masking tape, green**

Double-sided film adhesive tape with adhesive-free edge on one side. Simple to attach film/paper to the adhesive strip. Ideal to use on smooth or rough surfaces. Also perfect to fix Kombi Mask film at the side. Very stable and tear-resistant.


COATINGS	GLAZES	PLASTER	EMULSION PAINTS
✓	✓	✓	✓

Art. no.	Label	Width / Length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
502625000	Bulk	25 mm / 25 m	green	acrylate	30 days	roll	72	72	216	1.728
502635000	Bulk	35 mm / 25 m	green	acrylate	30 days	roll	48	48	144	1.152



SELF-ADHESIVE WINDOW PROTECTION FILM

Designed to mask interior and exterior glazing to protect the surfaces from dirt and minor mechanical loading. The adhesive formulation applied to the entire surface of the film, which is extremely gentle on the glass surface, is ideal for almost all masking work. Various colours for different applications. Wound on a thick cardboard core for ease of use.



Premium self-adhesive window protection film

To protect a range of glazed surfaces (not suitable on coated/metallised glass). Removable residue-free for up to 30 days indoors/outdoors. Low adhesion for ease of removal. Transparent for renovations in occupied buildings; prevents paint irritation.




Art. no.	Label	Width / Length	Core length	Colour	Type of adhesive	UV-resistance	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96975010	EAN	50 cm / 100 m	50 cm	blue	acrylate	30 days	roll	2	8	24	120
96979910	EAN	100 cm / 100 m	100 cm	blue	acrylate	30 days	roll	4	4	12	60
96985010	EAN	50 cm / 100 m	50 cm	transparent	acrylate	30 days	roll	2	8	24	120
96989910	EAN	100 cm / 100 m	100 cm	transparent	acrylate	30 days	roll	4	4	12	60



STRETCH FILM

200 % stretchable PE film for permanent wrapping and protection of objects during transport. Perfect for wrapping around paint trays, paint buckets, brushes and rollers during interruptions to work. Wound around a stable cardboard core for ease of handling. Cardboard core projects to make it easier to hold.



Stretch Film

Stretchable LLDPE film. Perfect for wrapping objects. Protects objects when moving house.



Art. no.	Label	Information	Width / Length	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96969810	EAN	on a stable cardboard core	50 cm / 190 m	transparent	roll	6	6	18	192

COVERING MATERIALS



The wide range of professional covering materials is available, from traditional dust sheets, drop covers and dust films to robust woven tarpaulins and multi-use absorbent fleece covers with special properties. A stand-out product in the range is the extremely absorbent and robust weight-optimised ProtectFloor absorbent fleece.

ABSORBENT FLEECE



High-quality cotton blend fleece and special fibres for heavy-duty use on building sites. Strong needle-punched textiles for heavy-duty use and durability. Easy to unwind, durable to walk on and, to a limited extent, can be swept multiple times. Special blends for extremely good absorbency or total adhesion. All fleeces feature a virtually waterproof film backing. Caution: Do not use on freshly bonded floor coverings.



Premium super-adhesive absorbent fleece
Blended fibre fleece with a self-adhesive backing that keeps its shape. Ideal for laying on smooth surfaces subject to busy foot traffic, such as stairs and corridors. Very easy to cut and extremely abrasion-resistant. Medium absorbency, virtually waterproof film backing.

Art. no.	Label	Information	Width /Length	Size	Weight	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
503510000	Bulk	roll	1 m / 25 m	25 m ²	130 g/m ²	white	roll	6	1	0	54



NEW!**Premium super-adhesive protective fleece**

Dimensionally stable PE fiber fleece with a self-adhesive underside and a dust- and waterproof film top side. Ideal protection for sensitive surfaces such as floor coverings, carpets, wood, or metal surfaces. Very durable, reusable multiple times. 100% made from recycled material.



Art. no.	Label	Width /Length	Size	Weight	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
503725000	Bulk	1 m / 25 m	25 m ²	160 g/m ²	white	roll	45	1	0	45
503750000	Bulk	1 m / 50 m	50 m ²	160 g/m ²	white	roll	22	1	0	22

Protect Floor absorbent fleece Type 200 - Premium

Very robust, highly slip-resistant cotton fleece. For protecting the surface from dust and paints. Easy and straight to roll out, very high absorbency due to special fibers. Reusable multiple times, easy to sweep clean. Virtually waterproof film backing. Extremely abrasion-resistant.



Art. no.	Label	Information	Width /Length	Size	Weight	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
503625000	Bulk	roll	1 m / 25 m	25 m ²	180 g/m ²	blue-grey	roll	56	1	0	56
503650000	Bulk	roll	1 m / 50 m	50 m ²	180 g/m ²	blue-grey	roll	30	1	0	30
503691000	Bulk	roll	2 m / 50 m	100 m ²	180 g/m ²	blue-grey	roll	30	1	0	30

Protect Floor absorbent fleece Type 240 - Premium

Very robust, highly slip-resistant cotton fleece. For protecting the surface from dust and paints. Easy and straight to roll out, very high absorbency due to special fibers. Reusable multiple times, easy to sweep clean. Virtually waterproof film backing. Extremely abrasion-resistant.



Art. no.	Label	Information	Width /Length	Size	Weight	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
503650001	Bulk	roll	1 m / 50 m	50 m ²	220 g/m ²	blue-grey	roll	20	1	0	20

Protect Floor absorbent fleece Type 300 - Premium

Very robust, highly slip-resistant cotton fleece. For protecting the surface from dust and paints. Easy and straight to roll out, very high absorbency due to special fibers. Reusable multiple times, easy to sweep clean. Virtually waterproof film backing. Extremely abrasion-resistant.




Art. no.	Label	Information	Width /Length	Size	Weight	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
503605000	Bulk	roll	1 m / 25 m	25 m ²	260 g/m ²	blue-grey	pcs	35	1	0	35
503600000	Bulk	roll	1 m / 50 m	50 m ²	260 g/m ²	blue-grey	pcs	20	1	0	20

**Absorbent fleece 220 g/m² - Standard**

Robust, strong, slip-resistant cotton fleece. Protects surfaces from dust and paint. Good absorbency and reusable. Virtually waterproof film backing.

Art. no.	Label	Information	Width / Length	Size	Weight	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94261110	EAN	roll	1 m / 10 m	10 m ²	220 g/m ²	grey	roll	16	16	0	96
94262210	EAN	roll	1 m / 25 m	25 m ²	220 g/m ²	grey	roll	2	1	0	36

**Absorbent fleece 180 g/m² - Standard**

This fleece protects surfaces from cracks, wetness, dust and dirt. Ideal for securely Label and protecting objects. Medium absorbency. Virtually waterproof film backing.

Art. no.	Label	Information	Width / Length	Size	Weight	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94260310	EAN	folded	1 m / 3 m	3 m ²	180 g/m ²	grey	pcs	10	10	0	120

**Absorbent fleece 180 g/m² - Standard**

This fleece protects surfaces from cracks, wetness, dust and dirt. Ideal for securely Label and protecting objects. Medium absorbency. Virtually waterproof film backing.

Art. no.	Label	Information	Width / Length	Size	Weight	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94260510	EAN	roll	1 m / 5 m	5 m ²	180 g/m ²	grey	roll	34	34	0	204
94261010	EAN	roll	1 m / 10 m	10 m ²	180 g/m ²	grey	roll	18	18	0	108

**Absorbent fleece 180 g/m² - Standard**

This fleece protects surfaces from cracks, wetness, dust and dirt. Ideal for securely Label and protecting objects. Medium absorbency. Virtually waterproof film backing.

Art. no.	Label	Information	Width / Length	Size	Weight	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
503525000	Bulk	roll	1 m / 25 m	25 m ²	180 g/m ²	grey	pcs	44	1	0	44
503550000	Bulk	roll	1 m / 50 m	50 m ²	180 g/m ²	grey	pcs	22	1	0	22

DUST SHEETS

Various thicknesses of dust sheets, drop cloths and tarpaulins to protect surfaces from dirt, dust and paint splatters. Ideal for almost all uses. Transparent or environmentally-friendly – as recycled – translucent reggranulate films, available in different dimensions. Easy to cut to size. Can be combined to produce covers of almost all sizes.

LDPE = impact-resistant and keeps its shape very well.

HDPE = extremely flexible, tear-resistant and smooth



Tarpaulin 75 µm. LDPE black (regenerate)

Extra tear-resistant, translucent tarpaulin made of recycled plastic granulate to reduce environmental impact. Protects surfaces from dust and paint splatters. Free of soluble particles to avoid contaminating the surface to be protected and the surroundings.



Art. no.	Label	Information	Width / Length	Film thickness	Size when unfolded	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96927510	EAN	folded	4 m / 5 m	75 µm	20 m ²	black	pcs	10	10	30	240

Tarpaulin 40 µm. LDPE Eco-Recycling

Extra tear-resistant, translucent tarpaulin made of recycled plastic granulate to reduce environmental impact. Protects surfaces from dust and paint splatters. Free of soluble particles to avoid contaminating the surface to be protected and the surroundings.



Art. no.	Label	Information	Width / Length	Film thickness	Size when unfolded	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96922010	EAN	folded	4 m / 5 m	40 µm	20 m ²	translucent	pcs	10	10	30	520

Dust sheet 30µm LDPE (regenerate)

Strong, tear-resistant tarpaulin to protect surfaces from dust and paint splashes. Free of soluble particles to avoid contaminating the surface to be protected and the surroundings.



Art. no.	Label	Information	Width / Length	Film thickness	Size when unfolded	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96945010	EAN	folded	4 m / 5 m	30 µm	20 m ²	translucent	pcs	10	10	30	650
96946010	EAN	folded	4 m / 12,5 m	30 µm	50 m ²	translucent	pcs	10	10	30	240

**Tarpaulin 30 µm, HDPE**

Extra strong tear-resistant tarpaulin for covering furniture and objects during all renovation processes. Free of detachable particles to prevent contamination of the surface to be protected and the surroundings.

Art. no.	Label	Information	Width / Length	Film thickness	Size when unfolded	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96949910	EAN	roll	2 m / 50 m	30 µm	100 m ²	transparent	roll	8	8	24	128

**Dust sheet 15 µm, LDPE**

Medium-strong, tear-resistant dust sheet to cover furniture and objects during all renovation work. Free of soluble particles to avoid contaminating the surface to be protected and the surroundings.

Art. no.	Label	Information	Width / Length	Film thickness	Size when unfolded	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96944010	EAN	folded	4 m / 5 m	15 µm	20 m ²	transparent	pcs	10	10	30	910

**Dust sheet 10 µm, HDPE**

Medium-strong dust sheet to cover furniture and objects during all lightweight renovation work. Free of soluble particles to avoid contaminating the surface to be protected and the surroundings.

Art. no.	Label	Information	Width / Length	Film thickness	Size when unfolded	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96940510	EAN	folded	4 m / 5 m	10 µm	20 m ²	transparent	pcs	20	20	60	1.440
96941210	EAN	folded	4 m / 12,5 m	10 µm	50 m ²	transparent	pcs	10	10	30	720

**Dust sheet 10 µm, HDPE**

Medium-strong dust sheet to cover furniture and objects during all lightweight renovation work. Free of soluble particles to avoid contaminating the surface to be protected and the surroundings.

Art. no.	Label	Information	Width / Length	Film thickness	Size when unfolded	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96910010	EAN	roll	2 m / 50 m	10 µm	100 m ²	transparent	roll	10	10	30	360

Dust sheet 7 µm, HDPE

Lightweight dust sheet to cover furniture and objects during simple renovation work. Free of soluble particles to avoid contaminating the surface to be protected and the surroundings.



Art. no.	Label	Information	Width / Length	Film thickness	Size when unfolded	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96902210	EAN	folded	4 m / 5 m	7 µm	20 m ²	transparent	pcs	50	50	150	2.000
96905210	EAN	folded	4 m / 12,5 m	7 µm	50 m ²	transparent	pcs	10	10	30	720

Dust sheet 7 µm, HDPE

Lightweight dust sheet to cover furniture and objects during simple renovation work. Free of soluble particles to avoid contaminating the surface to be protected and the surroundings.



Art. no.	Label	Information	Width / Length	Film thickness	Size when unfolded	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96907210	EAN	roll	2 m / 50 m ²	7 µm	100 m ²	transparent	roll	20	20	60	360

Standard dust sheet 4 µm, HDPE

Thin dust sheet to cover furniture and objects during very simple renovation work. Free of soluble particles to avoid contaminating the surface to be protected and the surroundings.



Art. no.	Label	Information	Width / Length	Film thickness	Size when unfolded	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96902010	EAN	folded	4 m / 5 m	4 µm	20 m ²	transparent	pcs	40	40	120	2.520
96905010	EAN	folded	4 m / 12,5 m	4 µm	50 m ²	transparent	pcs	20	20	60	1.260

Standard dust sheet 4 µm, HDPE


Thin dust sheet to cover furniture and objects during very simple renovation work. Free of soluble particles to avoid contaminating the surface to be protected and the surroundings.



Art. no.	Label	Information	Width / Length	Film thickness	Size when unfolded	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96907010	EAN	roll	2 m / 50 m	4 µm	100 m ²	transparent	roll	10	10	30	440



Robust tarpaulin with laminated microweave. Universal use on building sites. Also ideal for sealing window openings or covering timber, trailers, pools, sand boxes etc. Waterproof, tear-resistant, UV-resistant and durable. Fixing eyelets every 1 m. Dimensions equal to cutting dimensions - net dimensions 5% less



PE tarpaulin with eyelets
Eyelets every 1 m for fastening. Dimensions equal to cutting dimensions, net dimensions approximately 4-5% less.

Art. no.	Label	Width / Length	Size	Areal density	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96930610	EAN	1,5 m / 6 m	9 m ²	75 g/m ²	green	pcs	15	15	45	360
96930210	EAN	2 m / 3 m	6 m ²	75 g/m ²	green	pcs	20	20	60	640
96930310	EAN	3 m / 4 m	12 m ²	75 g/m ²	green	pcs	10	10	30	260
96930410	EAN	4 m / 6 m	24 m ²	75 g/m ²	green	pcs	5	5	15	160
96930510	EAN	6 m / 8 m	48 m ²	75 g/m ²	green	pcs	3	3	9	84







Sanding, filling etc. Simple. Faster.

Preparation is essential. And often unpopular. — And yet it can be so simple and fast. Work with the right WESTEX tools. For all sanding, filling etc.

The WESTEX range includes efficient tools and equipment to make your working life easier. For every use. From dusting brushes to rounded end trowels and plastering tools.

A range of qualities to meet every need. WESTEX tools feature wooden or plastic handles, in a one- or two-component design.



SURFACE PREPARATION. SANDING.

Paint Removal and Repair	40
Filling, Plastering and Finishing	51



Loose old coatings first need to be removed to prepare a surface. Wire brushes, scrapers or sanding tools are needed depending on the condition and stubbornness of the coatings. A full range of special tools gives you the certainty of finding the right tool for every situation.

SANDPAPER



Flint sandpaper, ideal for dry sanding work on interior and exterior surfaces. Flint sandpaper is designed for use on wood, metal, paints and plastic.

Coarse grit (40-80 grit) for coarse sanding or to remove layers of paint and glue. Medium grit (80-120 grit) for intermediate sanding and preliminary sanding of unfinished wood surfaces, and fine grit (180-240 grit) for fine sanding.



Flint sandpaper

For the dry sanding of paint, coatings and filler on wood, plastic and plasterboard. Closed coated. Sheets can be cut to size and torn off by hand.

Art. no.	Label	Length	Width	Grit	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93104010	EAN	280 mm	230 mm	P 40	brown	pcs	50	500	500	7.500
93106010	EAN	280 mm	230 mm	P 60	brown	pcs	50	500	500	10.500
93108010	EAN	280 mm	230 mm	P 80	brown	pcs	50	500	500	10.500
93110010	EAN	280 mm	230 mm	P 100	brown	pcs	50	500	500	12.000
93112010	EAN	280 mm	230 mm	P 120	brown	pcs	50	500	500	15.000
93118010	EAN	280 mm	230 mm	P 180	brown	pcs	50	500	500	13.500



Flint sandpaper set

For the dry sanding of paint, coatings and filler on wood, plastic and plasterboard. Closed coated. Sheets can be cut to size and torn off by hand.

Art. no.	Label	Length	Width	Grit	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93281010	EAN	230 mm	280 mm	each 2 x P 80 / 100 / 120 / 180 / 240	brown	SET	20	20	60	2.160

Aluminum Oxide Sandpaper

For dry sanding of paints, varnishes, and fillers on wood, plastic, and drywall. Open coat, clogs less. With durable aluminum oxide abrasive grains. Sheet material can be individually cut to size and torn by hand.



Art. no.	Label	Length	Width	Grit	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93144010	EAN	280 mm	230 mm	P 40	yellow	pcs	50	250	750	9.000
93146010	EAN	280 mm	230 mm	P 60	yellow	pcs	50	500	500	13.500
93148010	EAN	280 mm	230 mm	P 80	yellow	pcs	50	500	500	16.500
93141210	EAN	280 mm	230 mm	P 120	yellow	pcs	50	500	500	18.000
93141810	EAN	280 mm	230 mm	P 180	yellow	pcs	50	500	500	16.500
93142410	EAN	280 mm	230 mm	P 240	yellow	pcs	50	500	500	27.500

Aluminum Oxide Sandpaper waterproof


Specifically for wet sanding of paints, varnishes, and metals. With durable aluminum oxide abrasive grains and a waterproof paper backing. Sheet material can be individually cut to size and torn by hand.



Art. no.	Label	Length	Width	Grit	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93208010	EAN	280 mm	230 mm	P 80	black	pcs	50	1.000	1.000	10.000
93212010	EAN	280 mm	230 mm	P 120	black	pcs	50	1.000	1.000	10.000
93218010	EAN	280 mm	230 mm	P 180	black	pcs	50	1.000	1.000	12.000
93224010	EAN	280 mm	230 mm	P 240	black	pcs	50	1.000	1.000	18.000
93232010	EAN	280 mm	230 mm	P 320	black	pcs	50	1.000	1.000	18.000
93240010	EAN	280 mm	230 mm	P 400	black	pcs	50	1.000	1.000	18.000

Aluminum Oxide Sanding Pad Set

Flexible sanding pads for sanding contoured objects and uneven surfaces such as wood, metals, painted, and filled surfaces. Usable for both dry and wet sanding. 3-piece set with fine, medium, and coarse grit.



Art. no.	Label	Length	Width	Height	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93169910	EAN	125 mm	100 mm	10 mm	SET	8	96	288	1.152



Steel wool

An ideal tool for gentle processing of wood, metal, plastic, or glass surfaces. The sharp-edged, crimped thin steel fibers sand, polish, or clean the surfaces very gently through the scraping effect.

Art. no.	Label	Weight	Fineness	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93040010	EAN	200 g	00	pcs	5	50	50	600
93041010	EAN	200 g	0	pcs	5	50	50	600
93041210	EAN	200 g	2	pcs	5	50	50	600
93041310	EAN	200 g	3	pcs	5	50	50	600

HAND SANDING ACCESSORIES



Hand sander for the manual sanding of difficult areas and for fine sanding. Ideal for the attachment of sanding pads and sandpaper. Various designs and sanding attachments depending on the specific purpose.



Soft grip hand sander

For effortless working with sandpaper. Ergonomically shaped 2-component grip handle for fatigue-free working. Clamping strip for simple sandpaper replacement. Reinforced foam rubber coating for ideal traction with the surface.

Art. no.	Label	Length	Width	Material	Handle material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93380410	EAN	212 mm	105 mm	plastic	2-component ergo-grip	blue	pcs	5	40	40	320



Telescopic sander, plastic

For the attachment of sanding pads and most types of sandpaper. Ideal for sanding filler on plasterboard. With clamping bar and rotating mounting for telescopic extension poles. Medium-thick foam rubber coating for ideal traction with the surface.

Art. no.	Label	Length	Width	Material	Handle material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93342010	EAN	210 mm	105 mm	plastic	1-component	blue	pcs	5	50	50	500

Cork sanding block

Use dry and wet. Rectangular with chamfered edges.



Art. no.	Label	Information	Length	Width	Height	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93326010	EAN	chamfered edges	115 mm	60 mm	25 mm	cork	pcs	10	200	600	3.600
93327010	EAN	chamfered edges	120 mm	60 mm	40 mm	cork	pcs	10	150	450	1.800

TROWELS & SCRAPERS

For the removal of stubborn residue from old materials and rust. With a continuous scraper blade for use with a hammer depending on the design. Can also be used on delicate surfaces, like windows or panes of glass.

**Triangular scraper**

To remove old paint and renovation residue in difficult areas, e.g. on stair railings. Sturdy design for extremely heavy-duty work – even burning off paint. Long wooden handle for a good grip.



Art. no.	Label	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93730710	EAN	wood	pcs	12	72	216	1.728

Profile scraper

To remove old paint and renovation residue in difficult areas, e.g. on stair railings. Sturdy design for extremely heavy-duty work – even burning off paint. Long wooden handle for a good grip.



Art. no.	Label	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93771110	EAN	wood	pcs	12	72	216	1.728

**Metal glass scraper**

For the removal of residue on sheets of glass and windows. Can be positioned extremely flat and so is very gentle on the surface. Blade can be extended and retracted.

Art. no.	Label	Information	Length	Width	Material	Blade width	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
303950000	Bulk	scraper	100 mm	40 mm	metall	40 mm	pcs	100	300	300	8.100
303980000	Bulk	10 spare blades	50 mm	280 mm	metall	40 mm	PACK	30	600	600	15.600

**Plastic glass scraper**

For the removal of residue on sheets of glass and windows. Angled design for improved force transfer and fatigue-free working.

Art. no.	Label	Width / Length	Blade width	Material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
303902000	Bulk	450 mm / 750 mm	60 mm	plastic	blue	pcs	60	120	120	4.800

**Steel putty knife scraper**

To remove stubborn old material and rust. Riveted through, with impact-resistant end piece, rigid blade and facet.

Art. no.	Label	Width	Blade flexibility	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93440510	EAN	50 mm	stiff	steel	wood	pcs	12	240	240	4.320
93440710	EAN	70 mm	stiff	steel	wood	pcs	12	240	240	4.320

**Filling knife - stiff**

Stiff, Continuously riveted. With an impact-resistant end piece.

Art. no.	Label	Width	Blade flexibility	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
91706010	EAN	60 mm	stiff	steel	wood	pcs	12	120	120	6.240

WIRE BRUSHES

Wire brushes for heavy-duty deburring and cleaning work and to remove old coatings, like paint, lacquer or other coatings. Also suitable for finishing work, especially on wooden surfaces for a weathered look or to highlight graining (used look). Loosely crimped shapes for ease of working. Bundled bristles for excellent durability and heavy-duty work.

**Plastic wire brush**

Plastic wire brush with non-slip surface and thumb rest. For the coarse cleaning of rust and stubborn dirt. Reinforced wire bristles at the front for a longer service life. Angled grip to avoid injury to the finger joints



Art. no.	Label	Rows	Material	Handle material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93420710	EAN	4 x	steel	plastic	red	pcs	10	50	50	1.200

Multi-purpose wire brush

Plastic wire brush with non-slip surface and thumb rest. For the coarse cleaning of rust and minor dirt. Corrugated wire for extremely easy working.



Art. no.	Label	Material	Handle material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93410010	EAN	steel, brass-plated	plastic	blue	pcs	10	120	360	1.920

Wooden wire brush

For the removal of rust and dirt. 1A-quality steel.



Art. no.	Label	Rows	Material	Handle material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93430310	EAN	3 x	steel	wood	beige	pcs	10	10	30	1.200
93430510	EAN	5 x	steel	wood	beige	pcs	10	10	30	950



Standard wooden wire brush

For the removal of rust and dirt.

Art. no.	Label	Rows	Material	Handle material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93400410	EAN	4 x	steel	wood	beige	pcs	12	120	360	1.680

PUTTY KNIVES



Putty knives with a rigid blade for the removal of old materials. Continuously riveted blade and impact-resistant end piece for use with a hammer. Knives with a flexible blade for filling, smoothing and touching up. Either with ergonomically shaped plastic handles or wooden handles.



Putty knife, 2K handle

For the removal of old materials, such as wallpaper, minor plaster remains and filler. For the repair of small holes or unevenness. 2-component handle for fatigue-free working.

Art. no.	Label	Width	Blade flexibility	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
91180510	EAN	50 mm	semi-flexible	steel	2-component ergo-grip	pcs	12	240	240	5.760
91180710	EAN	75 mm	semi-flexible	steel	2-component ergo-grip	pcs	12	240	240	4.320
91181010	EAN	100 mm	semi-flexible	steel	2-component ergo-grip	pcs	12	240	240	4.320



Putty knife, 1K handle

For minor repair work.

Art. no.	Label	Blade flexibility	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
91110410	EAN	semi-flexible	stainless steel	1-component	pcs	12	240	0	2.880
91110610	EAN	semi-flexible	stainless steel	1-component	pcs	12	240	0	2.880
91110810	EAN	semi-flexible	stainless steel	1-component	pcs	12	240	0	2.880



Putty knife, wooden handle


For minor repair work.



Art. no.	Label	Width	Blade flexibility	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
91170410	EAN	40 mm	semi-flexible	steel	wood	pcs	12	168	168	6.720
91170610	EAN	60 mm	semi-flexible	steel	wood	pcs	12	216	216	5.832
91170810	EAN	80 mm	semi-flexible	steel	wood	pcs	12	216	216	5.832

Japanese spatula, stainless steel, 4-piece set

For filling/repair work with plaster, filler and light plastering mortar. Highly flexible blade.



Art. no.	Label	Size	Blade flexibility	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
308100000	Bulk	50,80,100,120	flexible	stainless steel	plastic	SET	100	100	300	6.000

**Japanese spatula, steel, 4-piece set**

For filling/repair work with plaster, filler and light plastering mortar. Highly flexible, long blade.



Art. no.	Label	Size	Blade flexibility	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
308002000	Bulk	50,80,100,120	flexible	steel	plastic	SET	100	100	300	5.000


Japanese spatula, plastic, 4-piece set

For filling/repair work with plaster, filler and light plastering mortar, particularly on metal surfaces.



Art. no.	Label	Size	Blade flexibility	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
91000110	EAN	50,80,100,120	flexible	plastic	plastic	SET	20	200	600	4.800

PLASTER BOWLS



These practical plaster bowls, either conical, high or shallow, are designed for small amounts of plaster or gypsum work. The flexible rubber material is resistant to mechanical stresses, for instance by wiping off excess material on the edge.

**High plaster bowl**

For stirring plaster and gypsum. Made of highly flexible rubber.

Art. no.	Label	Information	Height	Diameter Ø	Material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
301908000	Bulk	conical	90 mm	127 mm	rubber	black	pcs	80	80	240	1.920

**Plaster bowl**

For stirring plaster and gypsum. Made of semi-flexible plastic.

Art. no.	Label	Information	Height	Diameter Ø	Material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94091110	EAN	shallow shape	50 mm	150 mm	plastic	black	pcs	10	200	400	2.400

**Plaster bowl high**

For stirring plaster and gypsum. Made of semi-flexible plastic.

Art. no.	Label	Information	Height	Diameter Ø	Material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94090110	EAN	high shape	90 mm	120 mm	plastic	black	pcs	10	300	600	3.600

Plastic plaster bowl


A plastic cylindrical container with a handle, used for mixing plaster and gypsum.



Art. no.	Label	Information	Diameter Ø	Material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94092110	EAN	cylindrical	185 mm	plastic	white	pcs	5	25	75	200

CLEANING TOOLS

Sponges and cloths for varied cleaning work.

**Viscose sponge**

To clean off dirt in renovation work. Very absorbent.



Art. no.	Label	Width / Length	Height	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
90310010	EAN	110 mm / 150 mm	35 mm	beige	pcs	5	100	300	1.200

Synthetic sponge

To clean off dirt in renovation work.



Art. no.	Label	Width / Length	Height	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
90340010	EAN	100 mm / 150 mm	50 mm	beige	pcs	10	100	100	600



Synthetic sponge DUO
To clean off dirt in renovation work. Rough side to remove paint residue, fine side to clean delicate surfaces. Angled for hard-to-reach areas.

Art. no.	Label	Width / Length	Height	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
90301010	EAN	90 mm / 150 mm	60 mm	beige	pcs	10	80	240	720



Tack cloth
Woven fabric impregnated with plastic to bind fine dust and other renovation residue. Silicone-free.

Art. no.	Label	Width / Length	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
90000110	EAN	50 cm / 80 cm	beige	pcs	10	100	300	7.000



Dust brush
Used for sweeping away dust and loose dirt during sanding and renovation work. Equipped with high-quality plastic bristles.

Art. no.	Label	Width	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
93360110	EAN	170 mm	grey	pcs	12	192	72	2.304

FILLING, PLASTERING AND FINISHING

Surfaces can often be damaged during preliminary work. The surface therefore needs to be prepared for a perfect result. High-grade smoothing trowels and flat trowels are needed for this. This is only possible with tools that keep their shape and are made of high-quality materials. The 3-component trowel meets all these requirements. Its precise aluminium back coupled with minimal gap dimensions ensure that no material accumulates between the blade and the back. Neither does this change the tension of the blade, which could cause scoring in the substrate.



SMOOTHING TROWELS

Smoothing trowels for applying and smoothing plaster and filler. Extremely flat blades, a long stem and an ergonomically shaped handle for convenient working. Plastic trowels can also be used for textured plaster and to protect the surface from metal abrasion.



Smoothing trowel, 2-component

For filling, plastering and smoothing walls, ceilings or brickwork. Rust-free stainless steel. With ergonomic 2-component handle



Art. no.	Label	Length	Width	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92121010	EAN	280 mm	130 mm	stainless steel	2-component ergo-grip	pcs	5	5	20	480



Smoothing trowel, wooden

For filling, plastering and smoothing walls, ceilings or brickwork. Rust-free stainless steel. With waxed wooden handle.



Art. no.	Label	Length	Width	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92141010	EAN	280 mm	130 mm	stainless steel	wood	pcs	5	5	20	480



**Smoothing trowel, wooden**

For filling, plastering and smoothing walls, ceilings or brickwork. Rust-free stainless steel. With painted wooden handle.

Art. no.	Label	Length	Width	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92140910	EAN	270 mm	130 mm	stainless steel	wood	pcs	5	60	180	360

**Swiss trowel**

For filling, plastering, and smoothing walls, ceilings, or masonry. Made of stainless steel with a waxed wooden handle.

Art. no.	Label	Length	Width	Blade thickness	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92150210	EAN	480 mm	130 mm	0,7 mm	stainless steel	wood	pcs	5	5	90	350

**Smoothing trowel, plastic**

Plastic blade made of robust, impact-resistant ABS plastic. Ideal for working with textured plaster.

Art. no.	Label	Length	Width	Blade thickness	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92110010	EAN	280 mm	140 mm	3 mm	plastic	plastic	pcs	5	5	50	480
92110110	EAN	280 mm	140 mm	2 mm	plastic	plastic	pcs	10	10	30	320

**Venetian smoothing trowel**

For stucco work and mineral plastering. With specifically whetted blade and rounded corners. Stainless steel blade for a long service life.

Art. no.	Label	Length	Width	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92140010	EAN	200 mm	90/80 mm	stainless steel	wood	pcs	5	60	180	480



NOTCHED TROWELS AND TOOTHED KNIVES

Toothed knives and notched trowels are ideal for the application of adhesives, reinforcing plaster or thin bed mortar. Striped application for even application without air inclusions and perfect traction with subsequent working. The teeth conform to the current TKB standard, and are specified on the container of the material being used.



Notched trowel

For the application of tile and reinforcing adhesive. To comb through the applied plastic with patch repair mortar and heavy undercoat plasters before applying the top coat of plaster. Rust-free stainless steel.



SURFACE PREPARATION

Art. no.	Label	Length	Width	Toothing	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94056610	EAN	270 mm	130 mm	6x6 mm	stainless steel	wood	pcs	5	60	180	360
94056810	EAN	270 mm	130 mm	8x8 mm	stainless steel	wood	pcs	5	60	180	360



Notched trowel

For the application of various adhesives. TKB-compliant toothing. Non-slip wooden grip, with a hole in the blade to practically hang up the trowel.



Art. no.	Label	Length	Toothing	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94011210	EAN	180 mm	A 2	steel	wood	pcs	10	100	300	2.400
94012110	EAN	180 mm	B 1	steel	wood	pcs	10	100	300	3.000
94020110	EAN	180 mm	B 2	steel	wood	pcs	10	100	300	2.500
94030110	EAN	180 mm	B 3	steel	wood	pcs	10	100	300	3.000
94040110	EAN	180 mm	C 1	steel	wood	pcs	10	100	300	2.400



Stucco trowels and knives for application and texturing when working with gypsum, plaster, filler and stripping work. A range of special shapes for specific applications. Stainless steel and wooden handles for exceptionally long service lives and ergonomic working.



Stucco trowel

Stainless steel with a wooden handle. Spot-welded joint.

Art. no.	Label	Size	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92170610	EAN	60 mm	stainless steel	wood	pcs	10	100	300	1.800
92170810	EAN	80 mm	stainless steel	wood	pcs	10	100	300	1.600
92171010	EAN	100 mm	stainless steel	wood	pcs	10	100	300	1.200



Stucco trowel

Stainless steel with a wooden handle. Spot-welded joint.

Art. no.	Label	Size	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92162610	EAN	160 mm	stainless steel	wood	pcs	10	40	120	720
92162810	EAN	180 mm	stainless steel	wood	pcs	10	60	180	480



Internal corner trowel

Special trowel for cleanly and precisely filling corners. Stainless steel with a wooden handle.

Art. no.	Label	Size	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92180010	EAN	80 x 60 x 60 mm	stainless steel	wood	pcs	10	100	300	1.200



External corner trowel

Special trowel for cleanly and precisely filling corners. Stainless steel with a wooden handle.



Art. no.	Label	Size	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92180910	EAN	80 x 60 x 60 mm	stainless steel	wood	pcs	10	100	300	1.200



Joint trowel

For fast and efficient jointing. Steel with a corrosion-proof coating and wooden handle.



Art. no.	Label	Size	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92190110	EAN	10 cm	steel	wood	pcs	10	100	300	1.800

Rounded-end trowel

For the application of mortar or plaster. Also ideal for filling, joint stripping and for sealing smaller holes. Stainless steel with a wooden handle.



Art. no.	Label	Size	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92181910	EAN	140 mm	stainless steel	wood	pcs	10	100	300	1.200



MESH TAPE



For covering cracks in drywalls. Place the self-adhesive mesh tape in an edge joint and fill.
Fine mesh for excellent stability and for connecting edge joint-mesh tape-filler.



Self-adhesive mesh tape
Prevents cracks in the joint of plasterboards and covers butt edges. For subsequent filling and sanding.

Art. no.	Label	Width / Length	Colour	Type of adhesive	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
501555001	Bulk	48 mm / 20 m	white	acrylate	roll	60	60	180	1.440
501560001	Bulk	48 mm / 90 m	white	acrylate	roll	24	24	72	480

FLOATS



Floats for smoothing and finishing freshly applied plaster and screed. Smoothing the plaster produces an even surface and improved strength. They can be used with textured plasters and fine finishing plasters as well as felt plaster.



PU float
For smoothing and finishing freshly applied and dried plaster or screed.

Art. no.	Label	Length	Width	Handle material	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92402810	EAN	280 mm	140 mm	plastic	PU, foam	pcs	5	5	120	315

Foam rubber float

For grouting after tiling.



Art. no.	Label	Length	Width	Float thickness	Handle material	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92214010	EAN	280 mm	140 mm	9 mm	plastic	foam rubber	pcs	5	20	60	240

Sponge rubber float

For smoothing and spreading all kinds of plaster.



Art. no.	Label	Length	Width	Float thickness	Handle material	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92414010	EAN	280 mm	140 mm	18 mm	plastic	sponge rubber	pcs	5	20	60	240

Hydro Sponge float

For cleaning the surfaces of tiles and removing excess grout.



Art. no.	Label	Information	Length	Width	Float thickness	Handle material	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
92254010	EAN	rasterized	280 mm	140 mm	30 mm	plastic	hydro sponge	pcs	5	20	60	200

DAABC RPMU

SURFACE PREPARATION



A wide range of facade trowels for skimming and smoothing after application with a trowel. Rounded corners ensure no visible overlaps, various blade thicknesses for the sharp-edged skimming of plaster or fine smoothing of lightweight plaster and wall fillers




Facade trowel, 3-component
For smoothing plaster and filler. Specially rounded corners guarantee no visible overlaps. Stainless steel with a 3-component handle and aluminium back.

Art. no.	Label	Width	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
91346010	EAN	600 mm	stainless steel	3-component	pcs	5	30	30	120



Facade trowel
For smoothing plaster and filler. Specially rounded corners guarantee no visible overlaps. Stainless steel with a 2-component handle and aluminium back.

Art. no.	Label	Width	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
91382510	EAN	250 mm	stainless steel	2-component ergo-grip	pcs	5	60	180	720



Wooden facade trowel
For smoothing plaster and filler. Steel with a plywood handle.

Art. no.	Label	Width	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
91354010	EAN	400 mm	steel	plywood	pcs	10	10	30	700
91356010	EAN	600 mm	steel	plywood	pcs	10	10	30	460

Facade trowel

For smoothing plaster and filler. Stainless steel with a plywood handle



Art. no.	Label	Width	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
91394010	EAN	400 mm	stainless steel	plywood	pcs	10	10	180	700

**Square trowel**

For filling and smoothing plasters and fillers. Made of stainless steel, with a flexible blade and plastic handle.



Art. no.	Label	Width	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
91021610	EAN	160 mm	stainless steel	plastic	pcs	5	50	150	1.200
91022010	EAN	200 mm	stainless steel	plastic	pcs	5	50	150	900

**CAULKING GUNS**

Caulking guns for use with cartridges and pouches. Various thrust ratios for use with a range of different viscosities. Some models feature a flow stop for brief interruptions to work. Long lever for ease of pressing.

**Professional caulking gun**

Sealed with an aluminium body for use with cartridges and pouches, includes pressing plate and hose nozzle.



Art. no.	Label	Capacity	Thrust ratio	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
305701001	Bulk	310 ml	12:1	aluminium	pcs	6	6	72	180
305702001	Bulk	400 ml	12:1	aluminium	pcs	6	6	72	240
305703001	Bulk	600 ml	12:1	aluminium	pcs	6	6	72	120



Professional caulking gun, semi-open

Semi-open design with 360° rotatable metal housing. Suitable for use with almost all materials. Extremely lightweight trigger behaviour, good compressive strength with extra-long lever.

Art. no.	Label	Capacity	Thrust ratio	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94105010	EAN	310 ml	12 : 1	steel	pcs	6	24	72	288



Professional skeleton caulking gun, semi-open

Open design with 360° rotatable metal housing. Also suitable for use with viscous materials, such as adhesives and sealants. Very easy to press, thanks to strong pushing wedge and extra-long lever. Manual flow stop and large round hook to hang it up when not in use.

Art. no.	Label	Capacity	Thrust ratio	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
305711001	Bulk	310 ml	7:1	steel	pcs	12	12	36	384



Caulking gun, galvanised half-shell

Traditional robust metal caulking gun. For viscous materials, like silicone, adhesive or acrylic. Very high force transfer by means of toothed push rod.

Art. no.	Label	Information	Capacity	Thrust ratio	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94108010	EAN	toothed push rod	310 ml	4:1	galvanized steel	pcs	6	18	54	360



Caulking gun, half-shell

For viscous materials, like silicone or acrylic.

Art. no.	Label	Information	Capacity	Thrust ratio	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94101010	EAN		310 ml	6 : 1	steel	pcs	12	12	36	480
94102010	EAN	toothed push rod	310 ml	6 : 1	steel	pcs	12	12	36	480

Professional skeleton caulking gun

For viscous materials, like silicone, adhesive or acrylic. Particularly robust cartridge with a long service life.



Art.no.	Label	Capacity	Thrust ratio	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
305750000	Bulk	310 ml	7:1	steel	pcs	25	25	75	600

Caulking gun, skeleton robust quality

For viscous materials, like silicone or acrylic.



Art.no.	Label	Capacity	Thrust ratio	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
305751001	Bulk	310 ml	5:1	steel	pcs	24	24	72	864

Caulking gun, skeleton standard quality

For viscous materials, like silicone or acrylic.



Art.no.	Label	Capacity	Thrust ratio	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94104010	EAN	310 ml	5 : 1	steel	pcs	6	24	72	576

The right tool. For every stage. And for speed.

Is wallpapering just wallpapering? Not at all! Wallpapering means measuring.

Covering. Masking. Removal of the old wallpaper. Cleaning. Filling. Sanding. Pasting. Hanging. Pressing. Cutting.

The WESTEX range always offers the right tool. For every stage. Decorating tools to take you forward. Step by step. And at speed. Highlight products to look at and grab for reliability, precision and attention.



WALLPAPERING. CUTTING.

Wallpapering Tools	64
Snap-off Blade Knives and Blades	68
Multi-purpose Knives and Blades	71

WORKING WITH WALLPAPER AND FLOOR COVERINGS



A wide range of snap-off blade and multi-purpose knives and the right wallpapering tools are key when working with nonwoven wall coverings, wallpaper and other wall coverings. Completely removing old wall coverings without leaving residue, and truing the new wall coverings requires high-quality special tools.

WALLPAPERING TOOLS



Professional porcupine perforators and scrapers to remove old wallpaper, pasting machines and scissors for preparing the new wall coverings, and high-quality pressing tools: wallpapering tools are essential for the production of high-quality wall coverings.



Telescopic spiked roller
For scoring and perforating wallpaper. Extendible spiked wallpaper roller with hardened nails and telescopic aluminium rod.

Art. no.	Label	Information	Width	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95813010	EAN	extendible from 50 cm - 98 cm	15 cm	aluminium	plastic	pcs	3	24	72	144



Wallpaper and floor scraper
For the removal of persistant residue on walls and floors.

Art. no.	Label	Information	Length	Width	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
304610000	Bulk		30 cm	10 cm	pcs	20	100	300	1.200
304650000	Bulk	spare blades, 10x in a dispenser		10 cm	BOX	20	200	600	10.800

Pasting machine

To apply different layer thicknesses of wallpaper paste. Efficient handling of wallpaper lengths up to 60 cm wide. Stainless steel housing with roller holder.



Art. no.	Label	Size	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95910015	EAN	60 cm	stainless steel	pcs	3	3	9	33

Cutting ruler

For razor-sharp and precise cutting of wallpaper lengths. Corrosion-proof.



Art. no.	Label	Width	Handle material	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95830010	EAN	60 cm	plastic	stainless steel	pcs	10	80	240	1.200

Plastic smoother, flexible

For pressing wallpaper after pasting. Also for use with fibreglass or vinyl wallpaper.



Art. no.	Label	Size	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95881010	EAN	28 cm	plastic	pcs	12	60	0	1.440

Plastic smoother, rigid

For pressing wallpaper after pasting. Also for use with fibreglass or vinyl wallpaper.



Art. no.	Label	Size	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95885010	EAN	23 cm	plastic	pcs	10	200	200	7.200

**Wallpaper smoothing roller, PU foam**

For pressing on wallpaper after pasting and paper, embossed and woodchip wall coverings.

Art. no.	Label	Width	Handle material	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95870010	EAN	15 cm	1-component	PU, foamed	pcs	5	50	150	800

**PU foam seam roller**

For pressing on wallpaper after pasting and paper, embossed and woodchip wall coverings.

Art. no.	Label	Width	Handle material	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95860110	EAN	4,5 cm	1-component	PU, foamed	pcs	10	250	750	3.000

**Barrel seam roller**

For pressing the seams of non-pressure-sensitive coverings such as fiberglass wallpaper, PVC coverings, etc.

Art. no.	Label	Information	Width	Handle material	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95875010	EAN	grooved	4,5 cm	1-component	plastic	pcs	10	100	300	1.600

**Tapered roller**

For pressing the seams of non-pressure-sensitive coverings such as fiberglass wallpaper, PVC coverings, etc.

Art. no.	Label	Information	Width	Handle material	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95860010	EAN	conical	3,5 cm	1-component	plastic	pcs	10	200	600	1.600

Wallpapering brush, wooden

For pressing wallpaper after pasting. For use with all types of wall coverings. With punched nylon bristles and a wooden handle.



Art. no.	Label	Length	Width	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95890010	EAN	300 mm	25 mm	wood	pcs	12	72	72	576

Wallpapering brush, synthetic fibers with beard

For pressing wallpaper after pasting. For use with all types of wall coverings.



Art. no.	Label	Length	Breite	Handle material	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95891010	EAN	300 mm	25 mm	wood	nylon	pcs	10	40	120	720

Optima professional wallpaper scissors

Extra-strong and screwed stainless steel blade. Super-flat cutting action. Also suitable for left-handed use.



Art. no.	Label	Information	Size	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95842710	EAN	rust-free	28 cm	stainless steel	plastic	pcs	12	120	360	1.440

Standard wallpaper scissors

For cutting materials. Stable, riveted blade and stainless steel blade.



Art. no.	Label	Information	Size	Material	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95841510	EAN	rust-free	28 cm	stainless steel	plastic	pcs	6	120	360	1.440



Snap-off knife for universal use in all renovation work. With metal or plastic blade guide for precise cutting and for easy breaking of the marked blade segments.
With automatic stop and blade locking depending on the model.



Snap-off knife, die-cast aluminium

Stable aluminium housing. Automatic blade engagement and locking, with stable metal guide.

Art. no.	Label	Information	Blade width	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95652010	EAN	with metal guide	18 mm	die-cast aluminium	pcs	24	120	360	4.800



Snap-off knife, 2-component

Stable aluminium housing. Automatic blade engagement and locking, with stable metal guide.

Art. no.	Label	Information	Blade width	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95651010	EAN	with metal guide	18 mm	2-component ergo-grip	pcs	24	192	576	4.032



Snap-off knife

Stable aluminium housing. Blade is locked by a knob for individual adjustment, with stable metal guide.

Art. no.	Label	Information	Blade width	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95650010	EAN	with metal guide	18 mm	plastic	pcs	24	120	576	3.840

Snap-off knife, plastic

With stable housing and metal guide.



Art. no.	Label	Information	Blade width	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95653810	EAN	with metal guide	18 mm	plastic	pcs	24	192	576	3.840

Snap-off knife

Standard snap-off knife, plastic, with metal guide.



Art. no.	Label	Information	Blade width	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95690010	EAN	with metal guide	18 mm	plastic	pcs	24	192	576	5.184

Snap-off knife

Standard snap-off knife, plastic, with metal guide. Supplied in a polythene bag.




Art. no.	Label	Information	Blade width	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95611010	EAN	with metal guide	9 mm	plastic	pcs	24	480	480	15.360

Snap-off knife

Standard snap-off knife, plastic, without metal guide.



Art. no.	Label	Information	Blade width	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95620010	EAN	without metal guide	18 mm	plastic	pcs	48	384	384	8.064




Premium Snap-off Blades

Premium snap-off blades with specially hardened edges and yellow titanium nitride (TiN) coating for very high durability and maximum sharpness. 3-sided grinding geometry for long-lasting use. Comes in a safety dispenser and practical counter display.

NEW!

Art. no.	Label	Information	Blade width	Blade thickness	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
306810000	Bulk	10x in a dispenser	18 mm	0,5 mm	BOX	100	100	300	6.000



Professional snap-off blades

High-quality snap-off blades with double special finish. Durable and extra-sharp blades with High durability for all difficult jobs. Supplied in a handy safety dispenser.

Art. no.	Label	Information	Blade width	Blade thickness	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
306801000	Bulk	10x in a dispenser	18 mm	0,5 mm	BOX	160	160	480	13.440



BlackLine snap-off blades

Premium snap-off blades with an extra-sharp special finish and black special coating. Very long tool life, thanks to sharpening geometry for difficult jobs. Supplied in a safety dispenser and practical counter display

Art. no.	Label	Information	Blade width	Blade thickness	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95681810	EAN	10x in a dispenser	18 mm	0,4 mm	BOX	20	160	160	15.360




Snap-off blades standard 18 mm

Standard snap-off blades in a holder

Art. no.	Label	Information	Blade width	Blade thickness	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
306835000	Bulk	10x in a dispenser	18 mm	0,4 mm	BOX	200	200	600	9.600

Snap-off blades standard 9 mm

Standard snap-off blades in a holder.



Art. no.	Label	Information	Blade width	Blade thickness	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
306825000	Bulk	10x in a dispenser	9 mm	0,4 mm	BOX	600	600	1.800	45.600

MULTI-PURPOSE KNIVES & BLADES

Particularly robust, multi-purpose knives for cutting heavy, thick materials, like carpets, PVC flooring or pond liners. Different blade geometries for different applications. Equipped with trapezoidal blade as standard.

**Magazine combined 3 in 1 knife**

3 in 1 carpet knife, cable cutter and safety knife. Stable housing with non-slip surface. Precise blade guidance by metal slide. Quick tool-free blade change at the press of a button at the tip. Blade magazine for up to 3 trapezoidal blades. Not suitable for hook blades.



WORKING WITH WALLPAPER AND FLOOR COVERINGS

Art. no.	Label	Information	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
306718000	Bulk	including 3 trapezoidal blades	pcs	20	60	180	3.240

Professional trapezoidal blades

To cut paper, PVC flooring and lightweight carpets. 0.65 mm blade thickness.



Art. no.	Label	Information	Blade thickness	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
306301000	Bulk	10x in a dispenser	0,65 mm	BOX	100	100	300	20.000

**Professional hook blades**

To cut heavyweight carpets and materials. 0.65 mm blade thickness.

Art. no.	Label	Information	Blade thickness	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
306351000	Bulk	10x in a dispenser	0,65 mm	BOX	10	100	300	20.000

Blade compatibility	306718000	95652010	95651010	95650010	95653810	95690010	95611010	95620010
306810000		✓	✓	✓	✓	✓		✓
306801000		✓	✓	✓	✓	✓		✓
95681810		✓	✓	✓	✓	✓		✓
306835000		✓	✓	✓	✓	✓		✓
306825000							✓	
306301000		✓						
306351000								





Brush innovations. State of the art.

Our development teams are always where it's at. With filament manufacturers. With the paint industry. With painters and decorators. The findings from these dialogues are incorporated in our innovations. In terms of material, ergonomics, feel and design.

The result: state of the art brush technology. WESTEX brushes are precisely tailored to the respective application. For a professional result. With any material.

For example our paint brushes: the latest generation of paints are VOC-compliant. Our AquaTex paint brushes are designed for this purpose. They work perfectly with the paint. And the finish is also right. Perfectly.

And something else needs to be right. The price. The WESTEX product range therefore always offers products in the opening price sector.



BRUSHES.

For all paints	76
For glazes and wood protection	82
Special Applications	91

THIN-FLOWING LACQUERS AND OILS



A high-quality brush painting has always been the greatest challenge in the coating sector. Achieving a successful paint job requires the perfect coordination of tools and paint, as well as the highest processing quality, and is ultimately supported by the experience of the applicator. The new AQUATEX brush series combines all these components and is especially the first choice for fast-drying, water-based paints. This is because it is crucial to achieve a fine surface result with the first stroke, as the paint cannot flow sufficiently into itself due to the short drying time. This series ensures professional quality with particularly high processing quality and selected components.

AQUATEX



Premium painting brush. Featuring extremely soft, tapered synthetic bristles with an ultra-fine tip. High filament volume for extremely high paint absorption. Optimally controlled paint release, especially for low-viscosity, water-based paints that benefit from the finest paint application due to their fast drying time. Produces a streak-free surface finish.



Flat brush AquaTex white

With a swell-resistant premium plastic ferrule and an unpainted hardwood handle. Excellent for all water-based paints. Ensures optimally controlled paint release and the finest surface finish.

WALL PAINTS	WATER-BASED PAINTS	SOLVENT-BASED PAINTS	WOOD STAINS AND WAXES
-	✓	-	✓

Art. no.	Label	Bristle length	Thickness	Width	Fastening	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
810330000	Bulk	44 mm	18 mm	30 mm	fully glued	hardwood	PA-ferrule	pcs	24	192	192	5.184
810340000	Bulk	47 mm	19 mm	40 mm	fully glued	hardwood	PA-ferrule	pcs	24	192	192	4.032
810350000	Bulk	52 mm	20 mm	50 mm	fully glued	hardwood	PA-ferrule	pcs	24	144	144	3.456
810360000	Bulk	55 mm	21 mm	60 mm	fully glued	hardwood	PA-ferrule	pcs	24	192	192	2.304



Sash brush AquaTex white

With tapered bristles, a rust-resistant ferrule, and an unpainted hardwood handle. Ideal for applying water-based paints on muntins and slats. Perfect for trimming work on window frames and door jambs.

WALL PAINTS	WATER-BASED PAINTS	SOLVENT-BASED PAINTS	WOOD STAINS AND WAXES
-	✓	-	✓

Art. no.	Label	Bristle length	Thickness	Diameter Ø	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
833321000	Bulk	58 mm	21 mm	21 mm	hardwood	corrosion-resistant ferrule	pcs	24	240	240	4.320
833325000	Bulk	64 mm	25 mm	25 mm	hardwood	corrosion-resistant ferrule	pcs	24	192	192	2.304

SOLIDPRO L

NEW!

New development! High-quality 100% synthetic bristle mix. Very stable bristles with fine tips that ensure a very fine surface finish. Optimal paint release. Particularly easy to clean. Soft bristles, making them excellent for applying the latest generation of water-based paints. Oils and low-viscosity solvent-based paints can also be processed excellently. The SolidPro L = Long bristle.



NEW!

SolidPro L - Flat brush
With a rust-resistant ferrule and unpainted hardwood handle. Suitable for trimming work on wall edges such as windows and doors, as well as touch-up work.



WATER-BASED PAINTS	SOLVENT-BASED PAINTS	WOOD PROTECTION	2-COMPONENT COATINGS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Fastening	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
814130000	Bulk	51 mm	14 mm	30 mm	stapled	hardwood	corrosion-resistant ferrule	pcs	12	288	288	5.184
814140000	Bulk	57 mm	15 mm	40 mm	stapled	hardwood	corrosion-resistant ferrule	pcs	12	216	216	3.456
814150000	Bulk	64 mm	16 mm	50 mm	stapled	hardwood	corrosion-resistant ferrule	pcs	12	216	216	3.456
814160000	Bulk	64 mm	17 mm	60 mm	stapled	hardwood	corrosion-resistant ferrule	pcs	12	144	144	2.592
814180000	Bulk	70 mm	18 mm	80 mm	stapled	hardwood	corrosion-resistant ferrule	pcs	12	144	144	1.440

NEW!

SolidPro L - Corner brush
With a rust-resistant, curved ferrule and unpainted hardwood handle. Perfect for work in difficult areas such as edges, corners, wall ends, or narrow niches.



WATER-BASED PAINTS	SOLVENT-BASED PAINTS	WOOD PROTECTION	2-COMPONENT COATINGS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Fastening	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
818725000	Bulk	44 mm	9 mm	25 mm	stapled	hardwood	corrosion-resistant ferrule	pcs	12	420	420	1.680
818735000	Bulk	51 mm	9 mm	35 mm	stapled	hardwood	corrosion-resistant ferrule	pcs	12	240	240	2.880
818750000	Bulk	57 mm	9 mm	50 mm	stapled	hardwood	corrosion-resistant ferrule	pcs	12	192	192	2.304
818760000	Bulk	64 mm	9 mm	60 mm	stapled	hardwood	corrosion-resistant ferrule	pcs	12	240	240	1.920

FOR ALL PAINTS




Ring brush SolidPro L blue-white
With double thread binding, domed brush head, and unpainted hardwood handle. Provides the best brush control, making it suitable for trimming work on windows and doors.

NEW!

WATER-BASED PAINTS	SOLVENT-BASED PAINTS	WOOD PROTECTION	2-COMPONENT COATINGS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Size	Handle material	Ferrule material	Thread dressing	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
834702000	Bulk	57 mm	19 mm	2	hardwood	nickle-plated capsule	double	pcs	6	288	288	5.184
834704000	Bulk	64 mm	24 mm	4	hardwood	nickle-plated capsule	double	pcs	6	330	330	7.920
834706000	Bulk	70 mm	29 mm	6	hardwood	nickle-plated capsule	double	pcs	6	192	192	3.456
834708000	Bulk	76 mm	34 mm	8	hardwood	nickle-plated capsule	double	pcs	6	96	96	2.304

REASONS TO USE THE SOLIDPRO L ROUND BRUSH



Unpainted hardwood handle
Improved grip especially for longer painting jobs.

Double thread bandage
Can be shortened individually to make the bristles softer, just as needed.

Stainless metal ferule
Perfect in combination with water-based paints:

SolidPro bristle L
Premium pure synthetic bristle mix with extra fine tips to ensure a perfect finish. The soft bristle remains stable over time and is perfectly suitable for all water-based paints & lacquers

WALL-, CEILING-, AND FACADE PAINTS AS WELL AS MORE VISCOUS PAINT(SYSTEMS)

For priming work with wall, ceiling, and facade paints, the choice usually still falls on a brush. This is also true when it comes to painting behind radiators or at roof and wall junctions. For this purpose, bristles that are somewhat stiffer but still ensure a fine paint finish are particularly suitable. With such a type of bristle, excellent results can also be achieved with viscous paint (systems).



SOLIDPRO M

NEW!

New development! High-quality 100% synthetic bristle mix. Very stable bristles with fine tips that ensure a very fine surface finish. Optimal paint exchange and easy cleaning. Stiffer bristles, making them excellent for dispersions as well as medium to high viscosity solvent-based paints, epoxy resin, PU, and 2K paints. The SolidPro M = Medium long bristle.



NEW!


SolidPro flat brush M black
With a rust-resistant ferrule and unpainted wooden handle. For trimming work on wall edges such as windows and doors, as well as repair work.



WALL PAINTS	SOLVENT-BASED PAINTS	EXTERIOR PAINTS	EPOXY & PU-COATINGS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
811320000	Bulk	38 mm	14 mm	20 mm	hardwood	corrosion-resistant ferrule	pcs	12	288	360	5.184
811330000	Bulk	44 mm	14 mm	30 mm	hardwood	corrosion-resistant ferrule	pcs	12	444	444	5.328
811340000	Bulk	51 mm	15 mm	40 mm	hardwood	corrosion-resistant ferrule	pcs	12	204	204	4.080
811350000	Bulk	57 mm	16 mm	50 mm	hardwood	corrosion-resistant ferrule	pcs	12	216	216	3.456
811360000	Bulk	57 mm	17 mm	60 mm	hardwood	corrosion-resistant ferrule	pcs	12	120	120	2.400
811380000	Bulk	63 mm	18 mm	80 mm	hardwood	corrosion-resistant ferrule	pcs	12	108	108	1.728


FOR ALL PAINTS



SolidPro radiator brush M black
With a rust-resistant, curved ferrule. Perfect for working in difficult areas such as edges, corners, wall finishes, or narrow niches. Also suitable for both thin and thick wood stains.

NEW!


WALL PAINTS		SOLVENT-BASED PAINTS		EXTERIOR PAINTS		EPOXY& PU-COATINGS						
✓		✓		✓		✓						
Art. no.	Label	Bristle length	Thickness	Width	Fastening	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
816825000	Bulk	44 mm	10 mm	25 mm	stapled	softwood	corrosion-resistant ferrule	pcs	12	192	240	3.072
816840000	Bulk	49 mm	11 mm	40 mm	stapled	softwood	corrosion-resistant ferrule	pcs	12	240	240	2.880
816850000	Bulk	49 mm	11 mm	50 mm	stapled	softwood	corrosion-resistant ferrule	pcs	12	192	192	2.304
816865000	Bulk	57 mm	12 mm	65 mm	stapled	softwood	corrosion-resistant ferrule	pcs	12	108	108	1.296
816875000	Bulk	61 mm	12 mm	75 mm	stapled	softwood	corrosion-resistant ferrule	pcs	12	108	108	1.296



SolidPro facade brush M black
With a rust-resistant ferrule and a curved, unpainted hardwood handle. For trimming work on roof and wall edges. For applying wall, ceiling, and facade paints.

NEW!

WALL PAINTS		SOLVENT-BASED PAINTS		EXTERIOR PAINTS		EPOXY& PU-COATINGS					
✓		✓		✓		✓					
Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
817150000	Bulk	57 mm	13 mm	50 mm	hardwood	corrosion-resistant ferrule	pcs	12	120	120	1.440
817180000	Bulk	63 mm	17 mm	80 mm	hardwood	corrosion-resistant ferrule	pcs	6	90	72	720



SolidPro round brush black
With double thread binding, domed brush head, and unpainted hardwood handle. Best brush control possible, ideal for trimming at wall edges such as windows and doors.

NEW!

WALL PAINTS		SOLVENT-BASED PAINTS		EXTERIOR PAINTS		EPOXY& PU-COATINGS						
✓		✓		✓		✓						
Art. no.	Label	Bristle length	Thickness	Size	Handle material	Ferrule material	Thread dressing	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
830402000	Bulk	57 mm	19 mm	2	hardwood	nickle-plated capsule	double	pcs	12	432	804	7.776
830404000	Bulk	64 mm	24 mm	4	hardwood	nickle-plated capsule	double	pcs	12	300	672	5.400
830406000	Bulk	70 mm	29 mm	6	hardwood	nickle-plated capsule	double	pcs	12	144	480	4.320
830408000	Bulk	76 mm	34 mm	8	hardwood	nickle-plated capsule	double	pcs	12	144	336	3.456
830410000	Bulk	76 mm	39 mm	10	hardwood	nickle-plated capsule	double	pcs	12	96	216	2.304

NEW!

SolidPro M - Block brush

With a rust-resistant clamp, hardwood body and handle, and metal bucket hook. Suitable for working on medium-sized areas.



WALL PAINTS	SOLVENT-BASED PAINTS	EXTERIOR PAINTS	EPOXY & PU-COATINGS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
836010000	Bulk	57 mm	30 mm	100 mm	hardwood	corrosion-resistant ferrule	pcs	6	60	48	1.080
836012000	Bulk	57 mm	30 mm	120 mm	hardwood	corrosion-resistant ferrule	pcs	6	48	48	864

REASONS TO TAKE THE BLOCK BRUSH SOLIDPRO M

Unpainted hardwood handle
Improved grip especially for longer painting jobs.

Stainless metal ferule
Extra-long lasting without corrosion.

Stainless paint bucket clip
Extra-long lasting without corrosion.

SolidPro-Bristle M
Premium pure synthetic bristle mix with extra fine tips to ensure a perfect finish. The stiff bristle remains stable over time and is perfectly suitable for e.g. 2K coating and PU Coating

FOR PAINTS

STAINS, WOOD OILS AND WAXES



In the area of water- and solvent-based stains, especially for low to medium viscosity materials, there is a requirement for bristle systems which are able to pick up and evenly distribute these materials without dripping.

MONTEX



A mix of selected, double-boiled natural bristles with synthetic fibers. The synthetic fibers give stability to the natural bristles. The bristles retain even high-viscosity materials and gradually release them. This makes them ideal for use with thin-coat glazes. Also suitable for consistent working with thixotropic gels and thick-coat glazes.



MonTex flat brush, brown

With corrosion-resistant ferrule and unvarnished wooden handle. Ideal for fluid materials, such as glazes and wood stains, but also for thixotropic and gel-like paints. Even application to wood surfaces is possible.

WOOD PRIMERS	WOOD OILS	WOOD STAINS	WOOD GLAZES AND WAXES
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
81463010	EAN	51 mm	13 mm	30 mm	plastic	corrosion-resistant ferrule	pcs	48	432	432	6.912
81465010	EAN	51 mm	16 mm	50 mm	plastic	corrosion-resistant ferrule	pcs	24	216	216	3.888
81467010	EAN	51 mm	17 mm	70 mm	plastic	corrosion-resistant ferrule	pcs	24	156	156	2.496



MonTex wall brush, brown

With corrosion-resistant ferrule, plastic body, hardwood handle and bucket hook. Ideal for fluid materials, such as glazes and wood stains, but also for thixotropic and gel-like paints. Even application to wood surfaces is possible.

WOOD PRIMERS	WOOD OILS	WOOD STAINS	WOOD GLAZES AND WAXES
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
830812000	Bulk	57 mm	30 mm	120 mm	hardwood	corrosion-resistant ferrule	pcs	6	48	48	864

PROFESSIONAL INDUSTRIAL APPLICATIONS

Industrial coatings increase the lifespan of objects or components. When professional standards need to be met in this area, brushes that equally fulfill quality, durability, and surface finish are required. This is especially true when objects are visible, such as door and gate systems or stair and floor coatings. For demanding industrial applications, SolidPro bristles, as well as Synthex and NaturalMix bristles, are suitable.



SYNTHEX

NEW!

A pure synthetic bristle blend that creates a uniform surface on various substrates and components due to its tapered bristle shape.



NEW!

Synthex flat brush beige

With a corrosion-resistant ferrule and unpainted wooden handle. For trimming work on wall edges such as windows and doors, as well as repair work.



ACRYLIC-/PU-COATS	COATINGS	EPOXY RESINS	2-COMPONENT COATINGS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
813830000	Bulk	44 mm	14 mm	25 mm	softwood	corrosion-resistant ferrule	pcs	12	288	300	5.184
813840000	Bulk	51 mm	15 mm	35 mm	softwood	corrosion-resistant ferrule	pcs	12	216	300	3.456
813850000	Bulk	57 mm	16 mm	50 mm	softwood	corrosion-resistant ferrule	pcs	12	216	216	3.456
813860000	Bulk	57 mm	17 mm	60 mm	softwood	corrosion-resistant ferrule	pcs	12	144	144	2.592
813870000	Bulk	63 mm	18 mm	70 mm	softwood	corrosion-resistant ferrule	pcs	12	168	144	2.016

NEW!

Synthex corner brush beige

With a corrosion-resistant, curved ferrule. Perfect for working in difficult areas such as edges, corners, or narrow niches.



EPOXY RESINS	ACRYLIC-/PU-COATS	COATINGS	2-COMPONENT COATINGS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
818825000	Bulk	44 mm	10 mm	25 mm	softwood	corrosion-resistant ferrule	pcs	30	192	30	3.072
818835000	Bulk	49 mm	11 mm	35 mm	softwood	corrosion-resistant ferrule	pcs	12	240	240	2.880
818850000	Bulk	49 mm	11 mm	50 mm	softwood	corrosion-resistant ferrule	pcs	12	192	240	2.304
818865000	Bulk	56 mm	12 mm	65 mm	softwood	corrosion-resistant ferrule	pcs	12	192	192	2.304
818875000	Bulk	61 mm	12 mm	75 mm	softwood	corrosion-resistant ferrule	pcs	12	108	108	1.296



XL-facade brush beige
With a corrosion-resistant ferrule and an unpainted, extra-long 80 cm wooden handle. For trimming work on roof and wall edges at high working heights. For applying wall, ceiling, and facade paints.

WALL PAINTS	LATEX-PAINTS	EXTERIOR PAINTS	SILICATE/SILICONE RESIN PAINTS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
81757510	EAN	63 mm	16 mm	80 mm	softwood	corrosion-resistant steel	pcs	6	72	72	288

NATURAL MIX



Bristle mix made from twice-boiled natural bristles stabilized with high-quality synthetic bristles. This ensures good paint exchange and contributes to efficiency. The bristles remain shape-stable even with tough materials, making them particularly suitable for special and industrial applications.



Natural Mix radiator brush beige
With corrosion-resistant, angled ferrule and long, unvarnished wooden handle. Perfect for working in difficult areas, such as edges, corners or narrow recesses.

RUST PROTECTION PAINTS	ACRYLIC-/PU-COATS	EPOXY RESINS	2-COMPONENT COATINGS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Fastening	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
818525000	Bulk	44 mm	9 mm	25 mm	stapled	softwood	corrosion-resistant ferrule	pcs	12	192	192	1.920
818535000	Bulk	44 mm	9 mm	35 mm	stapled	softwood	corrosion-resistant ferrule	pcs	12	336	336	4.032
818550000	Bulk	51 mm	9 mm	50 mm	stapled	softwood	corrosion-resistant ferrule	pcs	12	240	240	2.880
818560000	Bulk	51 mm	9 mm	60 mm	stapled	softwood	corrosion-resistant ferrule	pcs	12	240	192	1.920
818575000	Bulk	51 mm	9 mm	75 mm	stapled	softwood	corrosion-resistant ferrule	pcs	12	240	240	1.920

FOR INDUSTRIAL APPLICATIONS

Natural Mix recess/striker brush beige

Very suitable for hard-to-access places due to its angled shape. Ergonomic working with liberal material application in recesses, corners, edges. Ultra-robust. Suitable for all industrial coatings and emulsion paints.



RUST PROTECTION PAINTS	ACRYLIC-/PU-COATS	EPOXY RESINS	2-COMPONENT COATINGS
✓	✓	✓	✓

Art. no.	Label	Information	Bristle length	Diameter Ø	Size	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
819908000	Bulk		45 mm	30 mm	8	hardwood	nickel-plated ferrule	pcs	20	200	200	5.600
819910000	Bulk		48 mm	40 mm	10	hardwood	nickel-plated ferrule	pcs	20	160	160	4.320
819912000	Bulk		48 mm	45 mm	12	hardwood	nickel-plated ferrule	pcs	20	120	120	3.600
819999000	Bulk	Handle for striker brush, 38 cm				hardwood		pcs	20	200	200	2.400

ONE HANDLE - 3 POSSIBILITIES - OVER AND OVER AGAIN

Easy to exchange


Screw connection for an easy exchange of changing of the brush head.

Unpainted hardwood handle

Improved grip especially for longer painting jobs.

Cranked and compact shape

For an improved control of the paint release, ideal for corners and edges.



INDUSTRIAL AND SINGLE-USE APPLICATIONS BASIC



In the industrial sector, besides demanding coatings, there are many applications where the primary goal is to apply material to an object or component, such as greasing or sealing it, without any requirement for a high-quality finish. Often, materials are used that cause the bristles to stick together or harden, resulting in a short lifespan for the brush. Similarly, in the painting sector, brushes are needed for the simplest renovation tasks where the finish is not of high importance.

NATURAL60



Pure natural bristle, once boiled, 60% tops. Ideal for solvent-based paints, coatings, emulsions, and latex paints. Less suitable for water-soluble acrylic paints as natural bristles swell. Not suitable for fat-dissolving and alkaline materials.



Natural60 flat brush beige

In 6th grade with tin-plated clamp and plastic handle. For simple renovation work and industrial applications.

NEW!

SOLVENT-BASED COATINGS	GLUE	FATS AND OILS	2-COMPONENT COATINGS
✓	✓	✓	-

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
812930000	Bulk	38 mm	11 mm	30 mm	plastic	tin plate ferrule	pcs	12	432	432	6.912
812940000	Bulk	38 mm	12 mm	40 mm	plastic	tin plate ferrule	pcs	12	312	312	5.616
812950000	Bulk	44 mm	13 mm	50 mm	plastic	tin plate ferrule	pcs	12	252	252	4.032
812960000	Bulk	44 mm	15 mm	60 mm	plastic	tin plate ferrule	pcs	12	240	240	2.880



Natural60 radiator brush grey

With a tin-plated ferrule and an unpainted wooden handle. Suitable for simple renovation work and industrial applications.

NEW!

SOLVENT-BASED COATINGS	GLUE	FATS AND OILS	2-COMPONENT COATINGS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
818425000	Bulk	38 mm	9 mm	25 mm	softwood	tin plate ferrule	pcs	12	384	384	4.608
818435000	Bulk	38 mm	9 mm	35 mm	softwood	tin plate ferrule	pcs	12	240	240	4.320
818450000	Bulk	45 mm	9 mm	50 mm	softwood	tin plate ferrule	pcs	12	180	180	3.240
818460000	Bulk	45 mm	9 mm	60 mm	softwood	tin plate ferrule	pcs	12	108	108	2.592
818475000	Bulk	51 mm	9 mm	75 mm	softwood	tin plate ferrule	pcs	12	72	72	1.728

NEW!

Natural60 radiator brush beige

With a tin-plated ferrule and an unpainted wooden handle. Suitable for simple renovation work and industrial applications.



SOLVENT-BASED COATINGS	GLUE	FATS AND OILS	2-COMPONENT COATINGS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
818325000	Bulk	38 mm	9 mm	25 mm	softwood	tin plate ferrule	pcs	12	384	384	4.608
818335000	Bulk	38 mm	9 mm	35 mm	softwood	tin plate ferrule	pcs	12	240	240	4.320
818350000	Bulk	45 mm	9 mm	50 mm	softwood	tin plate ferrule	pcs	12	180	180	3.240
818360000	Bulk	45 mm	9 mm	60 mm	softwood	tin plate ferrule	pcs	12	108	108	2.592
818375000	Bulk	51 mm	9 mm	75 mm	softwood	tin plate ferrule	pcs	12	72	72	1.728

Natural60 round brush beige

With a plastic ferrule and an unpainted wooden handle. Suitable for simple renovation work and industrial applications.



SOLVENT-BASED COATINGS	GLUE	FATS AND OILS	2-COMPONENT COATINGS
✓	✓	✓	✓

Art. no.	Label	Information	Bristle length	Diameter Ø	Size	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
83480410	EAN	38 mm	25 mm	25 mm	4	wood	plastic ferrule	pcs	24	480	120	5.760
83480610	EAN	38 mm	30 mm	30 mm	6	wood	plastic ferrule	pcs	24	192	120	3.456
83480810	EAN	44 mm	35 mm	35 mm	8	wood	plastic ferrule	pcs	24	96	96	3.456

FOR INDUSTRIAL APPLICATIONS

BASIC AND BASIC MIX



The BASIC MIX bristles combine synthetic filaments with simple natural bristles, which stabilize the bristle head. In contrast, BASIC bristles consist of the simplest synthetic filaments.

**BASIC MIX flat brush beige natural- and synthetic mix**

With a tin-plated ferrule and stained wooden handle. Suitable for simple renovation work and industrial applications.

WALL PAINTS	WATER-BASED COATINGS	SOLVENT-BASED COATINGS	WOOD PROTECTION
✓	-	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
81123010	EAN	44 mm	14 mm	30 mm	softwood	tin plate ferrule	pcs	12	336	336	6.720
81124010	EAN	44 mm	15 mm	40 mm	softwood	tin plate ferrule	pcs	12	216	216	5.832
81125010	EAN	44 mm	16 mm	50 mm	softwood	tin plate ferrule	pcs	12	180	180	4.860
81126010	EAN	51 mm	17 mm	60 mm	softwood	tin plate ferrule	pcs	12	120	120	2.520
81128010	EAN	51 mm	18 mm	80 mm	softwood	tin plate ferrule	pcs	12	144	144	2.304

**BASIC MIX flat brush**

With a tin-plated ferrule and painted wooden handle. Suitable for simple renovation work and industrial applications..

NEW!

WALL PAINTS	WATER-BASED COATINGS	SOLVENT-BASED COATINGS	WOOD PROTECTION
✓	-	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
812625000	Bulk	38 mm	9 mm	25 mm	softwood	tin plate ferrule	pcs	12	960	960	11.520
812635000	Bulk	38 mm	10 mm	35 mm	softwood	tin plate ferrule	pcs	12	576	60	2.400
812650000	Bulk	38 mm	11 mm	50 mm	softwood	tin plate ferrule	pcs	12	384	384	6.144
812660000	Bulk	38 mm	11 mm	60 mm	softwood	tin plate ferrule	pcs	12	288	288	5.184
812675000	Bulk	38 mm	11 mm	75 mm	softwood	tin plate ferrule	pcs	12	240	240	3.840
812699000	Bulk	44 mm	11 mm	100 mm	softwood	tin plate ferrule	pcs	12	192	192	2.304

BASIC round brush

With a plastic ferrule and an unpainted wooden handle. For applying wall and ceiling paints. Also ideal for cleaning dusty machine parts.



WALL PAINTS	WATER-BASED COATINGS	SOLVENT-BASED COATINGS	WOOD PROTECTION
✓	-	✓	✓

Art. no.	Label	Information	Bristle length	Diameter Ø	Size	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
83350210	EAN	32 mm	18 mm	20 mm	2	softwood	plastic	pcs	24	504	504	8.064
83350410	EAN	38 mm	24 mm	25 mm	4	softwood	plastic	pcs	24	336	336	6.720
83350610	EAN	38 mm	29 mm	30 mm	6	softwood	plastic	pcs	24	288	288	5.184
83350810	EAN	44 mm	34 mm	35 mm	8	softwood	plastic	pcs	24	144	144	3.456
83351010	EAN	44 mm	39 mm	40 mm	10	softwood	plastic	pcs	24	240	240	2.880
83351210	EAN	51 mm	44 mm	45 mm	12	softwood	plastic	pcs	24	96	288	2.304

BASIC round brush

With punched bristles, plastic frame, and handle. For simple renovation work and industrial applications. Also ideal for cleaning dusty machine parts.



WALL PAINTS	WATER-BASED COATINGS	SOLVENT-BASED COATINGS	WOOD PRIMER
✓	-	✓	✓

Art. no.	Label	Bristle length	Thickness	Size	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
83360610	EAN	38 mm	18 mm	6	plastic	plastic	pcs	24	1.440	120	11.520
83361010	EAN	38 mm	24 mm	10	plastic	plastic	pcs	24	600	120	4.800
83361410	EAN	38 mm	29 mm	14	plastic	plastic	pcs	24	504	120	4.032
83361810	EAN	44 mm	34 mm	18	plastic	plastic	pcs	24	240	120	1.920

BASIC MIX wall brush

With a tin-plated ferrule, plastic body and handle, as well as a bucket hook. Suitable for simple repair work and industrial applications.



WALL PAINTS	SOLVENT-BASED COATINGS	WOOD PROTECTION	EXTERIOR PAINTS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
836807000	EAN	44 mm	30 mm	70 mm	plastic	tin plate ferrule	pcs	24	96	288	1.536
836812000	EAN	44 mm	30 mm	120 mm	plastic	tin plate ferrule	pcs	24	96	288	960



BASIC wall brush
With punched bristles, plastic body and handle and bucket hook.
For simple renovation work and industrial applications.

WALL PAINTS	SOLVENT-BASED COATINGS	EXTERIOR PAINTS	SLURRY-TYPE SEAL COATING
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
83690710	EAN	44 mm	30 mm	70 mm	plastic	plastic	pcs	24	72	216	2.160
83691010	EAN	44 mm	30 mm	100 mm	plastic	plastic	pcs	24	96	288	1.152
83691210	EAN	44 mm	30 mm	120 mm	plastic	plastic	pcs	24	96	288	1.152
83691410	EAN	51 mm	40 mm	140 mm	plastic	plastic	pcs	24	96	288	768
83691510	EAN	51 mm	50 mm	150 mm	plastic	plastic	pcs	24	48	144	480

SPECIAL APPLICATIONS

If straight lines need to be drawn as part of preparatory work or touch-up work needs to be carried out afterwards, small brushes such as line pullers and universal brushes are helpful. Various ceiling brushes, whose bristles are firmly punched into the brush body, are suitable for working with bituminous coatings, thick coatings, sealing slurries, primers and pastes.



SPECIAL APPLICATIONS

Small brushes and universal brushes help when drawing straight lines during preliminary work or subsequent touch-up work.

On the other hand, a range of different ceiling brushes, whose bristles are firmly punched in the brush body, is ideal for working with bitumen-based coatings, thick coatings, sealing slurries and glueing paste.



Synthex flat brush black

Bent tin ferrule and hardwood handle. Perfect for fine work on small and/or hard-to-reach areas such as pipes, inner edges, and window rabbets. Also suitable for cleaning machine parts.



WALL PAINTS	WATER-BASED COATINGS	SOLVENT-BASED COATINGS	WOOD PROTECTION
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
82731510	EAN	37 mm	7 mm	15 mm	hardwood	tin plate ferrule	pcs	24	600	600	6.000
82732010	EAN	37 mm	7 mm	20 mm	hardwood	tin plate ferrule	pcs	24	360	360	4.320
82732510	EAN	40 mm	7,5 mm	25 mm	hardwood	tin plate ferrule	pcs	24	252	252	4.536

Synthex flat brush black

Straight tin ferrule and hardwood handle. Perfect for fine work on small and/or hard-to-reach areas such as pipes, inner edges, and window rabbets. Also suitable for cleaning machine parts.



WALL PAINTS	WATER-BASED COATINGS	SOLVENT-BASED COATINGS	WOOD PROTECTION
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
82712010	EAN	37 mm	7 mm	20 mm	hardwood	tin plate ferrule	pcs	24	360	360	6.480
82712510	EAN	40 mm	7,5 mm	25 mm	hardwood	tin plate ferrule	pcs	24	288	288	5.760

**Natural60 universal brush beige**

Fan-shaped bristles, tin plate ferrule and unvarnished, short hardwood handle. For all paints and coatings as well as adhesives. Ideal for all kinds of repair work.

WALL PAINTS	SOLVENT-BASED COATINGS	WOOD PROTECTION	FATS AND OILS
✓	✓	✓	✓


Art. no.	Label	Bristle length	Size	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
82591010	EAN	28 mm	10	hardwood	aluminium	pcs	12	1.440	1.440	25.920
82591210	EAN	29 mm	12	hardwood	aluminium	pcs	12	1.440	1.440	25.920
82591410	EAN	30 mm	14	hardwood	aluminium	pcs	12	720	720	28.800
82591610	EAN	31 mm	16	hardwood	aluminium	pcs	12	720	720	17.280
82591810	EAN	32 mm	18	hardwood	aluminium	pcs	12	720	720	8.640
82592010	EAN	35 mm	20	hardwood	aluminium	pcs	12	720	720	8.640

**Natural60 line brush beige**

Flat-oval bristles, tin plate ferrule and unvarnished, long hardwood handle. For all paints and coatings as well as adhesives. Ideal for all kinds of touching-up and repair work, graphic and calligraphy work and for drawing straight lines.

WALL PAINTS	WATER-BASED COATINGS	SOLVENT-BASED COATINGS	WOOD PROTECTION
✓	✓	✓	✓

Art. no.	Label	Bristle length	Size	Handle material	Ferrule material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
82600410	EAN	18 mm	4	hardwood	aluminium	pcs	12	600	600	37.800
82600610	EAN	20 mm	6	hardwood	aluminium	pcs	12	600	600	18.000
82600810	EAN	22 mm	8	hardwood	aluminium	pcs	12	600	600	18.000
82601010	EAN	24 mm	10	hardwood	aluminium	pcs	12	600	600	16.200
82601210	EAN	26 mm	12	hardwood	aluminium	pcs	12	600	600	16.200



CEILING BRUSHES

Ceiling brushes for working with large areas and for special applications. Reduced bristle loss even after intensive continuous use. Finely slotted bristles for generous material application and reduced spraying. Ideal brushes for use with primers, preparatory work, sealing and many wall and ceiling paints.

**Myhalon ceiling brush**

Wooden body with rounded edges and high-quality metal thread. Plastic handle with bucket hook. For all wallpapering work and for washing down walls and ceilings. Ideal for painting large areas on walls, ceilings and exterior facades.



WALL PAINTS	LATEX PAINTS	PASTE/ADHESIVES	SILICATE-PAINTS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Fixing	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
83838010	EAN	77 mm	80 mm	180 mm	hook	plastic	pcs	12	72	72	432

Fibresin ceiling brush

Plastic body with fixed handle and bucket hook. No twisting of the handle. Suitable for paint stripping and working with lime and to apply tar.



WALL PAINTS	LIME PAINTS	EXTERIOR PAINTS	PAINT STRIPPER
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Fixing	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
83877010	EAN	70 mm	70 mm	170 mm	hook	plastic	pcs	12	72	72	432


Silverpren ceiling brush


Plastic body with fixed handle and bucket hook. No twisting of the handle. For deep sealing work, including the use of very low-viscosity primers.



WALL PAINTS	EXTERIOR PAINTS	PLASTER AND ADHESIVE BASE	DEEP SEALERS
✓	✓	✓	✓

Art. no.	Label	Bristle length	Thickness	Width	Fixing	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
83867510	EAN	70 mm	75 mm	175 mm	hook	plastic	pcs	12	72	72	288

<div></div> <div>Ceiling brush Punched bristle with plastic body, plastic handle with bucket hook. For all wallpapering work, bitumen. Ideal for simple work and single-use applications.</div>											
WALL PAINTS				ADHESIVES			PASTE			BITUMEN	
✓				✓			✓			✓	
Art. no.	Label	Bristle length	Thickness	Width	Fixing	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
83827610	EAN	70 mm	70 mm	170 mm	hook	plastic	pcs	12	72	72	288

<div></div> <div>Polypren ceiling brush With wooden body and plastic handle with bucket hook. For all wallpapering work, bitumen. Ideal for simple working and single-use applications.</div>											
WALL PAINTS				EXTERIOR PAINTS			BITUMEN			GLUE/PASTE	
✓				✓			✓			✓	
Art. no.	Label	Bristle length	Thickness	Width	Fixing	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
83800710	EAN	70 mm	70 mm	170 mm	hook	plastic	pcs	12	72	72	432





Powerful tools. Impressive results.

Substrate condition. Material. Surface. There are many factors to consider when working with a roller. But there's just one goal: an impressive result. The WESTEX range of rollers ensures that you get the right result every time. With the right roller for every substrate and application. Developed by teams with professional decorating expertise. And clearly arranged.


We have emulsion rollers. With a plush cover. Perfectly matched to the properties of every surface. From smoothed top-quality (Q4) walls to rough exterior facades. We also supply varnishing rollers. Made of foam. For a perfect surface finish. And many more besides.



REFILLS. ROLLERS.


Emulsion Paints, Wet Abrasion Classes 1+2 & Silicate Paints	98
Ultra-smooth Surfaces	103
Other Emulsion Paints and Primers	106
All Coatings	111
Thin-coat Glazes	118
Floor Coatings and Protective Paints	120
Painting Accessories	124

EMULSION PAINTS, WET ABRASION CLASSES 1+2 AND SILICATE PAINTS



The highest quality paints are efficiently handled when the tool helps the decorator to distribute the paint well combined with good surface coverage. Excellent surface coverage is possible with the newly developed Durotex plush paint roller with a pile length of 18 and 12 mm. It also allows a longer period of usage and is very easy to wash out. The specially finished fibres return independently to an upright position. This feature enables the decorator to work quickly and thoroughly, even on sandy surfaces.

DUROTIX



The guarantee for efficient surface coverage with all wet abrasion class 1+2 emulsion paints, silicone resin paints and silicate paints. Excellent paint pick-up and distribution for exceptional surface coverage with the first coat. Specially finished, fiber-stabilised polyamide 'endless' fabric for lint-free painting results. Very easy to wash out and no matting, even with heavy use or when used on sandy surfaces. Very high durability.




Durotex Jumbo facade paint roller, Ø 68 mm core

Padded with extra-strong, soft foam with a special protective film to prevent it from becoming saturated. Delivers high-quality coverage on very rough masonry and plaster. Rolls right into corners; excellent paint coverage into deep textured surfaces.

EMULSIONS WAC I/II	LATEX PAINTS	EXTERIOR PAINTS	SILICATE/SILICONE RESIN PAINTS
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
773525000	Bulk	18 mm	25 cm	44 mm	12 mm	pcs	10	40	120	320




Durotex facade paint roller, Ø 60 mm

Padded with extra-strong, soft foam with a special protective film to prevent it from becoming saturated. Delivers high-quality coverage on very rough masonry and plaster. Rolls right into corners; excellent paint coverage into deep textured surfaces.

DISPERSIONEN NAK I/II	LATEX-FARBEN	EXTERIOR PAINTS	SILIKAT-/SILIKON- HARZ-FARBEN
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
763518000	Bulk	18 mm	18 cm	44 mm	8 mm	pcs	10	40	120	720
763525000	Bulk	18 mm	25 cm	44 mm	8 mm	pcs	10	40	120	480



Durotex large area paint roller, Ø 54 mm core

Thermo-fused on an extra large core. For high-quality coatings on rough surfaces, like wallpaper and structures plaster. The paints can be applied exceptionally well into the structure of different surfaces. Ideal for fibreglass and roll-over and brush-over plaster.




EMULSIONS WAC I/II	LATEX PAINTS	EXTERIOR PAINTS	SILICATE/SILICONE RESIN PAINTS
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
753518000	Bulk	18 mm	18 cm	54 mm	unpadded	pcs	12	48	144	864
753525000	Bulk	18 mm	25 cm	54 mm	unpadded	pcs	12	48	144	576

**Durotex large area paint roller, Ø 54 mm core**

Thermo-fused on an extra large core. For high-quality coatings on smooth surfaces, like wallpaper and structured plaster. The paint can be applied exceptionally well. Low splattering.




EMULSIONS WAC I/II	LATEX PAINTS	NATURAL RESIN PAINTS	SILICATE/SILICONE RESIN PAINTS
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
743518000	Bulk	12 mm	18 cm	54 mm	unpadded	pcs	12	48	144	864
743525000	Bulk	12 mm	25 cm	54 mm	unpadded	pcs	12	48	144	576

**Durotex midi-small area paint roller, Ø 30 mm core**


Thermo-fused on a thick core. For priming and cutting in on smooth to structured surfaces, designed for small to medium-sized areas. The paint can be applied exceptionally well. Low splattering.



EMULSIONS WAC I/II	LATEX PAINTS	NATURAL RESIN PAINTS	SILICATE/SILICONE RESIN PAINTS
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
713512000	Bulk	Blister pack of 10	12 mm	12 cm	30 mm	unpadded	pcs	100	100	300	2.400
713516000	Bulk	Blister pack of 10	12 mm	15 cm	30 mm	unpadded	pcs	100	100	300	1.600







Durotex small area paint roller, Ø 17 mm core

Thermo-fused. For priming and cutting in on smooth to structured surfaces, designed for small to medium-sized areas. The paint can be applied exceptionally well. Low splattering.


EMULSIONS WAC I/II	LATEX PAINTS	NATURAL RESIN PAINTS	SILICATE/SILICONE RESIN PAINTS
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
713510000	Bulk	Blister pack of 10	12 mm	10 cm	17 mm	unpadded	pcs	100	100	300	5.600






LAMBSKIN



Natural product for use with all kinds of coating materials on all surfaces. Particularly dense and stable fibres. Use of Australian wool guarantees finely crimped, long fibres that are particularly resistant. Very durable natural product with professional care and storage. Not suitable for use with alkaline or degreasing materials, such as mineral oil-based paints.





Lambskin large area paint roller, Ø 44 mm core

Sewn and folded. For coatings on rough to coarse surfaces, such as textured plaster. The paint can be applied exceptionally well into deeper textures. Rolls right into corners. High durability with the right care.

EMULSIONS WAC I/II	EMULSIONS WAC III/IV	LATEX PAINTS	EXTERIOR PAINTS
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
749318000	Bulk	20 mm	18 cm	44 mm	unpadded	pcs	10	40	120	480
749325000	Bulk	20 mm	25 cm	44 mm	unpadded	pcs	10	40	120	320





SENTOLAN

Proven quality for efficient painting with emulsion and silicate paints (wet abrasion class 1+2). High-quality polyamide staple fibre plush with particularly thin fibre for fine surface results on all substrates. Stable fibre construction for a long life and consistent results.



Sentolan large area paint roller, Ø 54 mm core

Thermo-fused on an extra large core. For coatings on textured and rough substrates as well as masonry and plaster. Good paint release and good coverage with the first coat. Ideal for use with latex paints as well.



EMULSIONS WAC I/II	EMULSIONS WAC III/IV	LATEX PAINTS	SILICATE/SILICONE RESIN PAINTS
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
744018000	Bulk	12 mm	18 cm	54 mm	unpadded	pcs	12	48	144	864
744025000	Bulk	12 mm	25 cm	54 mm	unpadded	pcs	12	48	144	576



Sentolan midi-small area paint roller, Ø 30 mm core

Thermo-fused on a thick core. For cutting in on smaller areas on all substrates. Good paint release and good coverage with the first coat. Ideal for use with latex paints as well.



EMULSIONS WAC I/II	EMULSIONS WAC III/IV	LATEX PAINTS	SILICATE/SILICONE RESIN PAINTS
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
736312000	EAN	Blister pack of 10	12 mm	12 cm	30 mm	unpadded	pcs	120	120	360	1.920
736316000	EAN	Blister pack of 10	12 mm	16 cm	30 mm	unpadded	pcs	100	100	300	1.600



Sentolan small area paint roller, Ø 17 mm core

Thermo-fused on a small core. For cutting in on smaller areas on all substrates. Good paint release and good coverage with the first coat. Ideal for use with latex paints as well.



EMULSIONS WAC I/II	EMULSIONS WAC III/IV	LATEX PAINTS	SILICATE/SILICONE RESIN PAINTS
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
716344001	Bulk	Blister pack of 20	12 mm	6 cm	17 mm	unpadded	pcs	240	240	720	9.600
716375000	Bulk	Blister pack of 10	12 mm	10 cm	17 mm	unpadded	pcs	100	100	300	5.600
716354001	Bulk	Blister pack of 10	12 mm	15 cm	17 mm	unpadded	pcs	100	100	300	4.000



LINOMAT®




The original. Clean edges without masking. Ideal for separating paint colours on a wall or for cutting in.

**Linomat paint separation roller**

Clean edges without masking on walls and ceilings, window and door frames and skirting boards. Optimum cutting in with a single coat of paint. Spare roller and spare cover plate are available. Packed in a half blister.


EMULSIONS WAC I/II	EMULSIONS WAC III/IV	COLOURED EMULSION PAINTS	LATEX PAINTS
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
S100	EAN	12 mm	10 cm	25 mm	pcs	10	10	50	450

**Spare roller for Linomat**

Spare roller for the original paint separation roller Linomat.

Art. no.	Label	Pile height	Width	Core diameter	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
S115	EAN	12 mm	10 cm	25 mm	pcs	10	10	50	1.380

**Spare plate für Linomat**

Spare plate for the original paint separation roller Linomat. Externally attached protective cap with bristle beard.

Art. no.	Label	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
S135	EAN	pcs	10	10	50	4.320

ULTRA-SMOOTH SURFACES

Ultrasmooth and reflective surfaces are the most challenging applications for paints and tools. After preparation of the substrate, the choice of the tool is crucial for a good result, regardless of whether paint is applied directly to plasterboard or nonwoven wall coverings.

A top-quality (Q4) plastered wall can be ruined by the use of an incorrect roller. A premium plush has therefore been developed with Planotex Q4, which combines good paint application, good distribution and an almost texture-free paint result.



PLANOTEX Q4

High-tech plush for top-quality (Q4) substrates and surfaces susceptible to grazing light. Can be used with all emulsions and mineral-based paints. Specially compressed cover sleeve made of a mixture of ultra-fine and very resistant polyester fibres. Very good paint absorption with even paint release. Ideal for coatings on smooth surfaces producing an "as sprayed" result.



Planotex Q4 large area paint roller, Ø 54 mm core

Thermo-fused on an extra large core. For coatings on extremely smooth (top-quality (Q4)) surfaces. Ideal for the almost texture-free coating of plasterboard. Optimum paint release. Lint-free, extremely minimal splattering, no rolling marks. Therefore also ideal for ceilings.




EMULSIONS WAC I/II	COLOURED EMULSION PAINTS	LATEX PAINTS	ROLL-ON PLASTER
✓	✓	✓	-

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
743718000	Bulk	15 mm	18 cm	54 mm	unpadded	pcs	12	48	144	864
743725000	Bulk	15 mm	25 cm	54 mm	unpadded	pcs	12	48	144	576




Planotex Q4 midi-small area paint roller, Ø 30 mm core


Thermo-fused on a thick core. For priming and cutting in on extremely smooth, top-quality (Q4) substrates, for small to medium-sized areas. Optimum paint release. Lint-free, extremely minimal splattering, no rolling marks. Therefore also ideal for ceilings.



EMULSIONS WAC I/II	COLOURED EMULSION PAINTS	LATEX PAINTS	ROLL-ON PLASTER
✓	✓	✓	-

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
713712000	Bulk	Blister pack of 10	15 mm	12 cm	30 mm	unpadded	pcs	100	100	300	2.400





**Planotex Q4 small area paint roller, Ø 17 mm core**

Thermo-fused. For priming and cutting in on extremely smooth, top-quality (Q4) substrates, for small to medium-sized areas. Optimum paint release. Lint-free, extremely minimal splattering, no rolling marks. Therefore also ideal for ceilings.

EMULSIONS WAC I/II	COLOURED EMULSION PAINTS	LATEX PAINTS	ROLL-ON PLASTER
✓	✓	✓	-

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
713710000	Bulk	Blister pack of 10	15 mm	10 cm	17 mm	unpadded	pcs	100	100	300	4.000

**POLYTRON**


Versatile plush for use with decorative effect paints, coloured emulsions, solid paints, wallpaper paste and fabric adhesive. Very wide range of applications on all smooth surfaces. Post-treated polyester plush with very high thread stability and fine fibres.

**Polytron large area paint roller, Ø 54 mm core**

Thermo-fused on an extra large core. For coatings on extremely smooth surfaces. Ideal for highly pigmented paints and working with demanding materials, such as paste, adhesive and textured paint. Lint-free, Low splattering.

EMULSIONS WAC I/II	COLOURED EMULSION PAINTS	TEXTURED PAINT	PASTE/ADHESIVES
✓	✓	✓	✓


Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
754218000	Bulk	12 mm	18 cm	54 mm	unpadded	pcs	12	48	48	864
754225000	Bulk	12 mm	25 cm	54 mm	unpadded	pcs	12	48	48	576

**Polytron midi-small area paint roller, Ø 30 mm core**

Thermo-fused on a thick core. For priming and cutting in on extremely smooth surfaces. Ideal for highly pigmented paints and working with demanding materials, such as paste, adhesive and textured paint. Lint-free, low splattering.


EMULSIONS WAC I/II	COLOURED EMULSION PAINTS	TEXTURED PAINT	PASTE/ADHESIVES
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
734212000	Bulk	Blister pack of 10	12 mm	12 cm	30 mm	unpadded	pcs	100	200	200	2.400




Polytron small area paint roller, Ø 17 mm core

Thermo-fused on a small core. For priming and cutting in on extremely smooth surfaces. Ideal for highly pigmented paints and working with demanding materials, such as paste, adhesive and textured paint. Lint-free, extremely low splattering.



EMULSIONS WAC I/II	COLOURED EMULSION PAINTS	TEXTURED PAINT	PASTE/ADHESIVES
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
714274001	Bulk	Blister pack of 10	12 mm	10 cm	17 mm	unpadded	pcs	100	100	400	5.600




OTHER EMULSION PAINTS & PRIMERS




Medium to long-pile plush rollers are ideal for the application of wall, ceiling and exterior facade paints. The coarser the substrate, the longer the plush pile needs to be. Padded (straight stripes) for use on coarse plaster, thermo-fused rollers (diagonal stripes) with 9-13 mm pile for smooth surfaces.

POLYTEX




Standard quality for painting with simple emulsion paints indoors and outdoors. Also suitable for the use with roof paints. Woven quality with good paint absorption and release.

**Polytex Jumbo facade paint roller, Ø 68 mm core**

Padded with special 100 % wet-resistant hard foam, extra-thick. For painting on very heavily textured substrates. Rolls right into corners; good paint coverage into deep textured surfaces. Also ideal for priming with roof paints.

EMULSIONS WAC III/IV	LATEX PAINTS	EXTERIOR PAINTS	ROOF PAINTS
✓	✓	✓	✓


Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
775565000	Bulk	18 mm	25 cm	44 mm	12 mm	pcs	30	30	90	300

**Polytex paint roller, Ø 60 mm core**

Padded with special 100 % wet-resistant hard foam. For painting on heavily textured substrates. Rolls right into corners; good paint coverage into deep textured surfaces. Also ideal for priming with roof paints.

EMULSIONS WAC III/IV	LATEX PAINTS	EXTERIOR PAINTS	ROOF PAINTS
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
765525000	Bulk	18 mm	18 cm	44 mm	8 mm	pcs	35	35	105	700
765565000	Bulk	18 mm	25 cm	44 mm	8 mm	pcs	35	35	105	420



Polytex large area paint roller, Ø 44 mm core

Sewn and folded. For painting on textured, slightly rough substrates. Rolls right into corners; paint coverage into deep textured surfaces.



EMULSIONS WAC III/IV	LATEX PAINTS	EXTERIOR PAINTS	TEXTURED PAINT
✓	✓	-	-

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
755515000	Bulk	18 mm	18 cm	44 mm	unpadded	pcs	40	40	120	960
755555000	Bulk	18 mm	25 cm	44 mm	unpadded	pcs	40	40	120	640

**ENDAFLOR**

Standard polyester quality for coating using simple emulsion paints. Good paint absorption and release.

**Endaflor large area paint roller, Ø 48 mm core**

Thermo-fused. For painting on structured substrates. Uniform paint release with simple decorating work.



EMULSIONS WAC III/IV	LATEX PAINTS	EPOXY RESINS	BITUMEN
✓	✓	-	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
745725000	Bulk	12 mm	25 cm	48 mm	unpadded	pcs	10	40	120	480

**Endaflor midi-small area paint roller, Ø 30 mm core**


Thermo-fused on a thick core. For cutting in on structured substrates. Uniform paint release with simple decorating work.



EMULSIONS WAC III/IV	LATEX PAINTS	EPOXY RESINS	BITUMEN
✓	✓	-	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
735710000	Bulk	Pack of 10	12 mm	10 cm	30 mm	unpadded	pcs	180	180	540	2.880
735715000	Bulk	Pack of 10	12 mm	15 cm	30 mm	unpadded	pcs	100	100	300	1.600







Endaflor small area paint roller, Ø 15 mm core


Thermo-fused on a small core. For cutting in on structured substrates. Uniform paint release with simple decorating work.


EMULSIONS WAC III/IV	LATEX PAINTS	EPOXY RESINS	BITUMEN
✓	✓	-	✓


Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
715774002	Bulk	Pack of 10	12 mm	10 cm	15 mm	unpadded	pcs	100	100	300	7.600


















ARBOLON




Medium-length polyester microfibre-based pile with medium density and weight. Ideal for all coatings on wood including all-weather protection paints. Can also be used on slightly textured and weathered wood.


Arbolon large area paint roller, Ø 48 mm core


Thermo-fused. For coating on wood. Also good on structured substrates.


PRIMERS	EMULSIONS WAC III/IV	LATEX PAINTS	THIN/THICK-COAT GLAZES
✓	✓	✓	✓


Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
744418000	Bulk	9 mm	18 cm	48 mm	unpadded	pcs	30	30	90	1.200
744425000	Bulk	9 mm	25 cm	48 mm	unpadded	pcs	30	30	90	720






















Arbolon small area paint roller, Ø 15 mm core


Thermo-fused on a small core. For coating on wood. Also good on structured substrates.


PRIMERS	EMULSIONS WAC III/IV	LATEX PAINTS	THIN/THICK-COAT GLAZES
✓	✓	✓	✓


Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
711453000	Bulk	Pack of 10	9 mm	10 cm	15 mm	unpadded	pcs	100	100	300	7.600

















VESTAN

For simple painting and single use. Well-suited for paints containing bitumen, fibreglass plastics and for use in areas with lower visual quality requirements.




Vestan large area paint roller, Ø 60 mm core
yellow with 8 mm padding, for rough surfaces



EMULSIONS WAC III/IV	WORKING WITH GFRP	BITUMEN	PASTE/ADHESIVES
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
764965001	Bulk	18 mm	25 cm	60 mm	8 mm	pcs	35	35	105	420



Vestan Plus large area paint roller, Ø 48 mm core

Thermo-fused and tapered. For simple painting and single use with good material absorption. Can be used with fibreglass plastics and for bitumen coatings.



EMULSIONS WAC III/IV	WORKING WITH GFRP	BITUMEN	PASTE/ADHESIVES
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
754618000	Bulk	21 mm	18 cm	48 mm	unpadded	pcs	40	40	120	720
754625000	Bulk	21 mm	25 cm	48 mm	unpadded	pcs	40	40	120	480




Vestan large area paint roller, Ø 44 mm core

Sewn and folded. For simple painting and single use. Can be used with fibreglass plastics and for bitumen coatings.



EMULSIONS WAC III/IV	WORKING WITH GFRP	BITUMEN	PASTE/ADHESIVES
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
754715001	Bulk	18 mm	18 cm	44 mm	unpadded	pcs	40	40	120	960
754755001	Bulk	18 mm	25 cm	44 mm	unpadded	pcs	50	50	150	600





Vestan large area paint roller, Ø 40 mm core

Sewn and folded. With fixed handle for use with telescopic pole. For simple painting and single use. Can be used with fibreglass plastics and for bitumen coatings.

EMULSIONS WAC III/IV	WORKING WITH GFRP	BITUMEN	PASTE/ADHESIVES
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
754518000	Bulk	18 mm	18 cm	40 mm	unpadded	pcs	10	10	30	560
754523000	Bulk	18 mm	22 cm	40 mm	unpadded	pcs	10	10	30	480



Vestan large area paint roller set, Ø 40 mm core

With fixed handle for use with telescopic pole. For simple painting and single use. Can be used with fibreglass plastics and for bitumen coatings.


NEW!

EMULSIONS WAC III/IV	WORKING WITH GFRP	BITUMEN	PASTE/ADHESIVES
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
754540000	Bulk	18 mm	18 cm	40 mm	unpadded	SET	20	20	0	320
754541000	Bulk	18 mm	22 cm	40 mm	unpadded	SET	12	13	0	234


UNIFILL



Ideal for further processing of roller plasters and fillers.


UniFill special roller, Ø 48 mm core

The nylon roller was specifically developed for the application of roller plasters and fillers. Extremely robust, wear-resistant yet flexible nylon loops ensure optimal and even material distribution. This allows plaster or filler application to be up to 3 times faster compared to using conventional paint rollers or smoothing trowels. Subsequent steps such as smoothing and texturing are also optimally prepared due to the even layer thickness.

EMULSION PAINTS	ROLL-ON PLASTER	BITUMEN	DECORATIVE FILLERS
-	✓	-	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
84201910	EAN	18 mm	18 cm	48 mm	unpadded	pcs	5	50	150	600
84202510	EAN	18 mm	25 cm	48 mm	unpadded	pcs	5	35	150	560



ALL COATINGS

Paint rollers allow high-quality results with a wide range of materials and in almost all applications. The challenge is to distribute an even thick coat, without bubbles forming. MagicFelt is the result of a development to solve this challenge. It can even be used to apply parquet seals and corrosion-proof coatings without the need to smooth out with a foam roller. MagicFelt is a truly premium-class all-rounder, as the systematic further development of traditional velour rollers.



MAGICFELT

High-performance plush based on a felted polyester endless fibre. Heavily textured and developed for use with all solvent-based and also viscous coatings. Particularly even paint release, thanks to the excellent fibre stability and surface compaction.




MagicFelt large area paint roller, Ø 48 mm core

Thermo-fused. For high-quality painting on wood, metal and plastic. Also good on structured substrates. Optimum paint release and coverage. Also ideal for viscous materials, like radiator paints, corrosion protection paints and oil paints.



RUST PROTECTION PAINTS	WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	PARQUET SEALANTS
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
750215000	Bulk	5 mm	18 cm	48 mm	unpadded	pcs	10	10	130	1.120
750255000	Bulk	5 mm	25 cm	48 mm	unpadded	pcs	10	10	100	720




MagicFelt midi-small area paint roller, Ø 30 mm core

Thermo-fused on a thick core. For high-quality painting on wood, metal and plastic. Also good on structured substrates. Optimum paint release and coverage. Also good for viscous materials, like radiator paints, corrosion protection paints and oil paints.



RUST PROTECTION PAINTS	WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	PARQUET SEALANTS
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
735312000	Bulk	Blister pack of 10	5 mm	12 cm	30 mm	unpadded	pcs	100	100	300	2.400




**MagicFelt small area paint roller, Ø 17 mm core**

Thermo-fused on a small core. For high-quality painting on wood, metal and plastic. Also good on structured substrates. Optimum paint release and coverage. Also good for viscous materials, like radiator paints, corrosion protection paints and oil paints.

RUST PROTECTION PAINTS	WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	PARQUET SEALANTS
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
715344000	Bulk	Blister pack of 20	5 mm	6 cm	17 mm	unpadded	pcs	200	200	600	11.200
715374000	Bulk	Blister pack of 10	5 mm	10 cm	17 mm	unpadded	pcs	100	100	300	8.400



VELOURS



High-quality natural product made of woven lambswool for use with solvent-based paints and fibreglass-reinforced plastics.

**Velour large area paint roller, Ø 41 mm core**

Thermo-fused. For very good painting on smooth surfaces, such as wood, metal and plastic.

SOLVENT-BASED ALKYD RESIN PAINTS	2-COMPONENT COATINGS	EPOXY RESINS	WORKING WITH GFRP
✓	✓	✓	✓


Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
749015001	Bulk	4 mm	18 cm	41 mm	unpadded	pcs	35	35	105	1.120
749045001	Bulk	4 mm	25 cm	41 mm	unpadded	pcs	35	35	105	840

**Velour midi-small area paint roller, Ø 30 mm core**

Thermo-fused on a thick core. For very good painting on smooth surfaces, such as wood, metal and plastic.

SOLVENT-BASED ALKYD RESIN PAINTS	2-COMPONENT COATINGS	EPOXY RESINS	WORKING WITH GFRP
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
739074001	Bulk	Pack of 10	4 mm	10 cm	30 mm	unpadded	pcs	160	160	480	3.840



Velour small area paint roller, Ø 17 mm core

Thermo-fused on a small core. For very good painting on smooth surfaces, such as wood, metal and plastic.




SOLVENT-BASED ALKYD RESIN PAINTS	2-COMPONENT COATINGS	EPOXY RESINS	WORKING WITH GFRP
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
719044001	Bulk	Pack of 20	4 mm	6 cm	17 mm	unpadded	pcs	240	240	720	17.280
719074001	Bulk	Pack of 10	4 mm	10 cm	17 mm	unpadded	pcs	140	140	420	10.080

**SUPERFLOCK**

Flocked super-foam roller for high-quality varnishing in the visible areas. Long, particularly thin polyamide flock for a very uniform and velvety finish.

Test before using with solvent-based paints with more than 300 g/l VOC.


**Reticulated large-surface roller, rounded at both sides**

Rounded at both sides. For high-quality varnishing, especially for industrial coating, such as rotor blades. Smooth surfaces are economically optimal coated. Minimal material transfer. Extra-fine surface texture, thanks to the special foam and the long flock fibres.



WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	POLYESTER RESINS	THIN/THICK-COAT GLAZES
✓	✓	-	-

Art. no.	Label	Width	Outer Ø	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
712625000	Bulk	25 cm	74 mm	pcs	28	28	84	448


**Reticulated small area roller, rounded at both sides**

Rounded at both sides. For high-quality varnishing, especially for industrial coating, such as rotor blades. Smooth surfaces are economically optimal coated. Minimal material transfer. Extra-fine surface texture, thanks to the special foam and the long flock fibres.



WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	POLYESTER RESINS	PARQUET SEALANTS
✓	✓	-	-

Art. no.	Label	Information	Width	Outer Ø	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
712673000	Bulk	Blister pack of 10	11 cm	35 mm	pcs	10	100	300	3.200




**Superflock small area roller, concave rounded**

Concave rounded. For excellent varnishing on smooth surfaces, such as wood, metal and plastic. Also ideal for door frames, doors and railings. Smooth surface finish due to even pressure distribution.

WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	POLYESTER RESINS	EPOXY RESINS
✓	✓	-	-


Art. no.	Label	Information	Width	Outer Ø	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
711973000	Bulk	Blister pack of 10	11 cm	35 mm	pcs	200	200	600	3.200

**Superflock small area roller, rounded at both sides**

Rounded at both sides. For excellent varnishing on smooth surfaces, such as wood, metal and plastic. Ideal for door frames, doors and railings. Very good surface finish.

WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	POLYESTER RESINS	EPOXY RESINS
✓	✓	-	-


Art. no.	Label	Information	Width	Outer Ø	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
712373000	Bulk	Blister pack of 10	11 cm	35 mm	STK	200	200	600	3.200

**Superflock small area roller, rounded on the inside**

Rounded on the inside. For very good varnishing on smooth surfaces, such as wood, metal and plastic. Ideal for door frames, doors and railings. Very good surface finish.

WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	POLYESTER RESINS	EPOXY RESINS
✓	✓	-	-

Art. no.	Label	Information	Width	Outer Ø	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
712173000	Bulk	Blister pack of 10	11 cm	35 mm	STK	200	200	600	3.200



SUPERFOAM

Superfine foam rollers with high density and medium compression hardness for processing all types of paints. Different rounding shapes for various applications and user preferences. Conduct a test coat when using solvent-based paints with over 300g/l VOC.



Superfoam small area roller, concave rounded

Concave rounded. For excellent varnishing on smooth surfaces, such as wood, metal and plastic. Ideal for door frames, doors and railings. Smooth surface finish due to even pressure distribution.



WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	POLYESTER RESINS	EPOXY RESINS
✓	✓	-	-

Art. no.	Label	Information	Width	Outer Ø	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
710973000	Bulk	Blister pack of 10	11 cm	35 mm	pcs	100	100	300	4.000




Superfoam small area roller, rounded at both sides

Rounded at both sides. For excellent varnishing on smooth surfaces, such as wood, metal and plastic. Ideal for door frames, doors and railings. Very good surface finish.



WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	POLYESTER RESINS	EPOXY RESINS
✓	✓	-	-

Art. no.	Label	Information	Width	Outer Ø	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
711373000	Bulk	Blister pack of 10	11 cm	35 mm	pcs	100	100	300	4.000




Superfoam small area roller, rounded on the inside

Rounded on the inside. For excellent varnishing on smooth surfaces, such as wood, metal and plastic. Ideal for door frames, doors and railings. Very good surface finish.



WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	POLYESTER RESINS	EPOXY RESINS
✓	✓	-	-

Art. no.	Label	Information	Width	Outer Ø	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
711173000	Bulk	Blister pack of 10	11 cm	35 mm	pcs	100	100	300	4.000




**Superfoam small area roller, rounded on the outside**

Rounded at the outsides. For excellent varnishing on smooth surfaces, such as wood, metal and plastic. Ideal for door frames, doors and railings. Very good surface finish.

WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	POLYESTER RESINS	EPOXY RESINS
✓	✓	-	-


Art. no.	Label	Information	Width	Outer Ø	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
711273000	Bulk	Blister pack of 10	11 cm	35 mm	pcs	100	100	300	4.000

**Superfoam small surface roller, straight**

Straight edges. For excellent varnishing on smooth surfaces, such as wood, metal and plastic. Ideal for door frames, doors and railings. Very good surface finish.

WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	POLYESTER RESINS	EPOXY RESINS
✓	✓	-	-

Art. no.	Label	Information	Width	Outer Ø	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
711041000	Bulk		5 cm	35 mm	pcs	160	160	480	11.520
711043000	Bulk	Blister pack of 10	5 cm	35 mm	pcs	200	200	600	8.000
711063000	Bulk	Blister pack of 10	7 cm	35 mm	pcs	160	160	480	6.400
711071000	Bulk		11 cm	35 mm	pcs	100	100	300	5.600
711073000	Bulk	Blister pack of 10	11 cm	35 mm	pcs	100	100	300	4.000
711053000	Bulk	Blister pack of 10	16 cm	35 mm	pcs	80	80	240	3.200



FOAM

Universal foam rollers with medium density and low compression hardness for the application of simple coatings. Test coating should be performed when using solvent-based paints with over 300g/l VOC.




Foam mini-small area roller, straight

For simple varnishing on smooth surfaces, such as wood, metal and plastic.
Good surface finish.



WATER-BASED ACRYLIC/PU PAINTS	SOLVENT-BASED ALKYD RESIN PAINTS	POLYESTER RESINS	EPOXY RESINS
✓	✓	-	-

Art. no.	Label	Information	Width	Outer Ø	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
710041000	Bulk		5 cm	35 mm	pcs	160	160	480	11.520
710043000	Bulk	Blister pack of 20	5 cm	35 mm	pcs	200	200	600	8.000
710063000	Bulk	Blister pack of 20	7 cm	35 mm	pcs	160	160	480	6.400
710071000	Bulk		11 cm	35 mm	pcs	100	100	300	5.600
710073000	Bulk	Blister pack of 10	11 cm	35 mm	pcs	100	100	300	4.000



Paint-roller-set

For simple painting tasks on smooth surfaces such as wood, metal, and plastic. Good surface finish.

Set includes:

1x paint roller frame 27 cm

1x foam roller 11 cm

1x paint tray 14x27 cm



RUST PROTECTION PAINTS	WATER-BASED ACRYLIC/PU PAINTS	SEALANTS	2-COMPONENT COATINGS
-	✓	-	-

Art. no.	Label	Information	Width	Outer Ø	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
86707210	EAN	3-piece set	11 cm	35 mm	pcs	14	14	42	280




GLAZES (OPEN-PORED)




Visible wood protection is growing in importance, as is care with high-quality coatings, such as wood sealants, open-pored glazes, all-weather protection paint, wood oils and much more. Traditionally, these are applied with microfiber rollers, which can absorb and retain up to 200 % of their own volume of paint. This provides for very good coverage and fast working. Short pile heights for low viscosity coatings and smooth woods, long pile heights for high viscosities, and weathered/textured wood.

MICROSTAR





Micro-fine, woven polyester-based endless material. Extremely good paint pick-up combined with even paint release, minimal paint splattering. Good coat thickness with a single coat. Lint-free, durable and easy to clean.

**Microstar large area paint roller, Ø 48 mm core**

Thermo-fused. For high-quality coating on wood and steel, especially parquet coatings, oils and water-based acrylic/PU coatings. Also good on structured substrates. High coating thickness with a single coat. Extremely low splattering and minimal linting.

RUST PROTECTION PAINTS	THIN/THICK-COAT GLAZES	WOOD PRIMERS	PARQUET SEALANTS
✓	✓	✓	✓


Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
744318000	Bulk	9 mm	18 cm	48 mm	unpadded	pcs	10	10	30	1.120
744325000	Bulk	9 mm	25 cm	48 mm	unpadded	pcs	10	10	30	720

**Microstar medium area paint roller, Ø 30 mm core**

Thermo-fused on a thick core. For high-quality coating on wood and steel, especially parquet coatings, oils and water-based acrylic/PU coatings. Also good on structured substrates. High coating thickness with a single coat. Extremely low splattering and minimal linting.


RUST PROTECTION PAINTS	THIN/THICK-COAT GLAZES	WOOD PRIMERS	PARQUET SEALANTS
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
734312000	Bulk	Pack of 10	9 mm	12 cm	30 mm	unpadded	pcs	120	120	360	1.920
734316000	Bulk	Pack of 10	9 mm	16 cm	30 mm	unpadded	pcs	120	120	360	1.920




Microstar small area paint roller, Ø 17 mm core

Thermo-fused on a small core. For high-quality coating on wood and steel, especially parquet coatings, oils and water-based acrylic/PU coatings. Also good on structured substrates. High coating thickness with a single coat. Extremely low splattering and minimal linting.



RUST PROTECTION PAINTS	THIN/THICK-COAT GLAZES	WOOD PRIMERS	PARQUET SEALANTS
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
714310000	Bulk	Blister pack of 10	9 mm	10 cm	17 mm	unpadded	pcs	100	100	300	5.600



MICROVIL

Short-pile, woven microfibre plush based on a polyester endless fibre. Dense plush with good density and especially good material pick-up. Even paint pick-up and excellent material release for parquet paints, oils and water-thinnable paints.




Microvil large area paint roller, Ø 48 mm core

Thermo-fused. Very short pile. For wood and floor coatings, in particular glazes and wood stains, parquet paints, oils and water-based acrylic/PU paints. Optimum coat thickness with a single coat.



WATER-BASED ACRYLIC/PU PAINTS	THIN/THICK-COAT GLAZES	WOOD OILS	PARQUET SEALANTS
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
744718000	Bulk	5 mm	18 cm	48 mm	pcs	10	40	120	960
744725000	Bulk	5 mm	25 cm	48 mm	pcs	10	40	120	640




Microvil small area paint roller, Ø 17 mm core

Thermo-fused. Very short pile. For wood and floor coatings, in particular glazes and wood stains, parquet paints, oils and water-based acrylic/PU paints. Optimum coat thickness with a single coat.



WATER-BASED ACRYLIC/PU PAINTS	THIN/THICK-COAT GLAZES	WOOD OILS	PARQUET SEALANTS
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
717510000	Bulk	Blister pack of 10	5 mm	10 cm	17 mm	unpadded	pcs	100	100	300	8.400





Heavy-duty industrial floors, epoxy resin-enhanced substrates and also garage floors and other “utility” floors require thorough substrate preparation and an excellent application of paint as per the required quantity, for a long life. Nylon rollers of different pile heights, degrees of texturing and chamfering provide for almost all kinds of painting in this sector.

EXTRALIT




Extra long-pile, highly textured polyamide endless plush with high resistance. Ideal for all demanding industrial coatings with high material application. Designed for use with viscous materials for seamless coatings.



Extralit large area paint roller, Ø 48 mm core
Thermo-fused. Extra-long pile. For the application of viscous materials, such as reaction resins (epoxy/PUR resins) and 2-component coatings/sealants. For coating garage, industrial or (other) concrete floors. Very good material release.

POLYURETHANE RESINS		POLYESTER RESINS		EPOXY RESINS		LIQUID PLASTIC	
✓		✓		✓		✓	
Width	Core diameter	Rounding	Padding	Ordering unit	MOQ	Discounted quantity	Pallet quantity
8 cm	48 mm	chamfered	unpadded	pcs	10	120	720
15 cm	48 mm	chamfered	unpadded	pcs	10	120	480



POLYNYL

Textured polyamide endless material medium-length plush for use with different industrial coatings, liquid plastics, epoxy resins, adhesives and paste.



Polynyl large area paint roller, Ø 48 mm core

Thermo-fused. Long-pile. For the application of viscous materials, such as epoxy resin paints, polyester resins and 2-component coatings/sealants. For coating garage, industrial or (other) concrete floors. Ideal for liquid plastics.




2-COMPONENT COATINGS	EPOXY RESINS	LIQUID PLASTIC	ROOF PAINTS
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Rounding	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
757915000	Bulk		13 mm	18 cm	48 mm	chamfered	unpadded	pcs	50	50	150	1.000
757955000	Bulk		13 mm	25 cm	48 mm	chamfered	unpadded	pcs	50	50	150	600
706452100	Bulk	Pack of 5	13 mm	50 cm	48 mm	chamfered	unpadded	pcs	5	50	50	200
757960000	Bulk		13 mm	60 cm	48 mm	chamfered	unpadded	pcs	15	15	30	300



Polynyl medium area paint roller, Ø 30 mm core

Thermo-fused on a thick core. Long-pile. For the application of viscous materials, such as epoxy resin paints, polyester resins and 2-component coatings/sealants. For coating garage, industrial or (other) concrete floors. Ideal for liquid plastics.



2-COMPONENT COATINGS	EPOXY RESINS	LIQUID PLASTIC	ROOF PAINTS
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
737875000	Bulk		13 mm	12 cm	30 mm	unpadded	pcs	10	120	120	1.920



Polynyl small area paint roller, Ø 17 mm core

Thermo-fused on a small core. Long-pile. For the application of viscous materials, such as epoxy resin paints, polyester resins and 2-component coatings/sealants. For coating garage, industrial or (other) concrete floors. Ideal for liquid plastics.



2-COMPONENT COATINGS	EPOXY RESINS	LIQUID PLASTIC	ROOF PAINTS
✓	✓	✓	✓

Art.-Nr.	Aufmachung	Information	Polhöhe	Breite	Kern-Durchmesser	Polsterung	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
716974001	Bulk	Blister pack of 10	13 mm	10 cm	17 mm	unpadded	pcs	100	100	300	4.000




**Polynyl large area paint roller, Ø 48 mm core**

Thermo-fused. Medium pile. For the application of viscous materials, such as epoxy resin paints, polyester resins and 2-component coatings/sealants. For coating garage, industrial or (other) concrete floors.

PARQUET SEALANTS	2-COMPONENT COATINGS	EPOXY RESINS	LIQUID PLASTIC
✓	✓	✓	✓



Art. no.	Label	Pile height	Width	Core diameter	Rounding	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
758118000	Bulk	11 mm	18 cm	48 mm	chamfered	unpadded	pcs	10	40	120	960
758125000	Bulk	11 mm	25 cm	48 mm	chamfered	unpadded	pcs	10	40	120	480

**Polynyl small area paint roller, Ø 17 mm core**

Thermo-fused on a small core. Medium pile. For the application of viscous materials, such as epoxy resin paints, polyester resins and 2-component coatings/sealants. For coating garage, industrial or (other) concrete floors.

PARQUET SEALANTS	2-COMPONENT COATINGS	EPOXY RESINS	LIQUID PLASTIC
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
718110000	Bulk	Blister pack of 10	11 mm	10 cm	17 mm	unpadded	pcs	100	100	300	4.000

**TEXTOMID**

Very short-pile, highly textured polyamide endless plush with extremely durable fiber. Developed for use with small amounts of epoxy resins, special paints and synthetic resin-based parquet sealants. Also suitable for use with carpet adhesive.

Textomid large area paint roller, Ø 48 mm core

Thermo-fused. Short pile. For the application of highly viscous materials, such as acrylic/PU parquet sealants, as well as viscous materials, such as epoxy and polyester resins, synthetic resin paints, corrosion protection, oil paints and carpet adhesives.


RUST PROTECTION PAINTS	2-COMPONENT COATINGS	SEALANTS	EPOXY RESINS
✓	✓	✓	✓

Art. no.	Label	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
757818000	Bulk	7 mm	18 cm	48 mm	unpadded	pcs	10	10	30	1.120
757825000	Bulk	7 mm	25 cm	48 mm	unpadded	pcs	10	10	30	720



Textomid small area paint roller, Ø 17 mm core

Thermo-fused on a small core. Short pile. For the application of highly viscous materials, such as acrylic/PU parquet sealants, as well as viscous materials, such as epoxy and polyester resins, synthetic resin paints, corrosion protection, oil paints and carpet adhesives.



RUST PROTECTION PAINTS	2-COMPONENT COATINGS	SEALANTS	EPOXY RESINS
✓	✓	✓	✓

Art. no.	Label	Information	Pile height	Width	Core diameter	Padding	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
717810000	Bulk	Blister pack of 10	7 mm	10 cm	17 mm	unpadded	pcs	100	100	900	5.600

**AERODON**

11 mm spikes made of solvent-resistant plastic for bursting air bubbles that form when applying various floor coating materials and need to be removed at an early stage before bonding. This avoids consequential damage or reworking and maintains a uniform floor surface

**Aerodon large area paint roller, Ø 41 mm core**

With fixed handle for use with an extension pole to avoid bubbles forming after coating: Trapped air bubbles are burst and denibbed when using floor coatings, liquid screed, self-levelling compounds or resins.



COATINGS	SEALANTS	SELF-LEVELLING COMPOUNDS	SCREED
✓	✓	✓	✓

Art. no.	Label	Width	Core diameter	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
797019001	Bulk	19 cm	41 mm	pcs	30	30	90	240
797024001	Bulk	24 cm	41 mm	pcs	30	30	90	240



PAINTING ACCESSORIES



Professional accessories are necessary for solid paint application. Only with the right handle, a solid paint tray and a stable telescopic extension pole can well-stirred paint be efficiently applied to the substrate. For instance, the new 2-component handle grip allows the handles to be perfectly managed, and is adapted to the shape of the hand to ensure fatigue-free working.

STICK FRAMES



The stick point roller frames come as 1-component and 2-component versions for all rollers with a 6 mm and 8 mm stick system. The paint roller's socket system ensures a stable fit. All paint roller stick frames can be combined with our telescopic poles.



2-component ergo-grip stick frame

2-component handle for optimum brushwork and permanent fatigue-free working. Balanced wire geometry. With 8 mm galvanised wire.

Art. no.	Label	Width	Length	for roller width	Wire diameter	Handle material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
784218000	Bulk	18 cm	27 cm	18 - 22 cm	8 mm	2-component ergo-grip	blue-white	pcs	40	40	120	960
784225000	Bulk	25 cm	27 cm	25 - 27 cm	8 mm	2-component ergo-grip	blue-white	pcs	40	40	120	960



2-component ergo-grip stick frame

2-component handle for optimum brushwork and permanent fatigue-free working. With 6 mm galvanised wire.

Art. no.	Label	Width	Length	for roller width	Wire diameter	Handle material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
784227000	Bulk	10 cm	27 cm	10 - 16 cm	6 mm	2-component ergo-grip	blue-white	pcs	50	50	150	2.000
784237000	Bulk	10 cm	37 cm	10 - 16 cm	6 mm	2-component ergo-grip	blue-white	pcs	40	40	120	1.600

1-component stick frame, standard

1-component handle. Balanced wire geometry. With 8 mm galvanised wire.



Art. no.	Label	Length	Width	for roller width	Wire diameter	Handle material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
784001000	Bulk	27 cm	18 cm	18 - 22 cm	8 mm	1-component	blue	pcs	100	100	300	1.600
784101000	Bulk	27 cm	25 cm	25 - 27 cm	8 mm	1-component	blue	pcs	80	80	240	1.600

1-component stick frame, standard

1-component handle. With 6 mm galvanised wire.



Art. no.	Label	Length	Width	for roller width	Wire diameter	Handle material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
782501000	Bulk	27 cm	10 cm	10 - 16 cm	6 mm	1-component	blue	pcs	150	150	450	3.000
782601000	Bulk	37 cm	10 cm	10 - 16 cm	6 mm	1-component	blue	pcs	130	130	390	2.080

Basic paint roller frame

1-component handle. With 6 mm galvanised wire.



Art. no.	Label	Length	Width	for roller width	Wire diameter	Handle material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
782411000	Bulk	19 cm	5 cm	5 - 7 cm	6 mm	1-component	blue	pcs	100	100	300	3.200
782512000	Bulk	27 cm	10 cm	10 - 16 cm	6 mm	1-component	blue	pcs	200	200	600	3.200
782613000	Bulk	37 cm	10 cm	10 - 16 cm	6 mm	1-component	blue	pcs	150	150	450	2.400

Handle for extra-wide paint rollers

Adjustable metal handle for use with telescopic extension pole for all paint and sealant rollers with a width of 30-61 cm and an 8 mm wire diameter.




Art. no.	Label	for roller width	Wire diameter	Handle material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
85056110	EAN	30 - 61 cm	8 mm	metall	pcs	5	20	60	160

PAINT GRID




Metal or plastic paint grid for the pick-up of even volumes of paint directly from the bucket. Holding devices make it easier to work by ensuring that the grid does not tilt forwards when rolling on it. Special rolling surface profile for fast and even paint distribution on the roller.

**Metal paint grid**


Optimum rolling properties thanks to the corrugated grid structure. The bent strips enable it to be easily fixed on the paint bucket. Galvanised steel wire, therefore a long service life.

Art. no.	Label	Length	Width	Material	Fixing	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
84832110	EAN	20 cm	11 cm	galvanized steel	bent strips	silver	pcs	20	100	300	4.000
84832710	EAN	30 cm	26 cm	galvanized steel	bent strips	silver	pcs	20	80	240	1.600

**Metal paint grid**

Optimum rolling properties thanks to the corrugated grid structure. The bent strips enable it to be easily fixed on the paint bucket. Galvanised steel wire, therefore a long service life.

Art. no.	Label	Length	Width	Material	Fixing	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
786704000	Bulk	30 cm	26 cm	galvanized steel	bent strips	silver	pcs	100	100	300	1.600


**Plastic paint grid**

Good rolling properties, thanks to the X-shaped grid structure. Easy to lock in place thanks to the pre-formed hook on the bucket.

Art. no.	Label	Length	Width	Material	Fixing	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
84833010	EAN	18 cm	12 cm	plastic	hook	black	pcs	50	50	150	5.600
84834010	EAN	22 cm	18 cm	plastic	hook	black	pcs	15	540	1.620	3.240
84832910	EAN	25 cm	22 cm	plastic	hook	black	pcs	10	210	630	1.260
84832810	EAN	29 cm	27 cm	plastic	hook	black	pcs	15	120	360	960

PAINT TRAYS AND BUCKETS

Stable paint trays for use with all paints, coatings and glazes. Highly solvent-resistant and reusable due to ease of cleaning. With a lip for ease of pouring back into the main mould. Integrated scale to show the volume and opportunity to simply guarantee mixing ratios. New: Liner for paint trays available now.

**Plastic paint tray**

The torsionally-resistant paint trays provide a high level of stability. The roller does not slip due to the ribbed structure in the paint reservoir. The profile on the rolling surface ensures that the paint is distributed evenly. Integrated scale and pouring lip.



Art. no.	Label	Length	Width	Material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
787201001	Bulk	27,5 cm	13 cm	plastic	blue	pcs	200	200	600	1.600
787301001	Bulk	19,5 cm	18,5 cm	plastic	blue	pcs	240	240	720	1.920
787401001	Bulk	29,5 cm	24,5 cm	plastic	blue	pcs	100	100	300	800
787601001	Bulk	33 cm	30 cm	plastic	blue	pcs	50	50	150	600

Plastic paint tray XXL

The torsionally-resistant paint tray offers high stability. The ribbed structure at the bottom of the tray prevents the roller from slipping. The robust, large-sized design gives the tray extreme stability during use.



Art. no.	Label	Length	Width	Material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
84803010	EAN	47 cm	34 cm	plastic	black	pcs	5	5	25	100

Paint tray liner

For parallel working with several paint colours or as a cost-effective alternative, particularly with solvent-based paints. The liners are made of significantly less plastic than paint trays and are solvent-resistant.



Art. no.	Label	Information	Length	Width	Material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
84801410	EAN	Pack of 3	29 cm	14 cm	plastic	transparent	PACK	10	100	500	1.200
84802610	EAN	Pack of 3	29,5 cm	24,5 cm	plastic	transparent	PACK	10	40	120	640

**Quick paint sieve**

Simple sieving of paints through the stainless steel mesh with high flow capacity. Mesh size ~0.42mm.

Art. no.	Label	diameter Ø	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94450010	EAN	22,5 cm	metall	pcs	2	12	36	144

**Expert cup**

For filling with paints and coatings. Solvent-resistant. Comfortable to hold with stable plastic handle. Integrated wiping device for paint rollers and brushes. Excess paint can be cleanly returned to the paint bucket thanks to the pouring lip.

Art. no.	Label	Length	Width	Material	Capacity	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
84835010	EAN	18 cm	28 cm	plastic	2 l	black	pcs	20	20	60	800

**paint bucket insert**

For working with multiple colors simultaneously or as a cost-effective alternative, especially for solvent-based paints that cannot be washed out. The inserts are made with significantly less plastic than paint trays and are solvent-resistant.

Art. no.	Label	Information	Material	Capacity	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
84835110	EAN	Pack of 5	plastic	2 l	transparent	PACK	10	60	60	480

**Paint bucket, square**

Paint bucket, square, with solid handle. For transferring or mixing materials. With integrated scale and wiping lip.

Art. no.	Label	Material	Capacity	Shape	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
84820810	EAN	plastic	8 l	rectangular	black	pcs	5	5	30	455
84821410	EAN	plastic	12 l	rectangular	black	pcs	10	5	30	240
84824410	EAN	plastic	14 l	rectangular	black	pcs	5	5	30	240

paint bucket insert

For working with multiple colors simultaneously or as a cost-effective alternative, especially for solvent-based paints that cannot be washed out. The inserts are made with significantly less plastic than paint trays and are solvent-resistant.



Art. no.	Label	Information	Material	Capacity	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
84800810	EAN	Pack of 5	plastic	8 l	transparent	PACK	10	20	60	200
84801310	EAN	Pack of 5	plastic	12 l	transparent	PACK	10	20	60	120

Paint bucket, oval

Paint bucket, oval, with solid handle. For transferring or mixing materials.



Art. no.	Label	Material	Capacity	Shape	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
788111000	Bulk	plastic	11 l	oval	white	pcs	10	1	30	540



POLES



Telescopic poles to simplify overhead painting or painting at height. Specifically for use when painting very smooth wall and ceiling surfaces with matt paints to avoid pressure differences and for faster, back-friendly working. Aluminium poles with corrugated tube structure for outstanding bending strength. All telescopic poles have a universal cone to fit to all of our handles.

**Aluminium-fibreglass telescopic pole**

Professional telescopic pole made of aluminium-fibreglass. Thick shaft for ease of painting. With screw nut and soft grip. Excellent stability and durability.

Art. no.	Label	Information	Length	Material	Cone	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
84962210	EAN	lock = external	114-200 cm	aluminium-fibreglass	standard cone	silver	pcs	6	6	18	300

**Aluminium telescopic pole**

Lightweight telescopic pole made of anodised aluminium. With screw nut and plastic grip. Corrugated tube structure for particularly high bending strength.

Art. no.	Label	Information	Length	Material	Cone	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
84923010	EAN	lock = external	80-150 cm	aluminium	standard cone	silver	pcs	10	10	30	450

**Aluminium telescopic pole**

Lightweight telescopic pole made of anodised aluminium. With screw nut and plastic grip. Corrugated tube structure for particularly high bending strength. M8 thread.

Art. no.	Label	Information	Length	Material	Cone	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
782002000	Bulk	lock = external	115 cm / 200 cm	aluminium	standard cone	silver	pcs	10	10	30	500

Steel telescopic pole

Traditional powder-coated steel telescopic pole. With female thread and plastic grip.



Art. no.	Label	Information	Length	Material	Cone	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
789091001	Bulk	lock = internal	80 cm / 130 cm	steel	standard cone	silver	pcs	20	20	60	1.440
789092001	Bulk	lock = internal	115 cm / 200 cm	steel	standard cone	silver	pcs	20	20	60	720

Steel telescopic pole

Traditional powder-coated steel telescopic pole. With female thread and plastic grip and a click cone perfectly matched to the roller frames.



Art. no.	Label	Length	Material	Cone	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
84911310	EAN	80-130 cm	steel	retaining clip	silver	pcs	10	10	30	720
84912010	EAN	115-200 cm	steel	retaining clip	silver	pcs	10	10	30	720
84913010	EAN	165-300 cm	steel	retaining clip	silver	pcs	10	10	300	720

HOW IT CLICKS - COMPARING THE 2 CONE TYPES**Standard cone**

- Suitable for all Westex roller frames and many other frames
- Secure fitting thanks to the special grooved shape

Click cone

- Shape adapted to the Westex stick frames
- Click-lock function for a 100% secure hold for all Westex roller frames

PAINT STIRRERS



For stirring and mixing different materials. Manual and mechanical stirrers for different container sizes and viscosities.

**Small stirring rod**

Steel with plastic mixing plate. Receptacle: hexagonal. For mixing of low-viscosity materials, including those containing solvents. (Stirring quantity max 5kg). Perfect for usage directly in paint can.

Art. no.	Label	Length	Diameter Ø	Stirring volume	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94320010	EAN	400 mm	60 mm	0 - 5 kg	plastic	pcs	12	48	48	1.440

**Round stirring rod**

Powder-coated steel. Receptacle: Hexagonal. For mixing of low-viscosity to viscous materials.

Art. no.	Label	Length	Diameter Ø	Mounting	Stirring volume	Material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
304960001	Bulk	400 mm	60 mm	6-edge	0 - 10 kg	steel	blue	pcs	36	36	108	864
304980001	Bulk	400 mm	80 mm	6-edge	0 - 15 kg	steel	blue	pcs	36	36	108	576
304999001	Bulk	600 mm	100 mm	6-edge	0-20 kg	steel	blue	pcs	36	36	108	216

**Spiral stirring rod**

Steel, galvanized. Receptacle: hexagonal. For mixing of viscous materials.

Art. no.	Label	Length	Diameter Ø	Stirring volume	Mounting	Material	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94372010	EAN	480 mm	100 mm	0 - 20 kg	6-edge	galvanized steel	pcs	6	6	18	324

Wooden stirring rod

For the manual, even stirring of paints and coatings. 45 cm



Art. no.	Label	Length	Material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94361010	EAN	45 cm	wood	beige	pcs	25	250	150	5.000

Plastic stirring rod

Plastic stirring rod for the even stirring of paints and coatings. 28 cm



Art. no.	Label	Length	Material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94330010	EAN	28 cm	plastic	black	pcs	10	200	800	4.800

Metall stirring rod

Metall stirring rod for the even stirring of paints and coatings. With paint can opener at the top.



Art. no.	Label	Length	Material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
94312810	EAN	28 cm	galvanized steel	black-silver	pcs	10	100	300	10.800





Cleanliness and precision. Maximum reliability.

A clean workspace is like a business card. Different grammages. Different thicknesses. Different materials. WESTEX offers dust control doors, gloves and waste bags for all applications. And in all quantities.

From direct containers to large quantities.
And - of course - also in private label packaging.



TOOLS AND EQUIPMENT

Tools and Equipment	136
Dust Protection Doors	137
Gloves and Overalls	138
Waste Bags	140

TOOLS AND EQUIPMENT



In addition to traditional tools and equipment, there is also a focus by tradespersons and customers on cleanliness on site. The dust protection doors we supply have proved themselves for this purpose. Various opening versions can be used on site, some of which pushcarts and trolleys can pass through, and can be re-used. Only adhesive tape and a snap-off knife are required to attach them.



Wooden folding metre stick
For all manual measurements. 2 m long, high quality

Art. no.	Label	Information	Size	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
98130210	EAN	10 Limbs	2 m	pcs	6	60	180	3.600



Pressure sprayer attachment
Easy to attach to all standard plastic bottles. For spraying water, soap solution, etc. Drop size of the spray mist on the spray head can be adjusted.

Art. no.	Label	Material	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
95740010	Bulk	plastic	white	pcs	5	80	15	2.160



DUST PROTECTION DOORS

Dust protection doors are used as dirt doors in renovation/refurbishment work. Transparent film design for renovation work to protect against suspended materials, such as building dust. White non-woven version for protection against coarse dirt. Two opening alternatives. Pushcarts can pass through.



Professional LDPE film protective door

Protects against dirt and dust in renovation work. Waterproof and almost dustproof. 100 µ, L-shaped. For door widths of 60 cm to 110 cm.



Art. no.	Label	Width / Length	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96962215	EAN	1,20 m / 2,20 m	translucent	pcs	5	25	75	800

Nonwoven protective door

Protects against dirt and dust in renovation work. C-shaped. For door widths of 90 cm to 110 cm. Pushcarts can pass through.



Art. no.	Label	Width / Length	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96962015	EAN	1,10 m / 2,20 m	white	pcs	10	40	120	400

GLOVES AND OVERALLS



Gloves and overalls in various sizes and protection classes, made from different materials. Whether made from durable material, with a non-slip coating, or ergonomic fit for optimal mobility and dexterity - always well protected.



Top Grip gloves

The Top Grip nitrile glove ensures a secure and comfortable grip with its coarse knobs, even on smooth surfaces. The glove is moisture-repellent, lightweight, and flexible, offering long durability and a unique wearing experience while providing protection against mechanical hazards. The Top Grip is an ideal choice for all types of industrial or dirty applications where a secure grip is necessary.

Art. no.	Label	Size	Class of protection	EN standard	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
98530110	EAN	8	CE Cat II, EN 388	388	pair	12	120	360	1.800
98530210	EAN	9	CE Cat II, EN 388	388	pair	12	120	360	1.800
98530310	EAN	10	CE Cat II, EN 388	388	pair	12	120	360	2.160



Gecko Grip Gloves

The Gecko Grip glove offers excellent tactile sensitivity and a secure grip thanks to the microfoam coating. The glove is perfect for working with paint, varnish, and other wet materials. The Gecko Grip technology ensures optimal grip, allowing for precise and safe work. Additionally, the nitrile glove is very durable and long-lasting.

Art. no.	Label	Size	Class of protection	EN standard	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
98560110	EAN	8	CE Cat II, EN 388	388	pair	12	120	360	2.160
98560210	EAN	9	CE Cat II, EN 388	388	pair	12	120	360	2.160
98560310	EAN	10	CE Cat II, EN 388	388	pair	12	120	360	2.160



Aqua Grip Gloves

Knitted gloves made of polyester with nitrile coating. Good grip even on wet surfaces. Lightly textured, moisture-repellent coating.

Art. no.	Label	Size	Class of protection	EN standard	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
98570110	EAN	8	CE Cat II, EN 388	388	pair	12	120	360	1.440
98570210	EAN	9	CE Cat II, EN 388	388	pair	12	120	360	1.440
98570310	EAN	10	CE Cat II, EN 388	388	pair	12	120	360	1.440

Senso Grip Gloves

The Senso Grip nylon glove with PU coating is the perfect choice for anyone needing excellent tactile sensitivity. Thanks to the special coating, the glove provides optimal grip and prevents slipping. The Senso Grip is therefore ideal for all tasks where precision and safety are required.



Art. no.	Label	Size	Class of protection	EN standard	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
98540110	EAN	8	CE Cat I, EN 420	388	pair	12	120	360	2.160
98540210	EAN	9	CE Cat I, EN 420	388	pair	12	120	360	2.880
98540310	EAN	10	CE Cat I, EN 420	388	pair	12	120	360	2.880

Work Grip Gloves

The Work Grip is a durable and comfortable cotton glove. It is made from a robust cotton fabric that ensures a firm hold and maximum grip. The inner lining is soft and breathable. The glove is the perfect choice for work in challenging environments, as it offers high abrasion and wear resistance.



Art. no.	Label	Size	Class of protection	EN standard	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
98581010	EAN	10	CE Cat II, EN 388	388	pair	12	120	360	960

Painters Overall

For protection against dust and dirt during renovation work.
Not certified PPE items!



Art. no.	Label	Size	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
98680010	EAN	L 52-54	pcs	10	100	300	600
98680110	EAN	XL 56-58	pcs	10	100	300	600
98680210	EAN	XXL 60-62	pcs	10	100	300	600

WASTE BAGS



Dirt or waste is inevitably produced in renovation, refurbishment or decorating work. Waste bags are essential for the disposal of this waste.



Decorating waste bag
For the disposal of lightweight renovation waste or wallpaper.

Art. no.	Label	Information	Capacity	Strength	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96950010	EAN	25 x/roll	120 l	40 µm	blue	roll	10	10	30	400
96951010	EAN	25 x/roll	120 l	60 µm	blue	roll	8	8	24	240
96952510	EAN	25 x/roll	120 l	80 µm	blue	roll	6	6	18	180



Decorating waste bag
For the disposal of lightweight renovation waste or wallpaper.

Art. no.	Label	Information	Capacity	Strength	Colour	Ordering unit	MOQ	Carton (Pcs.)	Discounted quantity	Pallet quantity
96956510	EAN	10 x/roll	240 l	65 µm	black	roll	10	10	30	300



Terms of delivery and minimum order value conditions valid from 01.07.2024

GENERAL TERMS AND CONDITIONS OF SALE AND DELIVERY CIRET GMBH, WESTEX DIVISION § 1 GENERAL - SCOPE

1. CIRET GMBH TERMS AND CONDITIONS OF SALE AND DELIVERY SHALL APPLY EXCLUSIVELY; CONFLICTING TERMS AND CONDITIONS OF SALE AND DELIVERY, OR ANY TERMS AND CONDITIONS OF SALE AND DELIVERY DEVIATING FROM OUR TERMS AND CONDITIONS OF SALE AND DELIVERY ON THE PART OF THE CUSTOMER SHALL NOT BE RECOGNIZED BY US, UNLESS WE HAVE EXPRESSLY APPROVED THE VALIDITY OF SAME IN WRITING. OUR TERMS AND CONDITIONS OF SALE AND DELIVERY SHALL ALSO APPLY IF WE CARRY OUT DELIVERY TO THE CUSTOMER UNCONDITIONALLY WHILE BEING AWARE OF THE EXISTENCE OF CONFLICTING TERMS AND CONDITIONS OF SALE OR TERMS AND CONDITIONS OF SALE AND DELIVERY ON THE PART OF THE CUSTOMER DEVIATING FROM OUR TERMS AND CONDITIONS OF SALE.
2. ALL AGREEMENTS CONCLUDED BETWEEN US AND THE CUSTOMER FOR THE PURPOSES OF PERFORMANCE OF THIS CONTRACT SHALL BE LAID DOWN IN WRITING IN THIS CONTRACT.
3. OUR TERMS AND CONDITIONS OF SALE AND DELIVERY SHALL ONLY APPLY TO COMPANIES WITHIN THE MEANING OF § 310, PARAGRAPH 1 OF THE GERMAN CIVIL CODE.
4. THESE GENERAL TERMS AND CONDITIONS OF BUSINESS SHALL ALSO APPLY TO FUTURE BUSINESS RELATIONS, EVEN IF THEY HAVE NOT BEEN EXPRESSLY AGREED UPON AGAIN.
5. IN ACCORDANCE WITH § 26, PARAGRAPH 1 OF THE BDSG IT SHALL HEREBY BE INDICATED THAT WITHIN THE CONTEXT OF ORDINARY BUSINESS WE SHALL STORE DATA RELATING TO OUR BUSINESS PARTNERS FOR INTERNAL PURPOSES.
6. SHOULD THE ORDER HAVE TO BE QUALIFIED AS A QUOTE IN ACCORDANCE WITH § 145 OF THE GERMAN CIVIL CODE, THEN WE MAY ACCEPT THIS QUOTE WITHIN 2 WEEKS. ORDERS SHALL BE ACCEPTED BY WRITTEN CONFIRMATION OF ORDER.

§ 2 PRICES - TERMS AND CONDITIONS OF PAYMENT

1. IN PRINCIPLE, FIXED PRICES SHALL BE AGREED UPON. WHERE ORDERS FOR WHICH FIXED PRICES ARE NOT AGREED UPON ARE CONCERNED, THE SUPPLIER'S PRICE LISTS VALID ON THE DAY OF DELIVERY SHALL APPLY TO TRANSACTIONS WITH COMPANIES.
2. STATUTORY VALUE ADDED TAX IS NOT INCLUDED IN OUR PRICES; THE STATUTORY AMOUNT SHALL BE INDICATED SEPARATELY IN OUR INVOICE ON THE DAY ON WHICH INVOICES ARE DRAWN UP. FURTHERMORE, PRICES SHALL BE UNDERSTOOD AS INCLUDING THE FLAT RATE FOR SENDING AND PACKAGING DESCRIBED IN GREATER DETAIL IN NUMBER 3 BELOW. CHANGES IN PRICES, IN PARTICULAR THOSE RELATING TO INCREASES IN WAGE COSTS, INCIDENTAL WAGE COSTS, EXCHANGE RATE VARIATIONS, MATERIAL COSTS AND TRANSPORTS COSTS, SHALL REMAIN RESERVED. THE RESERVATION RELATING TO CHANGES IN PRICES SHALL ONLY APPLY TO CONTRACTS WITH CONSUMERS INsofar, AS A PERIOD OF MORE THAN FOUR MONTHS EXISTS BETWEEN CONCLUSION OF CONTRACT AND DELIVERY OR PLANNED DELIVERY.
3. FOR INVOICE VALUES EXCEEDING EUR 2.000 (MINIMUM ORDER VALUE EUR 2.000), NOT INCLUDING VAT, WE SHALL DELIVER FREE IN THE FEDERAL REPUBLIC OF GERMANY. THE MINIMUM ORDER VALUE FOR EXPORT DELIVERIES IS EUR 2.500; FREIGHT COSTS ARE SUBJECT TO INQUIRY.
4. PARTIAL DELIVERIES SHALL, IN PRINCIPLE, REMAIN RESERVED. THE PRICES FOR SAME REFER EXCLUSIVELY TO THE CUSTOMARY PACKING UNITS INDICATED; TO THIS EXTENT THE ORDER QUANTITY SHALL BE MODIFIED TO FIT SAME.
5. THE CUSTOMER SHALL ONLY BE ENTITLED TO OFFSETTING RIGHTS IF HIS COUNTERCLAIMS ARE ESTABLISHED AS BEING LEGALLY VALID, UNDISPUTED AND RECOGNIZED BY US. FURTHERMORE, HE SHALL BE AUTHORIZED TO EXERCISE HIS RIGHT OF RETENTION TO THE EXTENT THAT HIS COUNTERCLAIM IS BASED ON THE SAME CONTRACTUAL RELATIONSHIP.
6. OUR INVOICES MUST BE SETTLED WITHIN THE FEDERAL REPUBLIC OF GERMANY WITHIN 30 DAYS FOLLOWING DATE OF INVOICE WITHOUT DISCOUNT. IF CHEQUES OR BILLS OF EXCHANGE ARE ACCEPTED, THEN REDEMPTION SHALL OCCUR ONCE THESE HAVE BEEN FINALLY CASHED.
7. THE TERMS AND CONDITIONS OF PAYMENT STIPULATED UNDER (6) ABOVE SHALL ONLY APPLY TO GERMANY. THE TERMS AND CONDITIONS OF PAYMENT FOR FOREIGN COUNTRIES ARE SUBJECT TO NEGOTIATION.

§ 3 - PERIOD OF DELIVERY

1. SHOULD THE CUSTOMER DEFAULT IN ACCEPTING DELIVERY OF THE GOODS, OR SHOULD HE CULPABLY NEGLECT ANY OTHER DUTIES TO COOPERATE, THEN WE SHALL BE ENTITLED TO REQUEST COMPENSATION FOR THE DAMAGES ARISING TO US A RESULT, INCLUDING ANY ADDITIONAL EXPENSES. THE RIGHT TO ANY ADDITIONAL CLAIMS SHALL REMAIN RESERVED.
2. SHOULD THE PRECONDITIONS REFERRED TO IN PARAGRAPH (1) EXIST, THEN THE RISK ASSOCIATED WITH ACCIDENTAL DESTRUCTION OR ACCIDENTAL DETERIORATION IN THE GOODS PURCHASED SHALL PASS TO THE CUSTOMER AT THE TIME AT WHICH HE DEFAULTS IN ACCEPTING DELIVERY OF THE GOODS OR AT WHICH DEBTOR'S DELAY IN RELATION TO HIM OCCURS.
3. WE SHALL BE LIABLE IN ACCORDANCE WITH THE STATUTORY PROVISIONS TO THE EXTENT THAT THE PURCHASE CONTRACT USED AS A BASIS IS A CONTRACT WHERE TIME IS OF THE ESSENCE WITHIN THE MEANING OF § 286, PARAGRAPH 2, NO. 4 OF THE GERMAN CIVIL CODE OR WITHIN THE MEANING OF § 376 OF THE GERMAN COMMERCIAL CODE. WE SHALL ALSO BE LIABLE IN ACCORDANCE WITH THE STATUTORY PROVISIONS INsofar AS, AS A CONSEQUENCE OF DELAY IN DELIVERY FOR WHICH WE ARE RESPONSIBLE, THE CUSTOMER IS ENTITLED TO ASSERT THAT HIS INTEREST IN FURTHER PERFORMANCE OF CONTRACT CAN BE CANCELLED.

4. WE SHALL FURTHERMORE BE LIABLE IN ACCORDANCE WITH THE STATUTORY PROVISIONS INsofar, AS DELAY IN DELIVERY RESULTS FROM INTENTIONAL OR GROSSLY NEGLIGENT VIOLATION OF CONTRACT ON OUR PART; IN SUCH A CASE CULPABILITY MUST BE ATTRIBUTED TO OUR REPRESENTATIVES OR VICARIOUS AGENTS. INsofar, AS DELAY IN DELIVERY IS NOT BASED ON INTENTIONAL VIOLATION OF CONTRACT ON OUR PART, THEN LIABILITY IN RELATION TO THE PAYING OF ANY COMPENSATION SHALL BE LIMITED TO THE FORESEEABLE DAMAGES OCCURRING IN THE USUAL MANNER.
5. WE SHALL ALSO BE LIABLE IN ACCORDANCE WITH THE STATUTORY PROVISIONS INsofar AS THE DELAY IN DELIVERY FOR WHICH WE ARE RESPONSIBLE IS BASED ON THE CULPABLE NEGLECT OF AN ESSENTIAL CONTRACTUAL DUTY; HOWEVER, IN THIS CASE LIABILITY FOR COMPENSATION SHALL BE LIMITED TO THE FORESEEABLE DAMAGES OCCURRING IN THE USUAL MANNER.
6. WE SHALL ALSO BE LIABLE IN CASES WHERE DELAYS IN DELIVERY OCCUR FOR EACH FULL WEEK OF DELAY WITHIN THE FRAMEWORK OF PRO RATA COMPENSATION FOR DELAY AMOUNTING TO 3% OF THE VALUE OF THE DELIVERY, BUT NOT EXCEEDING A MAXIMUM OF 15% OF THE DELIVERY VALUE
7. ADDITIONAL STATUTORY CLAIMS AND RIGHTS ON THE PART OF THE CUSTOMER SHALL REMAIN RESERVED.
8. LIABILITY FOR THE GOODS SHALL BE TRANSFERRED FOLLOWING HANDING OVER OF THE GOODS BY THE FORWARDING AGENCY WITH SAME; THE SUPPLIER SHALL ONLY BE LIABLE FOR INTENTIONAL AND GROSS NEGLIGENCE.

§ 4 - LIABILITY FOR DEFECTS

1. A PRECONDITION FOR WARRANTY CLAIMS ON THE PART OF THE CUSTOMER SHALL BE THAT HE HAS PROPERLY COMPLIED WITH HIS OBLIGATIONS IN RELATION TO INSPECTIONS AND COMPLAINTS IN ACCORDANCE WITH § 377 OF THE GERMAN COMMERCIAL CODE.
2. SHOULD DEFECTS IN THE PURCHASED ITEMS EXIST, THEN THE SUPPLIER SHALL AT HIS OWN DISCRETION BE OBLIGED TO PERFORM SUBSEQUENT FULFILMENT BY HAVING THE DEFECTS REMEDIED OR BY SUPPLYING NEW ITEMS FREE OF DEFECTS. SHOULD REMEDYING OF DEFECTS OCCUR, WE SHALL BE OBLIGED TO BEAR ALL EXPENSES NECESSARY FOR THE PURPOSES OF SAME, IN PARTICULAR TRANSPORT, TRAVEL, LABOUR AND MATERIAL COSTS, ONLY IF THERE IS NO INCREASE IN THESE DUE TO THE PURCHASED ITEMS BEING BROUGHT TO A PLACE DIFFERENT FROM THE PLACE OF FULFILMENT.
3. SHOULD SUBSEQUENT FULFILMENT BE UNSUCCESSFUL, THE CUSTOMER SHALL AT THIS OWN DISCRETION BE ENTITLED TO REQUEST WITHDRAWAL FROM THE CONTRACT OR A REDUCTION IN THE PURCHASE PRICE.
4. WE SHALL BE LIABLE IN ACCORDANCE WITH THE STATUTORY PROVISIONS INsofar, AS THE CUSTOMER ASSERTS CLAIMS FOR COMPENSATION WHICH ARE BASED ON INTENTION OR GROSS NEGLIGENCE, INCLUDING INTENTION OR GROSS NEGLIGENCE ON THE PART OF OUR REPRESENTATIVES OR VICARIOUS AGENTS. INsofar AS WE ARE NOT BEING BLAMED FOR VIOLATION OF CONTRACT, LIABILITY FOR COMPENSATION SHALL BE LIMITED TO FORESEEABLE DAMAGES OCCURRING IN THE USUAL MANNER.
5. WE SHALL BE LIABLE IN ACCORDANCE WITH THE STATUTORY PROVISIONS IF WE CULPABLY NEGLECT AN ESSENTIAL CONTRACTUAL DUTY; HOWEVER, IN THIS CASE LIABILITY FOR COMPENSATION SHALL BE LIMITED TO FORESEEABLE DAMAGES OCCURRING IN THE USUAL MANNER.
6. LIABILITY DUE TO CULPABLE HARM CAUSED TO LIFE, BODY OR HEALTH SHALL REMAIN UNAFFECTED; THIS STIPULATION SHALL ALSO APPLY TO COMPELLING LIABILITY IN ACCORDANCE WITH THE GERMAN LAW ON PRODUCT LIABILITY.
7. SHOULD NO DEVIATING PROVISIONS HAVE BEEN REGULATED ABOVE, THEN LIABILITY SHALL BE EXCLUDED.
8. THE LIMITATION PERIOD FOR WARRANTY CLAIMS SHALL BE 12 MONTHS CALCULATED FROM THE TIME AT WHICH THE LIABILITY OF THE GOODS WAS TRANSFERRED.
9. THE LIMITATION PERIOD FOR CLAIMS RELATING TO A DELIVERY IN ACCORDANCE WITH §§ 478, 479 OF THE GERMAN CIVIL CODE SHALL REMAIN UNAFFECTED; THIS LIMITATION PERIOD SHALL BE FIVE YEARS CALCULATED FROM THE TIME AT WHICH THE DEFECTIVE ITEMS WERE DELIVERED.
10. PROVIDED THAT THE CUSTOMER REMAINS NEUTRAL, I.E. THAT THEY DO NOT DELIVER PRODUCTS MARKED WITH THE NAME OF THE SUPPLIER, THEN HE/SHE MAY INTRODUCE THESE INTO CIRCULATION WITHIN THE COUNTRIES OF THE EUROPEAN UNION ECONOMIC AREA ONLY WITH INDICATION OF THE MANUFACTURE ACCORDING TO § 2 (10) AND § 5 OF THE GPSG. WITH ANY FAILURE TO CARRY OUT THE DEFAULTS, ANY KIND OF CLAIM BROUGHT AGAINST US IS EXCLUDED.

§ 5 - JOINT AND SEVERAL LIABILITY

1. LIABILITY FOR COMPENSATION EXCEEDING THAT PROVIDED FOR IN § 6 SHALL BE EXCLUDED, WITHOUT CONSIDERATION OF THE LEGAL NATURE OF THE CLAIM BEING ASSERTED. THIS STIPULATION SHALL, IN PARTICULAR, APPLY TO CLAIMS FOR COMPENSATION ARISING FROM CULPABILITY WHEN THE CONTRACT WAS BEING CONCLUDED, DUE TO OTHER VIOLATIONS OF DUTY OR DUE TO DELICTUAL CLAIMS TO COMPENSATION FOR DAMAGE TO PROPERTY IN ACCORDANCE WITH § 823 OF THE GERMAN CIVIL CODE.
2. THE RESTRICTION IN ACCORDANCE WITH PARAGRAPH (1) SHALL ALSO APPLY INsofar AS THE CUSTOMER, INSTEAD OF PAYMENT, REQUESTS COMPENSATION FOR UNPROFITABLE EXPENSES IN THE PLACE OF A CLAIM FOR COMPENSATION FOR DAMAGES.

Terms of delivery and minimum order value

Conditions valid from 01.07.2024

3. SHOULD LIABILITY FOR COMPENSATION BE EXCLUDED OR RESTRICTED IN RELATION TO US, THEN THIS STIPULATION SHALL ALSO APPLY TO PERSONAL LIABILITY FOR COMPENSATION IN RELATION TO OUR EMPLOYEES, WORKERS, COLLEAGUES, REPRESENTATIVES AND VICARIOUS AGENTS.

2. THE LAW OF THE FEDERAL REPUBLIC OF GERMANY APPLIES; THE VALIDITY OF THE UN CONVENTION ON CONTRACTS FOR THE SALE OF GOODS SHALL BE EXCLUDED.

3. PROVIDED THERE ARE NO OTHER STIPULATIONS CONTAINED IN THE ORDER CONFIRMATION, OUR PLACE OF BUSINESS SHALL BE THE PLACE OF FULFILMENT.

§ 6 - SAFEGUARDING OF RETENTION OF TITLE TO OWNERSHIP

1. WE SHALL RESERVE THE RIGHT TO OWNERSHIP IN THE ITEMS PURCHASED UNTIL ALL PAYMENTS ARISING FROM THE SUPPLY CONTRACT HAVE BEEN RECEIVED. SHOULD BEHAVIOR CONTRARY TO CONTRACT OCCUR ON THE PART OF THE CUSTOMER, IN PARTICULAR DEFAULT IN PAYMENT, THEN WE SHALL BE ENTITLED TO TAKE BACK THE PURCHASED ITEMS. THE TAKING BACK OF THE PURCHASED ITEMS ON OUR PART SHALL BE THE EQUIVALENT TO WITHDRAWAL OF CONTRACT. FOLLOWING TAKING BACK OF THE PURCHASED ITEMS WE SHALL BE AUTHORIZED TO RECOVER THEM; THE REVENUE FROM RECOVERY, MINUS APPROPRIATE RECOVERY COSTS, SHALL BE CREDITED AGAINST THE CUSTOMER'S DEBTS.

2. THE CUSTOMER SHALL BE OBLIGED TO TREAT THE PURCHASED ITEMS WITH CARE; HE SHALL, IN PARTICULAR, BE OBLIGED TO INSURE SAME SUFFICIENTLY AT REINSTATEMENT VALUE AGAINST DAMAGE CAUSED BY FIRE, WATER AND THEFT. INsofar AS MAINTENANCE AND INSPECTION WORK ARE REQUIRED, THE CUSTOMER MUST HAVE SAME CARRIED OUT IN GOOD TIME AT HIS OWN COST.

3. SHOULD LEVIES OF EXECUTION OR OTHER INTERFERENCE BY THIRD PARTIES OCCUR, THEN THE CUSTOMER MUST NOTIFY US IMMEDIATELY IN WRITING OF SAME SO THAT WE MAY BRING AN ACTION IN ACCORDANCE WITH § 771 OF THE GERMAN CODE OF CIVIL PROCEDURE. INsofar AS THE THIRD PARTY IS NOT IN A POSITION TO REIMBURSE US FOR THE LEGAL AND OUT-OF-COURT COSTS OF AN ACTION IN ACCORDANCE WITH § 771 OF THE GERMAN CODE OF CIVIL PROCEDURE, THEN THE CUSTOMER SHALL BE LIABLE FOR THE FINANCIAL LOSS ACCRUING TO US.

4. THE CUSTOMER SHALL BE ENTITLED TO RESELL THE PURCHASED ITEMS DURING THE ORDINARY COURSE OF BUSINESS; HOWEVER, HE SHALL ASSIGN TO US ALL DEBTS TOTALING THE FINAL INVOICED AMOUNT (INCLUDING VAT) FOR OUR DEBT ARISING TO HIM AGAINST THE PURCHASER OR THIRD PARTY FROM THE RESALE, AND INDEPENDENTLY OF THE FACT WHETHER THE PURCHASED ITEMS WERE RESOLD WITH OUR WITHOUT PROCESSING OCCURRING. THE CUSTOMER SHALL ALSO BE AUTHORIZED TO COLLECT THE DEBT FOLLOWING ASSIGNING. OUR AUTHORIZATION TO COLLECT THE DEBT ITSELF SHALL REMAIN UNAFFECTED BY THIS STIPULATION. HOWEVER, WE SHALL BE OBLIGED NOT TO COLLECT THE DEBT AS LONG AS THE CUSTOMER DOES NOT FULFIL HIS PAYMENT OBLIGATIONS ARISING FROM THE CONSIDERATION COLLECTED, DOES NOT DEFAULT IN PAYMENT AND IN PARTICULAR IF NO APPLICATION OR NO PETITION FOR THE OPENING OF COMPOSITION PROCEEDINGS OR BANKRUPTCY PROCEEDINGS IS MADE OR AS LONG AS NO STOPPAGE OF PAYMENTS EXISTS. HOWEVER, SHOULD THIS BE THE CASE, THEN WE MAY REQUEST THAT THE CUSTOMER INFORM US OF THE COLLECTED DEBTS AND THE RELATED DEBTORS, SUPPLY US WITH ALL DETAILS RELATING TO COLLECTION, HAND OVER TO US THE RELATED DOCUMENTS AND INFORM THE DEBTORS (THIRD PARTIES) OF THE ASSIGNING OF THE DEBTS.

5. THE CUSTOMER SHALL ALWAYS UNDERTAKE PROCESSING OR REORGANIZING OF THE PURCHASED ITEMS FOR US. SHOULD THE PURCHASED ITEMS BE PROCESSED WITH OTHER ITEMS NOT BELONGING TO US, THEN WE SHALL ACQUIRE JOINT OWNERSHIP IN THE NEW ITEMS IN THE PROPORTION OF THE VALUE OF THE PURCHASED ITEMS (FINAL INVOICED AMOUNT, INCLUDING VAT) TO THE OTHER PROCESSED ITEMS AT THE TIME OF PROCESSING. THE SAME STIPULATIONS SHALL APPLY TO ITEMS ARISING AS A RESULT OF PROCESSING AS TO THE PURCHASED ITEMS DELIVERED UNDER RESERVATION.

6. SHOULD THE PURCHASED ITEMS BE INSEPARABLY COMMINGLED WITH OTHER ITEMS NOT BELONGING TO US, THEN WE SHALL ACQUIRE JOINT OWNERSHIP IN THE NEW ITEMS IN THE PROPORTION OF THE VALUE OF THE PURCHASED ITEMS (FINAL INVOICED AMOUNT, INCLUDING VAT) TO THE OTHER COMMINGLED ITEMS AT THE TIME OF PROCESSING. SHOULD COMMINGLING OCCUR IN SUCH A WAY THAT THE CUSTOMER'S ITEMS MUST BE CONSIDERED AS THE MAIN ITEMS, THEN IT SHALL BE CONSIDERED AS BEING AGREED UPON THAT THE CUSTOMER SHALL TRANSFER PROPORTIONATE JOINT OWNERSHIP TO US. THE CUSTOMER SHALL SAFEGUARD FOR US THE SOLE OWNERSHIP OR JOINT OWNERSHIP ARISING.

7. WE SHALL BE OBLIGED TO RELEASE THE SECURITIES TO WHICH WE ARE ENTITLED AT THE CUSTOMER'S REQUEST INsofar, AS THE REALIZABLE VALUE OF OUR SECURITIES EXCEEDS THE DEBTS TO BE SAFEGUARDED BY 10%; SELECTION OF THE SECURITIES TO BE RELEASED SHALL BE INCUMBENT ON US

§ 7 PLACE OF JURISDICTION – PLACE OF FULFILMENT

1. PROVIDED THE CUSTOMER IS A BUSINESSMAN, OUR PLACE OF BUSINESS SHALL BE THE PLACE OF JURISDICTION; HOWEVER, WE SHALL ALSO BE ENTITLED TO TAKE THE CUSTOMER TO COURT IN THE COURT NEAREST TO HIS PLACE OF BUSINESS.

WESTEX

Ciret GmbH
Geschäftsbereich WESTEX
Platz der Republik 6
42107 Wuppertal
Deutschland

westex@ciret.eu
www.ciret.eu